



CATALOGUE 2018











Finie[®]

1918 - 2018



Finie[®]
PREMIUM
www.pinie.cz

Finie[®]
PREMIUM
www.pinie.cz

	3 - 5
	6 - 21
	22 - 23
	24 - 25
	26 - 27
	28 - 29
	30 - 31
	32 - 33
	34 - 35
	36 - 37
	38 - 39
	40 - 43
	44 - 53
	54 - 73
	74 - 77
	78 - 79

Pinie Lubná, Ltd. - Family business

Since its establishment in 2000 the company Pinie Lubná, Ltd. has focused on the production and sale of Pinie® brand wooden joinery tools. The brand along with the technology and seasoned wood supplies were purchased in 2000 from the company Pinie Čistá, Ltd. The history of the Pinie® brand goes back to the year 1918. Initially, wooden handles were manufactured under the brand, and in 1932, the production of woodworking planes was launched. To this day, wooden planes represent the core of the company's production.



Year 1918



Year 1939

At present, our company has 30 permanent employees and we manufacture more than 500 different products for wholesale, retail and end users. Our production line mainly includes joinery tools, locksmith worktables and workbenches as well as wooden components (eg. wedges, dowel rods, dowel pins, biscuit joiners, knot patches). Pinie® products meet the highest quality criteria.



Ligna Hannover (Germany) 2017



Mitex (Russia) 2016

Every year we attend international fairs and exhibitions all around the world. At the traditional fair Practical World in Cologne we regularly have one of the largest stands in the business. We have also become participants at the Mitex fair in Moscow. At every fair we present a number of new products from our business.



Practical World (Germany) 2016



AWFS Fair Las Vegas (USA) 2017

We supply practical and high quality products at an affordable price to our customers from all around the world. Our products are manufactured in the company's facilities from high quality Czech wood. Every item is subject to careful control, from the purchasing of raw materials to the packing and shipping of goods.



Watch the video

We are a small dynamic company which offers to our loyal customers new products every year as well as innovation of the already existing ones. We are very proud that we are currently the biggest producer of wooden carpenter's planes in the world.



Automatic boiler room for wood biomass 2014



Automatic wood drying kilns 2012, 2015

The quality of our products relates to the care and attention devoted to the wood preparation before its machining and that is why we have taken extra care in this matter and the first steps of the preparation have been almost fully automated.



Warehouse of our semi-finished products and products 2014



Warehouse of timber 2014

We pay extra attention to the storage of products, semi-finished products for production and seasoned timber. We also maintain stable temperature and air humidity. This is to ensure the minimal occurrence of cracks and inner tension in our products which significantly reduces the claim percentage.



Pinie production area 2014



Pinie production area 2014

We machine our products on the most modern and very productive machine CNC centres with high accuracy. Thanks to the modern CAD/CAM technologies we are able to adjust our products very easily to the wishes of our customers and then also to produce them very economically without any further expensive investments.




CNC machining centre Sahos 2008




CNC machining centre SCM 2011

Constant investments to the most modern and very productive production technologies help us fight the worldwide competitors. The trend of the 21st century of automation of mass production is using robots, which we have also been using for several years in our production. The fundamental element of our robotic workplaces are Japanese robots Fanuc.



Robotic workplace Fanuc 2013



Robotic workplace Fanuc 2015


At the beginning of 2016 Pinie Lubná became equipped even with technologies for processing sheet materials and purchased the most modern large cutting centre and edgebander ABS from Format4. This is a step to widen the possibilities of our firm mainly in the direction of complexity of our offer to supply and equip school workshops not only with tools but also with furniture for tool storage as well as storage of materials.



Large cutting centre Format4 2016



Edgebander Format4 2016



Wooden planes **EKO** are the most affordable line of planes with solid beech body and all the aspects of full-featured carpenters plane.

Line **CLASSIC** is a classical type of wooden planes known from carpenter's history. It has some features of the premium line, e.g. solid hornbeam sole or ergonomic body.

Planes **PREMIUM** were designed to satisfy the requirements of today's customers. Practical innovation is the adjustable blade mechanism, which allows easy and quick setup even for beginners. We introduced this type in 2017.



Body of plane	EKO	CLASSIC	PREMIUM
Body material	solid beech	solid beech, solid hornbeam sole	solid beech, solid hornbeam sole
Body ergonomy	✗	✓	✓
Narrowed mouth	✗	✓	✓
Ergonomic rear handle	✗	✓	✓
Adjustable blade mechanism (rabbet plane has adjustable front sole)	✗	✗	✓
Plane packed in foil	✓	✗	✗
Plane pcked in carton (with seal)	✗	✓	✓

Blades	EKO	STANDARD	PROFI
Blade quality	carbon tool steel, 58 HRC	carbon tool steel, better durability than EKO, hardened and tempered to 58 HRC	alloy tool steel, biggest durability, hardened and tempered to 60 HRC
Protection against rust	A layer of transparent paint is used against rust.	A layer of transparent paint is used against rust.	Blade is oiled and hermetically sealed in a foil.



Scrub plane EKO

The Scrub Plane EKO is made as an economic wooden plane (economic alternative to the Scrub Plane), the body, sole and foot are made of solid beech. The Scrub Plane is used for the initial processing of roughly cut boards or planks. The plane leaves tracks on the planed surface, which can be easily flattened with a couple more strokes by the Bench Plane or Jack Plane. The bed angle is 45 degrees. By reversing the blade, the angle increases to 75 degrees. This "trick" is mainly used for roughing out extremely hard types of wood. We supply variant E/E with blade EKO, variant E/S with blade STANDARD.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
1-36E/E	200 x 55 x 130 mm	36 mm	45 °	590 g	EKO	8595574135309
1-36E/S	200 x 55 x 130 mm	36 mm	45 °	590 g	STANDARD	8595574140006



Bench plane EKO

The Bench Plane EKO is made as an economic wooden plane (economic alternative to the Bench Plane), the body, sole and foot are made of solid beech. The Bench Plane is used for the initial processing of roughly cut boards and planks, or as a follow-up after using the Scrub Plane. Unlike the Scrub Plane, the Bench Plane does not leave uneven tracks on the surface of the wood. Its blade is straight, leaving a flat surface. The quality of the planed surface can be improved and smoothed with the Jack Plane (shaping of soft woods) or with the Smoothing Plane (medium-hard and hard woods). We supply variant E/E with blade EKO, variant E/S with blade STANDARD.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
2-39E/E	200 x 55 x 130 mm	39 mm	45 °	570 g	EKO	8595574135316
2-39E/S	200 x 55 x 130 mm	39 mm	45 °	570 g	STANDARD	8595574140013
2-48E/E	220 x 65 x 130 mm	48 mm	45 °	850 g	EKO	8595574135323
2-48E/S	220 x 65 x 130 mm	48 mm	45 °	850 g	STANDARD	8595574140020



Jack Plane EKO

The Jack Plane EKO is made as an economic wooden plane (economic alternative to the Jack Plane), the body, sole and foot are made of solid beech. The Jack Plane has a blade with a chip breaker and is used for fine smoothing or finishing surfaces. The bed angle is 45 degrees. The chip breaker breaks chips from the planed material and removes them away from the planed surface. The plane is used for the smoothing of soft wood whereas for the finishing of hard wood the Smoothing Plane is used (the blade with the chip breaker of the Jack Plane is inserted at a steep angle to the planed material). We supply variant E with blade EKO, variant ES with blade STANDARD.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
3-48E/E	220 x 65 x 130 mm	48 mm	45 °	890 g	EKO	8595574135330
3-48E/S	220 x 65 x 130 mm	48 mm	45 °	890 g	STANDARD	8595574140037



Rabbet Plane EKO

The Rabbet Plane EKO is made as an economic wooden plane (economic alternative to the Rabbet Plane), the body, sole and foot are made of solid beech. The Rabbet Plane is a narrow plane, which is perfect for planing slots, half slots, sills, or rabbets on doors and window frames. The blade is inserted near the center of the body, the bed angle is 45 degrees and the blade cover the entire width of the plane. We supply variant E/E with blade EKO, variant E/S with blade STANDARD.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
10-18E/E	255 x 18 x 155 mm	18 mm	45 °	250g	EKO	8595574140044
10-18E/S	255 x 18 x 155 mm	18 mm	45 °	250g	STANDARD	8595574140051
10-27E/E	255 x 27 x 155 mm	27 mm	45 °	350 g	EKO	8595574135354
10-27E/S	255 x 27 x 155 mm	27 mm	45 °	350 g	STANDARD	8595574140068



Jointer Plane EKO

The Jointer Plane EKO is made as an economic wooden plane (economic alternative to the Jack Plane), the body, sole and foot are made of solid beech. The Jointer Plane is a long plane with a handle at the back. The Plane has a blade with a chip breaker and is used for the flattening and smoothing of large surfaces. The bed angle is 45 degrees. The chip breaker breaks chips from the planed material and removes them away from the planed surface. We supply variant E/E with blade EKO, variant E/S with blade STANDARD.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
6-51E/E	510 x 70 x 155 mm	51 mm	45 °	1 900 g	EKO	8595574135347
6-51E/S	510 x 70 x 155 mm	51mm	45 °	1 900 g	STANDARD	8595574140075



Scrub Plane CLASSIC

The Scrub Plane is used for the initial processing of roughly cut boards or planks. The plane leaves tracks on the planed surface, which can be easily flattened with a couple more strokes by the Bench Plane or Jack Plane. The bed angle is 45 degrees. By reversing the blade, the angle increases to 75 degrees. This "trick" is mainly used for roughing out extremely hard types of wood. The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
1-36C/S	240 x 55 x 130 mm	36 mm	45 °	590 g	STANDARD	8595574135361
1-36C/P	240 x 55 x 130 mm	36 mm	45 °	590 g	PROFI	8595574140082
1-39C/S	240 x 55 x 130 mm	39 mm	45 °	60 g	STANDARD	8595574135378
1-39C/P	240 x 55 x 130 mm	39 mm	45 °	60 g	PROFI	8595574140099



Bench Plane CLASSIC

The Bench Plane is used for the initial processing of roughly cut boards and planks, or as a follow-up after using the Scrub Plane. Unlike the Scrub Plane, the Bench Plane does not leave uneven tracks on the surface of the wood. Its blade is straight, leaving a flat surface. The quality of the planed surface can be improved and smoothed with the Jack Plane (shaping of soft woods) or with the Smoothing Plane (medium-hard and hard woods). The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.



Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
2-36C/S	240 x 55 x 130 mm	36 mm	45 °	540 g	STANDARD	8595574135385
2-36C/P	240 x 55 x 130 mm	36 mm	45 °	540 g	PROFI	8595574140105
2-39C/S	240 x 55 x 130 mm	39 mm	45 °	570 g	STANDARD	8595574135392
2-39C/P	240 x 55 x 130 mm	39 mm	45 °	570 g	PROFI	8595574140112
2-45C/S	240 x 65 x 130 mm	45 mm	45 °	780 g	STANDARD	8595574135408
2-45C/P	240 x 65 x 130 mm	45 mm	45 °	780 g	PROFI	8595574140129
2-48C/S	240 x 65 x 130 mm	48 mm	45 °	850 g	STANDARD	8595574135415
2-48C/P	240 x 65 x 130 mm	48 mm	45 °	850 g	PROFI	8595574140136



Jack Plane CLASSIC

The Jack Plane has a blade with a chipbreaker and is used for fine smoothing or finishing surfaces. The bed angle is 45 degrees. The chipbreaker breaks chips from the planed material and removes them away from the planed surface. The plane is used for the smoothing of soft wood whereas for the finishing of hard wood the Smoothing Plane is used (the blade with the chipbreaker of the Jack Plane is inserted at a steep angle to the planed material). The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
3-45C/S	240 x 65 x 130 mm	45 mm	45 °	850 g	STANDARD	8595574135422
3-45C/P	240 x 65 x 130 mm	45 mm	45 °	850 g	PROFI	8595574140143
3-48C/S	240 x 65 x 130 mm	48 mm	45 °	890 g	STANDARD	8595574135439
3-48C/P	240 x 65 x 130 mm	48 mm	45 °	890 g	PROFI	8595574140150



Smoothing Plane CLASSIC

The wooden Smoothing Plane has a blade with a chipbreaker and is used for fine smoothing or finishing surfaces. The bed angle is 49 degrees. The chipbreaker breaks chips from the planed material and removes them away from the planed surface. The plane is used for the smoothing of both hard wood and veneer surfaces. Whereas the Jack Plane is used for the finishing of soft wood (the blade with the chipbreaker of the Smoothing Plane is inserted at a steep angle to the planed material). The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
3A-45C/S	240 x 65 x 140 mm	45 mm	49 °	880 g	STANDARD	8595574135446
3A-45C/P	240 x 65 x 140 mm	45 mm	49 °	880 g	PROFI	8595574140167
3A-48C/S	240 x 65 x 140 mm	48 mm	49 °	880 g	STANDARD	8595574135453
3A-48C/P	240 x 65 x 140 mm	48 mm	49 °	880 g	PROFI	8595574140174



Jointer Plane CLASSIC

The Jointer Plane is a long plane with a handle at the back. The Plane has a blade with a chipbreaker and is used for the flattening and smoothing of large surfaces. The bed angle is 45 degrees. The chipbreaker breaks chips from the planed material and removes them away from the planed surface. The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
6-51C/S	510 x 70 x 155 mm	51 mm	45 °	1 900 g	STANDARD	8595574135460
6-51C/P	510 x 70 x 155 mm	51 mm	45 °	1 900 g	PROFI	8595574140181
6-5160C/S	510 x 80 x 150 mm	60 mm	45 °	2 140 g	STANDARD	8595574135477
6-5160C/P	510 x 80 x 150 mm	60 mm	45 °	2 140 g	PROFI	8595574140198
6-6060C/S	600 x 80 x 150 mm	60 mm	45 °	2 560 g	STANDARD	8595574135484
6-6060C/P	600 x 80 x 150 mm	60 mm	45 °	2 560 g	PROFI	8595574140204
6-8560C/S	850 x 80 x 150 mm	60 mm	45 °	5 800 g	STANDARD	8595574135491
6-8560C/P	850 x 80 x 150 mm	60 mm	45 °	5 800 g	PROFI	8595574140211



Tootinging Plane CLASSIC

The Tootinging Plane is ideal for roughing surfaces before gluing to achieve a stronger connection. The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. The bed angle is 80 degrees. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
9-45C/S	220 x 60 x 180 mm	45 mm	80 °	875 g	STANDARD	8595574135507
9-45C/P	220 x 60 x 180 mm	45 mm	80 °	875 g	PROFI	8595574140228



Rabet Plane CLASSIC

The Rabet Plane is a narrow plane, which is perfect for planing slots, half slots, sills, or rabbets on doors and window frames. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. The blade is inserted near the centre of the body, the bed angle is 45 degrees and the blade covers the entire width of the plane. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
10-18C/S	255 x 18 x 155 mm	18 mm	45 °	250 g	STANDARD	8595574135514
10-18C/P	255 x 18 x 155 mm	18 mm	45 °	250 g	PROFI	8595574140235
10-24C/S	255 x 24 x 155 mm	24 mm	45 °	320 g	STANDARD	8595574135521
10-24C/P	255 x 24 x 155 mm	24 mm	45 °	320 g	PROFI	8595574140242
10-27C/S	255 x 27 x 155 mm	27 mm	45 °	350 g	STANDARD	8595574135538
10-27C/P	255 x 27 x 155 mm	27 mm	45 °	350 g	PROFI	8595574140259
10-30C/S	255 x 30 x 155 mm	30 mm	45 °	400 g	STANDARD	8595574135545
10-30C/P	255 x 30 x 155 mm	30 mm	45 °	400 g	PROFI	8595574140266



Skew Rabet Plane CLASSIC

The Skew Rabet Plane is a narrow plane, which is used for planing slots, half slots, sills, or rabbets on doors and window frames. The blade is inserted near the centre of the body, the bed angle is 45 degrees and the blade covers the entire width of the plane. The blade's edge is accurately fixed in a position so that it is able to cut into the material gradually instead of cutting with the whole blade's edge. The blade is skewed at a 25 degree angle. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
10-21C/S	255 x 21 x 155 mm	24 mm	25°/45 °	310 g	STANDARD	8595574135637
10-21C/P	255 x 21 x 155 mm	24 mm	25°/45 °	310 g	PROFI	8595574140273
S10-24C/S	255 x 24 x 155 mm	27 mm	25°/45 °	330 g	STANDARD	8595574141492
S10-24C/P	255 x 24 x 155 mm	27 mm	25°/45 °	330 g	PROFI	8595574141508



Stepped Rabbet Plane CLASSIC

The Stepped Rabbet Plane is a narrow and short plane, the blade reaches the front edge of the plane body and the bed angle is 45 degrees. The plane is mainly used for the finishing of rabbets on doors or window frames and corners, where the Rabbet Plane does not reach. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
11-18C/S	160 x 18 x 155 mm	18 mm	45 °	170 g	STANDARD	8595574135552
11-18C/P	160 x 18 x 155 mm	18 mm	45 °	170 g	PROFI	8595574140280
11-24C/S	160 x 24 x 155 mm	24 mm	45 °	220 g	STANDARD	8595574135569
11-24C/P	160 x 24 x 155 mm	24 mm	45 °	220 g	PROFI	8595574140297
11-27C/S	160 x 27 x 155 mm	27 mm	45 °	240 g	STANDARD	8595574135576
11-27C/P	160 x 27 x 155 mm	27 mm	45 °	240 g	PROFI	8595574140303
11-30C/S	160 x 30 x 155 mm	30 mm	45 °	300 g	STANDARD	8595574135583
11-30C/P	160 x 30 x 155 mm	30 mm	45 °	300 g	PROFI	8595574140310



Stepped Rabbet Double Plane CLASSIC

The Stepped Rabbet Double plane is a narrow plane, which is used for planing slots, half slots, sills, or rabbets on doors and window frames. The blade is inserted near the centre or at the edge of the plane body, the bed angle is 45 degrees and the blade covers the entire width of the plane. The Plane is a combination of the Rabbet Plane and the Stepped Rabbet Plane. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. In the production of CLASSIC planes, special attention is given to the quality of processing, ergonomics and comfortable handling. We supply variant C/S with blade STANDARD, variant C/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
12-18C/S	255 x 18 x 155 mm	18 mm	45 °	220 g	STANDARD	8595574135590
12-18C/P	255 x 18 x 155 mm	18 mm	45 °	220 g	PROFI	8595574140327
12-24C/S	255 x 24 x 155 mm	24 mm	45 °	290 g	STANDARD	8595574135606
12-24C/P	255 x 24 x 155 mm	24 mm	45 °	290 g	PROFI	8595574140334
12-27C/S	255 x 27 x 155 mm	27 mm	45 °	350 g	STANDARD	8595574135613
12-27C/P	255 x 27 x 155 mm	27 mm	45 °	350 g	PROFI	8595574140341
12-30C/S	255 x 30 x 155 mm	30 mm	45 °	380 g	STANDARD	8595574135620
12-30C/P	255 x 30 x 155 mm	30 mm	45 °	380 g	PROFI	8595574140358



Scrub Plane PREMIUM

The Scrub Plane is used for the initial processing of roughly cut boards or planks. In the production of the Scrub Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Scrub Plane PREMIUM is therefore ideal for extended periods of working hours. The plane leaves tracks on the planed surface, which can be easily flattened with a couple more strokes by the Bench Plane or Jack Plane. The bed angle is 45 degrees. By reversing the blade, the angle increases to 75 degrees. This "trick" is mainly used for roughing out extremely hard types of wood. The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. PREMIUM planes feature adjustable blade mechanism allowing quick and accurate blade setting, which is ideal for beginners. We supply variant P/S with blade STANDARD, variant P/P with blade PROFÍ.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
1-36P/S	240 x 65 x 130 mm	36 mm	45 °	630 g	STANDARD	8595574140365
1-36P/P	240 x 65 x 130 mm	36 mm	45 °	630 g	PROFI	8595574135644



Bench Plane PREMIUM

The Bench Plane is used for the initial processing of roughly cut boards and planks, or as a follow-up after using the Scrub Plane. Unlike the Scrub Plane, the Bench Plane does not leave uneven tracks on the surface of the wood. Its blade is straight, leaving a flat surface. The quality of the planed surface can be improved and smoothed with the Jack Plane (shaping of soft woods) or with the Smoothing Plane (medium-hard and hard woods). In the production of the Bench Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Bench Plane PREMIUM is therefore ideal for extended periods of working hours. The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. PREMIUM planes feature adjustable blade mechanism allowing quick and accurate blade setting, which is ideal for beginners. We supply variant P/S with blade STANDARD, variant P/P with blade PROFÍ.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
2-48P/S	240 x 65 x 130 mm	48 mm	45 °	840 g	STANDARD	8595574140372
2-48P/P	240 x 65 x 130 mm	48 mm	45 °	840 g	PROFI	8595574135651



Jack Plane Premium

The Jack Plane has a blade with a chipbreaker and is used for fine smoothing or finishing surfaces. The bed angle is 45 degrees. The chipbreaker breaks chips from the planed material and removes them away from the planed surface. The plane is used for the smoothing of soft wood whereas for the finishing of hard wood the Smoothing Plane is used (the blade with the chipbreaker of the Jack Plane is inserted at a steep angle to the planed material). The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture. In the production of the Jack Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Jack Plane PREMIUM is therefore ideal for extended periods of working hours. The Jack Plane PREMIUM features adjustable blade mechanism allowing quick and accurate blade setting, which is ideal for beginners. We supply variant P/S with blade STANDARD, variant P/P with blade PROFÍ.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
3-48P/S	240 x 65 x 130 mm	48 mm	45 °	890 g	STANDARD	8595574140389
3-48P/P	240 x 65 x 130 mm	48 mm	45 °	890 g	PROFI	8595574135668



Smoothing Plane PREMIUM

The wooden Smoothing Plane has a blade with a chipbreaker and is used for fine smoothing or finishing surfaces. The bed angle is 49 degrees. The chipbreaker breaks chips from the planed material and removes them away from the planed surface. The plane is used for the smoothing of both hard wood and veneer surfaces. Whereas the Jack Plane is used for the finishing of soft wood (the blade with the chipbreaker of the Smoothing Plane is inserted at a steep angle to the planed material). The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. In the production of the Smoothing Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Smoothing Plane PREMIUM is therefore ideal for extended periods of working hours. The Smoothing Plane PREMIUM features adjustable blade mechanism allowing quick and accurate blade setting, which is ideal for beginners. We supply variant P/S with blade STANDARD, variant P/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
3A-48P/S	240 x 65 x 130 mm	48 mm	49 °	900 g	STANDARD	8595574140396
3A-48P/P	240 x 65 x 130 mm	48 mm	49 °	900 g	PROFI	8595574135675



Jointer Plane PREMIUM

The Jointer Plane is a long plane with a handle at the back. The Plane has a blade with a chipbreaker and is used for the flattening and smoothing of large surfaces. The bed angle is 45 degrees. The chipbreaker breaks chips from the planed material and removes them away from the planed surface. The sole is made of high quality solid hornbeam, the body is made of high quality solid beech, both are dried down to 10 % moisture content. In the production of the Jointer Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Jointer Plane PREMIUM is therefore ideal for extended periods of working hours. The Jointer Plane PREMIUM features adjustable blade mechanism allowing quick and accurate blade setting, which is ideal for beginners. We supply variant P/S with blade STANDARD, variant P/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
P6-6060P/S	600 x 80 x 150 mm	60 mm	45 °	2 600 g	STANDARD	8595574140402
P6-6060P/P	600 x 80 x 150 mm	60 mm	45 °	2 600 g	PROFI	8595574135705



Rabbet Plane PREMIUM

The Rabbet Plane is a narrow plane, which is perfect for planing slots, half slots, sills, or rabbets on doors and window frames. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. The blade is inserted near the centre of the body, the bed angle is 45 degrees and the blade covers the entire width of the plane. In the production of the Rabbet Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Rabbet Plane PREMIUM is therefore ideal for extended periods of working hours. The Skew Rabbet Plane PREMIUM features an adjustable sole. Thanks to its simple slide mechanism, it enables quick set up of the blade. We supply variant P/S with blade STANDARD, variant P/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
10-30P/S	255 x 30 x 155 mm	30 mm	45 °	540 g	STANDARD	8595574140419
10-30P/P	255 x 30 x 155 mm	30 mm	45 °	540 g	PROFI	8595574135682



Skew Rabbet Plane PREMIUM

The Skew Rabbet Plane is a narrow plane, which is used for planing slots, half slots, sills, or rabbets on doors and window frames. The blade is inserted near the centre of the body, the bed angle is 45 degrees and the blade covers the entire width of the plane. The blade's edge is accurately fixed in a position so that it is able to cut into the material gradually instead of cutting with the whole blade's edge. The blade is skewed at a 25 degree angle. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. In the production of the Skew Rabbet Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Skew Rabbet Plane PREMIUM is therefore ideal for extended periods of working hours. The Skew Rabbet Plane PREMIUM features an adjustable sole. Thanks to its simple slide mechanism, it enables quick set up of the blade. We supply variant P/S with blade STANDARD, variant P/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
10-21P/S	255 x 21 x 155 mm	21 mm	45° / 25°	380 g	STANDARD	8595574140426
10-21P/P	255 x 21 x 155 mm	21 mm	45° / 25°	380 g	PROFI	8595574135699
S10-24P/S	255 x 24 x 155 mm	27 mm	25°/45°	410 g	STANDARD	8595574141515
S10-24P/P	255 x 24 x 155 mm	27 mm	25°/45°	410 g	PROFI	8595574141522



Rabbet Plane with adjustable mechanism PREMIUM

The Rabbet Plane is a narrow plane, which is perfect for planing slots, half slots, sills, or rabbets on doors and window frames. The body is made of high quality solid beech, the sole from high quality solid hornbeam, both are dried down to 10 % moisture content. The blade is inserted near the centre of the body, the bed angle is 45 degrees and the blade covers the entire width of the plane. In the production of the Rabbet Plane PREMIUM, special attention is given to the quality of processing, ergonomics and comfortable handling. The Rabbet Plane PREMIUM is therefore ideal for extended periods of working hours. The Skew Rabbet Plane PREMIUM features an adjustable sole. Thanks to its simple slide mechanism, it enables quick set up of the blade. It is also features adjustable blade mechanism allowing quick and accurate blade setting, which is ideal for beginners. We supply variant P/S with blade STANDARD, variant P/P with blade PROFI.

Item No.	Dimensions	Blade width	Cutting angle	Weight	Blade quality	EAN code
A10-30P/S	255 x 30 x 155 mm	30 mm	45°	600 g	STANDARD	8595574141638
A10-30P/P	255 x 30 x 155 mm	30 mm	45°	600 g	PROFI	8595574141645



Wooden box for planes CLASSIC and PREMIUM

Protective plane gift box made from solid beech. The boxes are compatible with CLASSIC and PREMIUM planes.

Item No.	Plane type	Dimensions	Weight	EAN code
WPB 1	scrub plane, bench plane, jack plane, smoothing plane	275 x 180 x 92 mm	2000 g	8595574140433
WPB 2	jointer plane	630 x 210 x 100 mm	6500 g	8595574140440
WPB 3	rabbet plane	282 x 180 x 60 mm	1500 g	8595574140457

	EKO	STANDARD	PROFI
Blade quality	carbon tool steel, 58 HRC	carbon tool steel, better durability than EKO, hardened and tempered to 58 HRC	alloy tool steel, biggest durability, hardened and tempered to 60 HRC
Protection against rust	A layer of transparent paint is used against rust.	A layer of transparent paint is used against rust.	Blade is oiled and hermetically sealed in a foil.

Scrub plane blade



We supply this blade in quality STANDARD and PROFI. Variant STANDARD is made from carbon tool steel, a layer of transparent paint is used as a protection from rust, which should be removed before first use of this blade. Variant PROFI is made from alloy tool steel, which ensures the best durability and sharpness of the blade. PROFI blade is oiled and hermetically sealed in a foil.

Item no.	Dimensions	Blade width	Weight	Blade quality	EAN code
1-360S	175 x 36 x 3 mm	36 mm	146 g	STANDARD	8595574140464
1-360P	175 x 36 x 3 mm	36 mm	146 g	PROFI	8595574140471
1-390S	175 x 39 x 3 mm	39 mm	158 g	STANDARD	8595574140488
1-390P	175 x 39 x 3 mm	39 mm	158 g	PROFI	8595574140495

Bench plane blade



We supply this blade in quality STANDARD and PROFI. Variant STANDARD is made from carbon tool steel, a layer of transparent paint is used as a protection from rust, which should be removed before first use of this blade. Variant PROFI is made from alloy tool steel, which ensures the best durability and sharpness of the blade. PROFI blade is oiled and hermetically sealed in a foil.

Item no.	Dimensions	Blade width	Weight	Blade quality	EAN code
2-360S	175 x 36 x 3 mm	36 mm	140 g	STANDARD	8595574140501
2-360P	175 x 36 x 3 mm	36 mm	140 g	PROFI	8595574140518
2-390S	175 x 39 x 3 mm	39 mm	150 g	STANDARD	8595574140525
2-390P	175 x 39 x 3 mm	39 mm	150 g	PROFI	8595574140532
2-450S	182 x 45 x 3 mm	45 mm	200 g	STANDARD	8595574140549
2-450P	182 x 45 x 3 mm	45 mm	200 g	PROFI	8595574140556
2-480S	182 x 48 x 3 mm	48 mm	210 g	STANDARD	8595574140563
2-480P	182 x 48 x 3 mm	48 mm	210 g	PROFI	8595574140570



Jack plane, smoothing plane and jointer plane blade

We supply this blade in quality STANDARD and PROFI. Variant STANDARD is made from carbon tool steel, a layer of transparent paint is used as a protection from rust, which should be removed before first use of this blade. Variant PROFI is made from alloy tool steel, which ensures the best durability and sharpness of the blade. PROFI blade is oiled and hermetically sealed in a foil.

Item no.	Dimensions	Blade width	Weight	Blade quality	EAN code
3-450S	182 x 45 x 8 mm	45 mm	270 g	STANDARD	8595574140587
3-450P	182 x 45 x 8 mm	45 mm	270 g	PROFI	8595574140594
3-480S	182 x 48 x 8 mm	48 mm	270 g	STANDARD	8595574140600
3-480P	182 x 48 x 8 mm	48 mm	270 g	PROFI	8595574140614
6-510S	182 x 51 x 8 mm	51 mm	310 g	STANDARD	8595574140631
6-510P	182 x 51 x 8 mm	51 mm	310 g	PROFI	8595574140648
6-600S	182 x 60 x 8 mm	60 mm	330 g	STANDARD	8595574140655
6-600P	182 x 60 x 8 mm	60 mm	330 g	PROFI	8595574140662

Tooth plane blade

We supply this blade in quality STANDARD and PROFI. Variant STANDARD is made from carbon tool steel, a layer of transparent paint is used as a protection from rust, which should be removed before first use of this blade. Variant PROFI is made from alloy tool steel, which ensures the best durability and sharpness of the blade. PROFI blade is oiled and hermetically sealed in a foil.



Item no.	Dimensions	Blade width	Weight	Blade quality	EAN code
9-451S	182 x 45 x 3 mm	45 mm	180 g	STANDARD	8595574140679
9-451P	182 x 45 x 3 mm	45 mm	180 g	PROFI	8595574140686


Rabbet plane blade

We supply this blade in quality STANDARD and PROFI. Variant STANDARD is made from carbon tool steel, a layer of transparent paint is used as a protection from rust, which should be removed before first use of this blade. Variant PROFI is made from alloy tool steel, which ensures the best durability and sharpness of the blade. PROFI blade is oiled and hermetically sealed in a foil.



Item No.	Dimensions	Blade width	Blade shape	Weight	Blade quality	EAN code
10-181S	183 x 18 x 3 mm	18 mm	straight	40 g	STANDARD	8595574140693
10-181P	183 x 18 x 3 mm	18 mm	straight	40 g	PROFI	8595574140709
10-211S	183 x 24 x 3 mm	21 mm	oblique	60 g	STANDARD	8595574140716
10-211P	183 x 24 x 3 mm	21 mm	oblique	60 g	PROFI	8595574140723
10-241S	183 x 24 x 3 mm	24 mm	straight	60 g	STANDARD	8595574140730
10-241P	183 x 24 x 3 mm	24 mm	straight	60 g	PROFI	8595574140747
S10-241S	183 x 27 x 3 mm	27 mm	oblique	70 g	STANDARD	8595574141539
S10-241P	183 x 27 x 3 mm	27 mm	oblique	70 g	PROFI	8595574141546
10-271S	183 x 27 x 3 mm	27 mm	straight	70 g	STANDARD	8595574140754
10-271P	183 x 27 x 3 mm	27 mm	straight	70 g	PROFI	8595574140761
10-331S	183 x 30 x 3 mm	30 mm	straight	80 g	STANDARD	8595574140778
10-331P	183 x 30 x 3 mm	30 mm	straight	80 g	PROFI	8595574140778
10-302S	183 x 30 x 8 mm	30 mm	with chipbreaker	110 g	STANDARD	8595574141591
10-302P	183 x 30 x 8 mm	30 mm	with chipbreaker	110 g	PROFI	8595574141607

A tip for making plane with adjustable blade mechanism using our hardware kit






Wooden plane hardware kit

Wooden plane hardware kit contains plane blade PROFI and adjustable blade mechanism. With this kit you can build your own individual plane by your specifications. Wooden parts are not included.

Item No.	Blade chipbreaker/ radius	Blade width	Weight	EAN code
KIT1	radius	36 mm	350 g	8595574136023
KIT2	radius	39 mm	350 g	8595574136030
KIT3	-	48 mm	400 g	8595574136047
KIT4	-	51 mm	450 g	8595574136054
KIT5	-	60 mm	500 g	8595574136061
KIT6	chipbreaker	48 mm	400 g	8595574136078
KIT7	chipbreaker	51 mm	450 g	8595574136085
KIT8	chipbreaker	60 mm	500 g	8595574136092



Watch the video

Honing guide

A practical honing guide, which allows accurate honing under the required angle.



Item No.	Dimensions	Weight	EAN code
894900	117 x 66 x 57 mm	273 g	8590137949003

Diamond sharpening stone

Practical one side diamond sharpening stone. Diamond sharpening layer ensures consistent sharpening every time.



Item No.	Dimensions (1" = 25,4 mm)	Density	Weight	EAN code
81SF	8" x 3" x 1/4"	1200	810 g	8595574140785
81F	8" x 3" x 1/4"	600	810 g	8595574140792
81M	8" x 3" x 1/4"	400	810 g	8595574140808
81C	8" x 3" x 1/4"	250	810 g	8595574140815

Diamond sharpening stone double-sided

A practical double-sided sharpening stone with plastic handle and anti-slip pad. Diamond sharpening layer ensures consistent sharpening every time.



Item No.	Dimensions (1" = 25,4 mm)	Density	Weight	EAN code
DD8SF/M	8" x 3"	1200/400	720 g	8595574140822
DD8F/C	8" x 3"	600/250	720 g	8595574140839

Sharpening stone Norton


Water sharpening stones Norton (USA) are ideal combination of craftsman skills with current sharpening technology to create best sharpening system.



Item No.	Dimensions (1" = 25,4 mm)	Density	Weight	EAN code
895201	8" x 3" x 1"	1000	880 g	8595574140846
895202	8" x 3" x 1"	200/1000	880 g	8595574140853
895203	8" x 3" x 1"	1000/4000	880 g	8595574140860
895204	8" x 3" x 1"	1000/8000	880 g	8595574140877
895205	8" x 3" x 1"	4000/8000	880 g	8595574140884

Combined sharpening stone

Sharpening stone mainly used for sharpening and polishing of hand tools. This stone combines fine and coarse layer.



Item No.	Dimensions	Density	Weight	EAN code
KORUND	200 x 75 x 25mm	150/320	600 g	8595574140891
KARBID	200 x 75 x 25mm	150/320	600 g	8595574141430

Sharpening set / Sandpapers

Sharpening set mainly used for sharpening plane blades. This set contains a solid glass square with anti-slip legs and 4 sandpapers in densities P 180, 280, 320, 400. (Optionally you can separately buy finer sandpaper) Before sharpening the sandpaper should be soaked in water so it sticks to the glass.



Item No.	Dimensions	Density	Weight	EAN code
20-1 KIT	200 x 50 x 20 mm	180, 280, 320, 400	800 g	8595574140907
20-2	280 x 230 mm	180	12 g	8595574140914
20-3	280 x 230 mm	280	12 g	8595574140921
20-4	280 x 230 mm	320	12 g	8595574140938
20-5	280 x 230 mm	400	12 g	8595574140945
20-6	280 x 230 mm	600	12 g	8595574140952
20-7	280 x 230 mm	800	12 g	8595574140969



Card scraper holder



Our card scraper holder made from solid beech. It makes work with the straight card scrapers easier and minimizes danger of hurting yourself. Center screw allows for the adjustment of the card scraper curve.

Item No.	Dimensions	Material	Weight	EAN code
Scraper 1	200 x 50 x 30 mm	buk	115 g	8595574140976

Card scraper rectangular



Our card scraper is used to manually remove small amounts of material, it excels in tricky grain areas, where a plane could cause tear out. Scraping produces a cleaner surface than sanding. Rectangular shape is the most universal type of card scraper.

Item No.	Dimensions	Material	Weight	EAN code
Scraper 2	150 x 50 x 0,8 mm	carbon steel	52 g	8595574140983
Scraper 3	150 x 65 x 0,7 mm	carbon steel	62 g	8595574140990

Card scraper concave/convex



Our card scraper is used to manually remove small amounts of material, it excels in tricky grain areas, where a plane could cause tear out. Scraping produces a cleaner surface than sanding. Concave/convex shape is ideal for scraping concave and convex surfaces.


Item No.	Dimensions	Material	Weight	EAN code
Scraper 4	135 x 50 x 0,7 mm	carbon steel	45 g	8595574141003

Card scraper gooseneck



Our card scraper is used to manually remove small amounts of material, it excels in tricky grain areas, where a plane could cause tear out. Scraping produces a cleaner surface than sanding. Gooseneck shape is ideal for scraping curved surfaces.

Item No.	Dimensions	Material	Weight	EAN code
Scraper 5	120 x 70 x 0,7mm	carbon steel	40 g	8595574141010



Mitre Box of Birch Plywood

The Mitre box is used for the sawing of cants and cuts at angles of 90 degrees and 45 degrees, made of birch plywood. Mitre box sides are both glued and screwed together.

Item No.	Inner dimensions	Material thickness	Weight	EAN code
20-250574010	250 x 57 x 40 mm	10 mm	260 g	8595574102103
20-300574010	300 x 57 x 40 mm	10 mm	300 g	8595574102110
20-245534012	245 x 53 x 40 mm	12 mm	320 g	8595574102127
20-300706512	300 x 70 x 65 mm	12 mm	550 g	8595574102141
20-3501004012	350 x 100 x 40 mm	12 mm	570 g	8595574102158
20-240603515	240 x 60 x 35 mm	15 mm	380 g	8595574102165
20-240608215	240 x 60 x 82 mm	15 mm	600 g	8595574102172
20-300707015	300 x 70 x 70 mm	15 mm	720 g	8595574102196
20-3001006715	300 x 100 x 67 mm	15 mm	780 g	8595574102189



Mitre Box of Solid Beech

The Mitre box is used for the sawing of cants and cuts at angles of 90 degrees and 45 degrees, made of beech or from a combination of beech and DTD plate material. Mitre box sides are both glued and screwed together.

Item No.	Inner dimensions	Material thickness	Weight	EAN code
24-250653819	250 x 65 x 38 mm	19 mm	590 g	8595574102295
24-300653819	300 x 65 x 38 mm	19 mm	740 g	8595574102325
25-3501405019	350 x 140 x 50 mm	19 mm	1 230 g	8595574102332
25-4001605019	400 x 160 x 50 mm	19 mm	1 470 g	8595574102349



Mitre Box of Solid Beech One Sided

Item No.	Inner dimensions	Material thickness	Weight	EAN code
26-250553019	250 x 55 x 30 mm	40/19 mm	550 g	8595574102356



Mitre Box Set with Saw

The Mitre box is used for the sawing of cants and cuts at angles of 90 degrees and 45 degrees, it is made of birch plywood. The mitre box is delivered with a quality hardened tooth dovetail saw manufactured in Germany.

Item No.	Dimensions	Material thickness	Weight	EAN code
29-250574010	370 x 80 x 50 mm	10 mm	420 g	8595574102011
29-300574010	420 x 80 x 50 mm	10 mm	460 g	8595574102028



A carpenters pad

A practical carpenters pad made from birch plywood. This pad is very mobile and can help you with cutting, planing, carving and so on.

Item No.	Dimensions	Variant	Material	Weight	EAN code
27-300210P	300 x 210 mm	Right	plywood 15mm	950 g	8595574141447
27-300210L	300 x 210 mm	Left	plywood 15mm	950 g	8595574141454



Mitre Box with Clamp PREMIUM

The Mitre box is used for the sawing of cants at angles of 90 degrees and 45 degrees. Delivered with 1 or 2 clamps and a stopper, made of beech or of a combination of hardwood and DTD plate material on the mitre box bottom. Mitre box sides are glued and screwed.

Item No.	Inner dimensions	Material thickness	Weight	EAN code
27-300653819P	300 x 65 x 38 mm	19 mm	760 g	8595574141027
27-3501405019P	350 x 140 x 50 mm	19 mm	1 220 g	8595574141034
27-4001605019P	400 x 160 x 50 mm	19 mm	1 490 g	8595574141041



Mitre Box with Two Clamps PREMIUM

The Mitre box is used for the sawing of cants at angles of 90 degrees and 45 degrees. Delivered with 1 or 2 clamps and a stopper, made of beech or of a combination of hardwood and DTD plate material on the mitre box bottom. Mitre box sides are glued and screwed.

Item No.	Inner dimensions	Material thickness	Weight	EAN code
28-300653819P	300 x 65 x 38 mm	19 mm	870 g	8595574141058
28-3501405019P	350 x 140 x 50 mm	19 mm	1 320 g	8595574141065
28-4001605019P	400 x 160 x 50 mm	19 mm	1 600 g	8595574141072





Double Marking Gauge with One Lock

This solid beech marking gauge has easily adjustable drawing arms, two measuring scales, and hardened steel marking pins.

Item No.	Dimensions	Working length	Weight	EAN code
41-1	210 x 65 x 75 mm	170 mm	180 g	8595574104015



Double Marking Gauge with Two Locks

Item No.	Dimensions	Working length	Weight	EAN code
41-3	210 x 65 x 75 mm	170 mm	160 g	8595574104022



Try Square

This solid beech set square is used for the marking-off and measurement of 90 degrees fixed angles.

Item No.	Dimensions	Angle measured	Weight	EAN code
42-1	150 x 150 x 24 mm	90°	155 g	8595574104404
42-2	250 x 150 x 24 mm	90°	160 g	8595574104411
42-3	350 x 150 x 24 mm	90°	170 g	8595574104428
42-4	750 x 400 x 35 mm	90°	650 g	8595574104435



Mitre Rule

This solid beech mitre rule is used for the marking-off and measurement of 45 and 135 degrees.

Item No.	Dimensions	Angle measured	Weight	EAN code
43-1	400 x 140 x 24 mm	45° /135°	180 g	8595574104442



Bevel

This solid beech bevel is used for the transfer and marking of random large angles.

Item No.	Dimensions	Angle measured	Weight	EAN code
40-3	300 x 35 x 24 mm	0° - 340°	190 g	8595574104206
40-4	500 x 35 x 24 mm	0° - 340°	320 g	8595574104213



Sliding Bevel with Steel Arm

Item No.	Dimensions	Angle measured	Weight	EAN code
40-5	170 x 35 x 24 mm	0° - 360°	160 g	8595574104220
40-6	200 x 35 x 24 mm	0° - 360°	170 g	8595574104237
40-8	250 x 35 x 24 mm	0° - 360°	190 g	8595574104312
40-7	350 x 35 x 24 mm	0° - 360°	210 g	8595574104244



Bevel PREMIUM

This solid beech bevel is used for the transfer and marking of random large angles.

Item No.	Dimensions	Angle measured	Weight	EAN code
40-1P	350 x 50 x 24 mm	0° - 340°	290 g	8595574141089
40-2P	500 x 50 x 24 mm	0° - 340°	410 g	8595574141096



Sliding Bevel with Stainless Steel Arm

Item No.	Dimensions	Angle measured	Weight	EAN code
40-5P	170 x 35 x 24 mm	0° - 360°	160 g	8595574141102
40-6P	200 x 35 x 24 mm	0° - 360°	170 g	8595574141119
40-8P	250 x 35 x 24 mm	0° - 360°	180 g	8595574141126
40-7P	350 x 35 x 24 mm	0° - 360°	210 g	8595574141133

steel rod a guides /
sliding jaw and steel bar

cam lever with pin

cork linings to avoid
pressure marks



Wooden Clamp

These clamps are constructed for use when a metal clamp is too heavy. The jaws are made up of beech and the pressure pads are protected with cork to prevent the marking of delicate surfaces. The clamp body is made of galvanized steel. The sliding lower jaw locks come with a quick and easy to use cam lever.

Item No.	Dimensions	Jaw opening	Jaws	Weight	EAN code
30-200	290 x 145 x 24 mm	200 mm	110 mm	430 g	8595574105012
30-300	390 x 145 x 24 mm	300 mm	110 mm	530 g	8595574105135
30-400	490 x 145 x 24 mm	400 mm	110 mm	590 g	8595574105029
30-600	690 x 145 x 24 mm	600 mm	110 mm	750 g	8595574105036
30-800	890 x 145 x 24 mm	800 mm	110 mm	920 g	8595574105043
30-1000	1090 x 145 x 24 mm	1000 mm	110 mm	1 080g	8595574105050
30-1200	1290 x 145 x 24 mm	1200 mm	110 mm	1 250 g	8595574105067
30-1500	1590 x 145 x 24 mm	1500 mm	110 mm	1 440 g	8595574105074



Wooden Clamp with Long Jaws

Construction of this wooden clamp is identical as previously mentioned clamp, unlike previous product has jaws 190mm long.

Item No.	Dimensions	Jaw opening	Jaws	Weight	EAN code
31-200	290 x 190 x 24 mm	200 mm	190 mm	500 g	8595574105203
31-300	390 x 190 x 24 mm	300 mm	190 mm	590 g	8595574105302
31-400	490 x 190 x 24 mm	400 mm	190 mm	680 g	8595574105210
31-600	690 x 190 x 24 mm	600 mm	190 mm	830 g	8595574105227
31-800	890 x 190 x 24 mm	800 mm	190 mm	1 000 g	8595574105234
31-1000	1090 x 190 x 24 mm	1000 mm	190 mm	1 160 g	8595574105241
31-1200	1290 x 190 x 24 mm	1200 mm	190 mm	1 330 g	8595574105258
31-1500	1590 x 190 x 24 mm	1500 mm	190 mm	1 520 g	8595574105265



Upper Jaw Replacement

Item No.	Dimensions	Jaws	Weight	EAN code
30-2	145 x 35 x 24 mm	110 mm	110 g	8595574105098
30-4	190 x 35 x 24 mm	190 mm	130 g	8595574105111



Lower Jaw Replacement

Item No.	Dimensions	Jaws	Weight	EAN code
30-3	145 x 35 x 24 mm	110 mm	100 g	8595574105104
30-5	190 x 35 x 24 mm	190 mm	150 g	8595574105128



Edge Clamp

The edge clamp presses against the bar edge of a wooden clamp. The bar clamp shown in the photo is not included.

Item No.	Dimensions	Jaws	Weight	EAN code
30-1	145 x 35 x 24 mm	150 mm	110 g	8595574105678





Joiner's mallet

The mallet head is made of carefully seasoned beech, with an ash wooden handle. The shape of the mallet corresponds to the DIN standard.

Item No.	Dimensions	Weight	EAN code
53-1	∅ 60 x 120 x 300 mm	310 g	8595574106033
53-2	∅ 70 x 140 x 300 mm	390 g	8595574106040



Carpenter's mallet

Item No.	Dimensions	Weight	EAN code
52-1	105 x 65 x 300 mm	350 g	8595574106019
52-2	140 x 70 x 330 mm	680 g	8595574106026
52-3	160 x 70 x 330 mm	780 g	8595574106057



Carving mallet

Item No.	Dimensions	Weight	EAN code
56-1	∅ 80 mm	380 g	8595574106088
56-2	∅ 100 mm	580 g	8595574106095
56-3	∅ 120 mm	720 g	8595574106118





Replacement Handles for Mallets

Item No.	Dimensions	For Item No.	Weight	EAN code
52-4	ø 25 x 300 mm	53-1, 53-2, 52-1	120 g	8595574106064
53-4	ø 30 x 230 mm	56-1, 56-2	125 g	8595574106101
56-4	ø 30 x 300 mm	52-2, 52-3	160 g	8595574106071



Farmer's Hammer - Round

This solid beech hammer prevents cracking of wooden sticks.

Item No.	Dimensions	Weight	EAN code
54-2	ø 135 x 190 x 900 mm	4 000 g	8595574106217
54-1	ø 170 x 230 x 950 mm	6 000 g	8595574106200



Farmer's Hammer - Square

Item No.	Dimensions	Weight	EAN code
55-2	140 x 200 x 900 mm	3 250 g	8595574106255
55-1	160 x 230 x 950 mm	5 000 g	8595574106248



Replacement Handles for Farmer's Hammer

Item No.	Dimensions	For Item No.	Weight	EAN code
56-20	43 x 30 x 900 mm	54-2, 55-2	950 g	8595574106231
56-10	50 x 32 x 950 mm	54-1; 55-1	1 200 g	8595574106224



Joiner's Mallet PREMIUM

The mallet head is made of carefully seasoned beech, with an ash wooden handle. The shape of the mallet corresponds to the DIN standard.

Item No.	Dimensions	Weight	EAN code
53-1P	ø 60 x 120 x 300 mm	300 g	8595574141140
53-2P	ø 70 x 140 x 300 mm	350 g	8595574141157



Carpenter's Mallet PREMIUM

Item No.	Dimensions	Weight	EAN code
52-1P	105 x 65 x 300 mm	410 g	8595574141164
52-2P	140 x 65 x 330 mm	630 g	8595574141171
52-3P	160 x 65 x 330 mm	800 g	8595574141188



Push Stick for Circular Saw

A safety tool for pushing narrow pieces of work through table saws and circular saws. The push stick is made of beech, slightly tooled. The tool saves the cut and protects hands. Equipped with magnets for fixing towards the saw table.


Item No.	Dimensions	Magnets	Weight	EAN code
49-0	460 x 70 x 10 mm	no	125 g	8595574103391
49-1	460 x 70 x 13 mm	yes	130 g	8595574103407



Fretsaw board

The fretsaw board is made of beech and it is used for easier and accurate cutting with a fretsaw.

Item No.	Dimensions	Weight	EAN code
50-1	170 x 65 x 12 mm	80 g	8595574103506
50-2	220 x 75 x 16 mm	150 g	8595574103513
50-3	220 x 90 x 30 mm	210 g	8595574103520
50-4	250 x 90 x 35 mm	400 g	8595574141461



File Wooden Handles

Item No.	Dimensions	Weight	EAN code
57-80A	∅ 22 x 80 mm	20 g	8595574107108
58-80B	∅ 33 x 80 mm	30 g	8595574107160
57-90A	∅ 25 x 90 mm	25 g	8595574107115
57-100A	∅ 25 x 100 mm	30 g	8595574107122
57-120A	∅ 28 x 120 mm	40 g	8595574107139
57-140A	∅ 33 x 140 mm	60 g	8595574107146
57-160A	∅ 35 x 160 mm	70 g	8595574107153



Wooden Trestle

Our practical trestle is made from solid beech. We supply this trestle disassembled with all required parts and a manual. Solid beech wood ensures higher durability than the spruce wood.

Item No.	Dimensions	Material	Weight	Load capacity	EAN code
500-1	750x650x450 mm	beech	7kg	200 kg	8595574141195



Wooden Sawhorse

Our practical sawhorse is made from solid spruce. We supply this sawhorse disassembled with all required parts and a manual.

Item No.	Dimensions	Material	Weight	Load capacity	EAN code
500-2	770 x 850 x 880 mm	spruce	6 kg	200kg	8595574141201



Wooden Folding Trestle / Portable Work Table

Practical folding table made of beech wood. Stable and solid construction allows for easy folding and unfolding. Supplied disassembled including assembly instructions.

Item No.	Dimensions	Material	Weight	Load capacity	EAN code
500-4	800 x 210 x 750 mm	buk	10 kg	200 kg	8595574141652
500-5	800 x 300 x 930 mm	buk	12 kg	200 kg	8595574141669






Chainsaw Metal Sawhorse

Our folding chainsaw metal sawhorse features cantilever mechanism which enables safe cutting with a chainsaw. This sawhorse is very sturdy and allows cutting logs up to 30cm diameter. Surface is powder coated, optionally you can choose from RAL colours.

Item No.	Dimensions	Material	Weight	EAN code
500-3	1200 x 500 mm	steel	23 kg	8595574141218







Flooring Fitting Kit 12 Pieces

It consists of the assembly profile 200 mm, floor clamp 285 mm and 10 assembly wedges.

Item No.	Dimensions	Weight	EAN code
200-4A	235 x 60 x 65 mm	920 g	8595574122255
200-4B	235 x 60 x 65 mm	920 g	8595574122262
200-4C	235 x 60 x 65 mm	920 g	8595574122279
200-4D	235 x 60 x 65 mm	920 g	8595574122286



Flooring Pull Bar


For floating floor assembly, made of powder coated steel.

Item No.	Dimensions	Weight	EAN code
200-1	450 x 120 x 55 mm	1 670 g	8595574122019
200-2	285 x 60 x 20 mm	460 g	8595574122026



Floor Knocking Block

This profile is used for the assembly of all types of floating floors. It is made of hardwood and it has three different profiles - see photo.



Item No.	Dimensions	Weight	EAN code
201-1A	600 x 90 x 65 mm	660 g	8595574122323
201-1B	600 x 90 x 65 mm	660 g	8595574122330
201-1C	600 x 90 x 65 mm	660 g	8595574122347
201-1D	600 x 90 x 65 mm	660 g	8595574122385
201-2A	300 x 65 x 25 mm	320 g	8595574122354
201-2B	300 x 65 x 25 mm	320 g	8595574122361
201-2C	300 x 65 x 25 mm	320 g	8595574122378
201-2D	300 x 65 x 25 mm	320 g	8595574122392



Floor Fitting Wedges

These hard wood wedges are always cut in the direction of the wood grain, available in the following dimensions: 57 x 34 x 2/7 mm, 57 x 34 x 5/10 mm, 57 x 34 x 10/15 mm.



Item No.	Dimensions	Pcs in package	Weight	EAN code
82-573420	20 pcs mix	0 + 10 + 10	270 g	8595574122538
82-573450	50 pcs mix	10 + 20 + 20	810 g	8595574122545
82-57342020	57 x 34 x 2/7 mm	3600	20 kg	8595574121401
82-57345020	57 x 34 x 5/10 mm	1920	20 kg	8595574121418
82-573410020	57 x 34 x 10/15 mm	1160	20 kg	8595574121425





Hand Float

The hand float is made of water-resistant plywood with a screw secured wooden handle.

Item No.	Dimensions	Material thickness	Weight	EAN code
252-1	120 x 240 x 80 mm	12 mm	260 g	8595574120015
252-2	140 x 280 x 80 mm	12 mm	335 g	8595574120022
252-3	180 x 320 x 80 mm	12 mm	445 g	8595574120039
252-4	200 x 360 x 80 mm	12 mm	535 g	8595574120046
252-5	220 x 420 x 80 mm	12 mm	665 g	8595574120053
252-6	240 x 480 x 80 mm	12 mm	810 g	8595574120060



Hand Float with plastic handle

The hand float is made of water-resistant plywood with a screw secured plastic handle.

Item No.	Dimensions	Material thickness	Weight	EAN code
251-1 K	295 x 100 x 70 mm	12 mm	400 g	8595574120206
251-4	240 x 120 x 70 mm	12 mm	350 g	8595574120213
251-5	280 x 140 x 70 mm	12 mm	450 g	8595574120220
251-6	320 x 180 x 70 mm	12 mm	650 g	8595574120237
251-7	360 x 200 x 70 mm	12 mm	800 g	8595574120244
251-8	420 x 220 x 70 mm	12 mm	1 050 g	8595574120251
251-9	480 x 240 x 70 mm	12 mm	1 250 g	8595574120268



Masons Peg - round

Used for masonry and mortar of corners, with hardened peg top.


Item No.	Masons peg body	Length	Weight	EAN code
A-10160	10 mm	160 mm	170 g	8595574120404
A-10250	10 mm	250 mm	230 g	8595574120411



Masons Peg - square

Used for masonry and mortar of corners, with hardened peg point.


Item No.	Masons peg body	Length	Weight	EAN code
B-88160	8 x 8 mm	160 mm	154 g	8595574120503



Tool Case PREMIUM

Fully equipped functional systainer with 32 pieces of professional tools specifically selected and removable tool carrier for use by all types of craftsman.

Item No.	Dimensions	Weight	EAN code
Case 1MDF	400 x 315 x 300 mm	ca 11,3 kg	8595574133015
Case 1PDPFW	400 x 315 x 300 mm	ca 11,3 kg	8595574133053



Case1
(PDP FW)

The Tool case consists of a Systainer T-lock TANOS (Case2), a tool carrier (Case3) and a set of tools (Case4):

- Jack Plane 3-48C/S
- Rabbet Plane 10-30C/S
- Dovetail Saw Pinie 250 mm
- Gluing Clamps Pinie 200 mm 2 pcs
- Double Marking Gauge Pinie
- Try Square 90° Pinie 150 mm
- Sliding Bevel Pinie 200 mm
- Folding Rule Pinie 2 m
- Carpenter's Pencil Pinie
- Carpenter's Mallet Pinie 105 x 65 x 300 mm
- Chisel Narex 6 mm, 12 mm, 16 mm, 26 mm
- Screwdriver Slotted Narex 3 x 75 mm, 4 x 100 mm, 6,5 x 150 mm
- Screwdriver Narex PZ 1 x 80 mm, PZ 2 x 100 mm
- File Round Ajax 200 mm
- File Half-Round Ajax 200 mm
- Rasp Round Ajax 200 mm
- Rasp Half-Round Ajax 200 mm
- Multifunction Pliers
- Long Nose Pliers
- Siko Waterpump Pliers
- Side Cutting Pliers
- Carpenter's Pincers
- Spirit Level Liballa 300 mm
- Snap-off Knife
- Hammer 500g



Watch the video

Item No.	Dimensions	Weight	EAN code
Case 2	400 x 315 x 300 mm	2 kg	8595574133022
Case 3MDF	340 x 300 x 290 mm	2 kg	8595574133039
Case 3PDPFW	340 x 300 x 290 mm	2 kg	8595574133060
Case 4	Tools	7,3 kg	8595574133046



Case 2



Case 3PDP FW



Case 3MDF



Case 4



Birch plywood box

A practical wooden tool box. This box is made from birch plywood, thickness 10,12 or 15mm. The body and the cover feature tongue and groove construction and all corners are protected by metal corner plates. This box features a hasp for locking. Boxes of 795 or 595mm width features two handles for easy manipulation. We supply this box with a surface finish, or optionally with RAL colour finish.

Item No.	Dimensions	Material	Weight	Colour	Ean code
BOX79559539515N	795 x 595 x 395 mm	Plywood 15 mm	20 kg	Natural	8595574141225
BOX79559539515RAL	795 x 595 x 395 mm	Plywood 15 mm	20 kg	Optional	8595574141232
BOX59539529512N	595 x 395 x 295 mm	Plywood 12 mm	8 kg	Natural	8595574141249
BOX59539529512RAL	595 x 395 x 295 mm	Plywood 12 mm	8 kg	Optional	8595574141256
BOX39529519510N	395 x 295 x 195 mm	Plywood 10 mm	3 kg	Natural	8595574141263
BOX39529519510RAL	395 x 295 x 195 mm	Plywood 10 mm	3 kg	Optional	8595574141270
BOX39529529510N	395 x 295 x 295 mm	Plywood 10 mm	4 kg	Natural	8595574141287
BOX39529529510RAL	395 x 295 x 295 mm	Plywood 10 mm	4 kg	Optional	8595574141294
BOX29519514510N	295 x 195 x 145 mm	Plywood 10 mm	1,7 kg	Natural	8595574141300
BOX29519514510RAL	295 x 195 x 145 mm	Plywood 10 mm	1,7 kg	Optional	8595574141317
BOX29519519510N	295 x 195 x 195 mm	Plywood 10 mm	2 kg	Natural	8595574141324
BOX29519519510RAL	295 x 195 x 195 mm	Plywood 10 mm	2 kg	Optional	8595574141331



Birch waterproof plywood box

A practical wooden tool box. This box is made from birch waterproof plywood, thickness 9,12 or 15mm. The body and the cover feature tongue and groove construction and all corners are protected by metal corner plates. This box features a hasp for locking. Boxes of 795 or 595mm width features two handles for easy manipulation. We supply this box without a surface finish.

Item No.	Dimensions	Material	Weight	Colour	Ean code
BOX79559539515PDPFW	795 x 595 x 395 mm	PDP FW 15 mm	23 kg	Brown	8595574141348
BOX59539529512PDPFW	595 x 395 x 295 mm	PDP FW 12 mm	9,5 kg	Brown	8595574141355
BOX39529519510PDPFW	395 x 295 x 195 mm	PDP FW 9 mm	3,2 kg	Brown	8595574141362
BOX39529529510PDPFW	395 x 295 x 295 mm	PDP FW 9 mm	4,2 kg	Brown	8595574141379
BOX29519514510PDPFW	295 x 195 x 145 mm	PDP FW 9 mm	2 kg	Brown	8595574141386
BOX29519519510PDPFW	295 x 195 x 195 mm	PDP FW 9 mm	2,2 kg	Brown	8595574141393

Box parts:

Metal corner plates



Item No.	Dimensions	Weight	EAN code
BOX-1	35 x 35 x 0,8 mm	14 g	8595574141409

Box handle



Item No.	Dimensions	Weight	EAN code
BOX-2	115 x 80 x 1 mm	147 g	8595574141416

Box hasp



Item No.	Dimensions	Weight	EAN code
BOX-3	180 x 45 x 2 mm	160 g	8595574141423



Trumpet-shaped Wedge

Steel trumpet-shaped wedge for fixing of wooden tool handles.

Item No.	Diameter	Pcs in package	Weight	EAN code
TW74	7 mm	4	11 g	8595574107504
TW701	7 mm	660	1 kg	8595574107511
TW104	10 mm	4	17 g	8595574107528
TW1001	10 mm	330	1 kg	8595574107535
TW124	12 mm	4	30 g	8595574107542
TW1201	12 mm	160	1 kg	8595574107559
TW144	14 mm	4	45 g	8595574107566
TW1401	14 mm	100	1 kg	8595574107573
TW164	16 mm	4	80 g	8595574107580
TW1601	16 mm	52	1 kg	8595574107597
TW184	18 mm	4	110 g	8595574107603
TW1801	18 mm	40	1 kg	8595574107610
TWset	14 + 16 x 18 mm	2 + 2 + 2	75 g	8595574107627

Wedges

These hard wood wedges are always cut in the direction of the wood grain.



Item No.	Dimensions	Pcs in package	Weight	EAN code
80-303470	30 x 34 x 0 / 7 mm	4	18 g	8595574110016
80-30347001	30 x 34 x 0 / 7 mm	320	1 kg	8595574106606
80-30347020	30 x 34 x 0 / 7 mm	6400	20 kg	8595574106613
80-4060100	40 x 60 x 0 / 10 mm	4	21 g	8595574110047
80-406010001	40 x 60 x 0 / 10 mm	100	1 kg	8595574106620
80-406010020	40 x 60 x 0 / 10 mm	2000	20 kg	8595574106637
80-4340850	43 x 40 x 0 / 8,5 mm	4	26 g	8595574110023
80-434085001	43 x 40 x 0 / 8,5 mm	160	1 kg	8595574106644
80-434085020	43 x 40 x 0 / 8,5 mm	3200	20 kg	8595574106651
80-453590	45 x 35 x 0 / 9 mm	4	26 g	8595574110030
80-45359001	45 x 35 x 0 / 9 mm	160	1 kg	8595574106668
80-45359020	45 x 35 x 0 / 9 mm	3200	20 kg	8595574106675
80-5450100	54 x 50 x 0 / 10 mm	4	38 g	8595574110085
80-545010001	54 x 50 x 0 / 10 mm	80	1 kg	8595574106682
80-545010020	54 x 50 x 0 / 10 mm	1600	20 kg	8595574106699
80-6050110	60 x 50 x 0 / 11 mm	4	45 g	8595574110108
80-605011001	60 x 50 x 0 / 11 mm	85	1 kg	8595574106705
80-605011020	60 x 50 x 0 / 11 mm	1700	20 kg	8595574106712

Construction Wedges



Item No.	Dimensions	Pcs in package	Weight	EAN code
80-6515240	65 x 15 x 0 / 24 mm	10	90 g	8595574110115
80-651524001	65 x 15 x 0 / 24 mm	105	1 kg	8595574106729
80-651524020	65 x 15 x 0 / 24 mm	2100	20 kg	8595574106736
80-9029240	90 x 29 x 0 / 24 mm	10	160 g	8595574110122
80-902924001	90 x 29 x 0 / 24 mm	60	1 kg	8595574106743
80-902924020	90 x 29 x 0 / 24 mm	1200	20 kg	8595574106750
82-1805930006	180 x 59 x 30 / 24 mm	6	710 g	8595574122606
82-1805930012	180 x 59 x 30 / 24 mm	12	1420 g	8595574122613
82-180593020	180 x 59 x 30 / 24 mm	160	20 kg	8595574122620



Tile Wedges




Item No.	Dimensions	Pcs in package	Weight	EAN code
82-458950100	44 x 7 x 0 / 8,5 mm	100	150 g	8595574110214
82-458950250	44 x 7 x 0 / 8,5 mm	250	400 g	8595574110207
82-45895001	44 x 7 x 0 / 8,5 mm	625	1 kg	8595574106767
82-45895020	44 x 7 x 0 / 8,5 mm	12 500	20 kg	8595574106774

Floor Fitting Wedges

These hard wood wedges are always cut in the direction of the wood grain, in the following dimensions: 57 x 34 x 2/7 mm, 57 x 34 x 5/10 mm, 57 x 34 x 10/15 mm.



Item No.	Dimensions	Pcs in package	Weight	EAN code
82-573420	20 pcs mix	0 + 10 + 10	266 g	8595574122538
82-573450	50 pcs mix	10 + 20 + 20	806 g	8595574122545
82-57342020	57 x 34 x 2/7 mm	3600	20 kg	8595574121401
82-57345020	57 x 34 x 5/10 mm	1920	20 kg	8595574121418
82-573410020	57 x 34 x 10/15 mm	1160	20 kg	8595574121425



Biscuit Joiners

Item No.	Size	Dimensions	Pcs in package	Weight	EAN code
160-050	0	47 x 15 x 4 mm	50	68 g	8595574117015
160-01000	0	47 x 15 x 4 mm	1000	1 200 g	8595574117022
160-0020	0	47 x 15 x 4 mm	16 600	20 kg	8595574117077
160-1050	10	53 x 19 x 4 mm	50	105 g	8595574117039
160-101000	10	53 x 19 x 4 mm	1000	1 960 g	8595574117046
160-10020	10	53 x 19 x 4 mm	10 200	20 kg	8595574117084
160-2050	20	56 x 23 x 4 mm	50	142 g	8595574117053
160-201000	20	56 x 23 x 4 mm	1000	2 700 g	8595574117060
160-20020	20	56 x 23 x 4 mm	7400	20 kg	8595574117091



Dowel Rods (800 mm) - fluted

Item No.	Dimensions	Pcs in package	Weight	EAN code
101-6800	ø 6 x 800 mm	1	14 g	8595574112300
101-8800	ø 8 x 800 mm	1	25 g	8595574112317
101-10800	ø 10 x 800 mm	1	39 g	8595574112324
101-12800	ø 12 x 800 mm	1	57 g	8595574112331
101-14800	ø 14 x 800 mm	1	63 g	8595574141478
101-16800	ø 16 x 800 mm	1	70 g	8595574112348



Dowel Rods (800 mm) - smooth

Item No.	Dimensions	Pcs in package	Weight	EAN code
102-6800	ø 6 x 800 mm	1	14 g	8595574112362
102-8800	ø 8 x 800 mm	1	25 g	8595574112379
102-10800	ø 10 x 800 mm	1	39 g	8595574112386
102-12800	ø 12 x 800 mm	1	57 g	8595574112393
102-14800	ø 14 x 800 mm	1	63 g	8595574141485
102-16800	ø 16 x 800 mm	1	70 g	8595574112409
102-28800	ø 28 x 800 mm	1	120 g	8595574112416



Dowel Pins

Made of beech according to relevant standard, ends skewed.



Item No.	Dimensions	Pcs in package	Weight	EAN code
100-63050	ø 6 x 30 mm	50	50 g	8595574112010
100-630200	ø 6 x 30 mm	200	127 g	8595574112027
100-630001	ø 6 x 30 mm	1 670	1 kg	8595574106781
100-630020	ø 6 x 30 mm	33 400	20 kg	8595574106798
100-83050	ø 8 x 30 mm	50	50 g	8595574141553
100-830200	ø 8 x 30 mm	200	170 g	8595574141560
100-8300001	ø 8 x 30 mm	900	1 kg	8595574141577
100-8300020	ø 8 x 30 mm	18 000	20 kg	8595574141584
100-84040	ø 8 x 40 mm	40	50 g	8595574112072
100-840150	ø 8 x 40 mm	150	170 g	8595574112126
100-840001	ø 8 x 40 mm	750	1 kg	8595574106804
100-840020	ø 8 x 40 mm	15 000	20 kg	8595574106811
100-104030	ø 10 x 40 mm	30	50 g	8595574112133
100-1040120	ø 10 x 40 mm	120	260 g	8595574112089
100-1040001	ø 10 x 40 mm	490	1 kg	8595574106828
100-1040020	ø 10 x 40 mm	9 800	20 kg	8595574106835



Spruce Knot Patches (branch)

Item No.	Dimensions	Pcs in package	Weight	EAN code
110-1540	ø 15 x 7 mm	40	30 g	8595574114038
110-15001	ø 15 x 7 mm	1100	1 kg	8595574123108
110-15020	ø 15 x 7 mm	22 000	20 kg	8595574123115
110-2030	ø 20 x 7 mm	30	40 g	8595574114052
110-20001	ø 20 x 7 mm	650	1 kg	8595574123122
110-20020	ø 20 x 7 mm	13 000	20 kg	8595574123139
110-2520	ø 25 x 7 mm	20	45 g	8595574114076
110-25001	ø 25 x 7 mm	375	1 kg	8595574123146
110-25020	ø 25 x 7 mm	7500	20 kg	8595574123153
110-3010	ø 30 x 7 mm	10	30 g	8595574114106
110-30001	ø 30 x 7 mm	250	1 kg	8595574123160
110-30020	ø 30 x 7 mm	5000	20 kg	8595574123177
110-3510	ø 35 x 7 mm	10	45 g	8595574114120
110-35001	ø 35 x 7 mm	200	1 kg	8595574123184
110-35020	ø 35 x 7 mm	4000	20 kg	8595574123191
110-408	ø 40 x 7 mm	8	40 g	8595574114144
110-40001	ø 40 x 7 mm	175	1 kg	8595574123207
110-40020	ø 40 x 7 mm	3500	20 kg	8595574123214



Spruce Round Patches (solid)

Číslo výrobku	Rozměry	Kusů v balení	Hmotnost	EAN kód
114-1540	ø 15 x 7 mm	40	30 g	8595574115103
114-15001	ø 15 x 7 mm	1100	1 kg	8595574123221
114-15020	ø 15 x 7 mm	22 000	20 kg	8595574123238
114-2030	ø 20 x 7 mm	30	40 g	8595574115127
114-20001	ø 20 x 7 mm	650	1 kg	8595574123245
114-20020	ø 20 x 7 mm	13 000	20 kg	8595574123252
114-2520	ø 25 x 7 mm	20	45 g	8595574115141
114-25001	ø 25 x 7 mm	375	1 kg	8595574123269
114-25020	ø 25 x 7 mm	7500	20 kg	8595574123276
114-3010	ø 30 x 7 mm	10	30 g	8595574115165
114-30001	ø 30 x 7 mm	250	1 kg	8595574123283
114-30020	ø 30 x 7 mm	5000	20 kg	8595574123290
114-3510	ø 35 x 7 mm	10	45 g	8595574115189
114-35001	ø 35 x 7 mm	200	1 kg	8595574123306
114-35020	ø 35 x 7 mm	4000	20 kg	8595574123313
114-408	ø 40 x 7 mm	8	40 g	8595574115202
114-40001	ø 40 x 7 mm	175	1 kg	8595574123320
114-40020	ø 40 x 7 mm	3500	20 kg	8595574123337



Pine Knot Patches (branch)

Item No.	Dimensions	Pcs in package	Weight	EAN code
115-1540	ø 15 x 7 mm	40	30 g	8595574115301
115-15001	ø 15 x 7 mm	1100	1 kg	8595574123344
115-15020	ø 15 x 7 mm	22 000	20 kg	8595574123351
115-2030	ø 20 x 7 mm	30	40 g	8595574115325
115-20001	ø 20 x 7 mm	650	1 kg	8595574123368
115-20020	ø 20 x 7 mm	13 000	20 kg	8595574123375
115-2520	ø 25 x 7 mm	20	45 g	8595574115349
115-25001	ø 25 x 7 mm	375	1 kg	8595574123382
115-25020	ø 25 x 7 mm	7500	20 kg	8595574123399
115-3010	ø 30 x 7 mm	10	30 g	8595574115363
115-30001	ø 30 x 7 mm	250	1 kg	8595574123405
115-30020	ø 30 x 7 mm	5000	20 kg	8595574123412
115-3510	ø 35 x 7 mm	10	45 g	8595574115387
115-35001	ø 35 x 7 mm	200	1 kg	8595574123429
115-35020	ø 35 x 7 mm	4000	20 kg	8595574123436
115-408	ø 40 x 7 mm	8	40 g	8595574115400
115-40001	ø 40 x 7 mm	175	1 kg	8595574123443
115-40020	ø 40 x 7 mm	3500	20 kg	8595574123450



Pine Round Patches (solid)

Item No.	Dimensions	Pcs in package	Weight	EAN code
111-1540	ø 15 x 7 mm	40	30 g	8595574114304
111-15001	ø 15 x 7 mm	1100	1 kg	8595574123467
111-15020	ø 15 x 7 mm	22 000	20 kg	8595574123474
111-2030	ø 20 x 7 mm	30	40 g	8595574114328
111-20001	ø 20 x 7 mm	650	1 kg	8595574123481
111-20020	ø 20 x 7 mm	13 000	20 kg	8595574123498
111-2520	ø 25 x 7 mm	20	45 g	8595574114342
111-25001	ø 25 x 7 mm	375	1 kg	8595574123504
111-25020	ø 25 x 7 mm	7500	20 kg	8595574123511
111-3010	ø 30 x 7 mm	10	30 g	8595574114366
111-30001	ø 30 x 7 mm	250	1 kg	8595574123528
111-30020	ø 30 x 7 mm	5000	20 kg	8595574123535
111-3510	ø 35 x 7 mm	10	45 g	8595574114380
111-35001	ø 35 x 7 mm	200	1 kg	8595574123542
111-35020	ø 35 x 7 mm	4000	20 kg	8595574123559
111-408	ø 40 x 7 mm	8	40 g	8595574114403
111-40001	ø 40 x 7 mm	175	1 kg	8595574123566
111-40020	ø 40 x 7 mm	3500	20 kg	8595574123573
111-458	ø 45 x 7 mm	8	50 g	8595574114427
111-45001	ø 45 x 7 mm	180	1 kg	8595574123580
111-45020	ø 45 x 7 mm	3600	20 kg	8595574123597
111-508	ø 50 x 7 mm	8	65 g	8595574114441
111-50001	ø 50 x 7 mm	120	1 kg	8595574123603
111-50020	ø 50 x 7 mm	2400	20 kg	8595574123610



Beech Knot Patches (branch)

Item No.	Dimensions	Pcs in package	Weight	EAN code
113-1540	ø 15 x 7 mm	40	30 g	8595574114922
113-15001	ø 15 x 7 mm	1100	1 kg	8595574123627
113-15020	ø 15 x 7 mm	22 000	20 kg	8595574123634
113-2030	ø 20 x 7 mm	30	40 g	8595574114946
113-20001	ø 20 x 7 mm	650	1 kg	8595574123641
113-20020	ø 20 x 7 mm	13 000	20 kg	8595574123658
113-2520	ø 25 x 7 mm	20	45 g	8595574114960
113-25001	ø 25 x 7 mm	375	1 kg	8595574123665
113-25020	ø 25 x 7 mm	7500	20 kg	8595574123672
113-3010	ø 30 x 7 mm	10	30 g	8595574114984
113-30001	ø 30 x 7 mm	250	1 kg	8595574123689
113-30020	ø 30 x 7 mm	5000	20 kg	8595574123696
113-3510	ø 35 x 7 mm	10	45 g	8595574115004
113-35001	ø 35 x 7 mm	200	1 kg	8595574123702
113-35020	ø 35 x 7 mm	4000	20 kg	8595574123719
113-408	ø 40 x 7 mm	8	40 g	8595574115028
113-40001	ø 40 x 7 mm	175	1 kg	8595574123726
113-40020	ø 40 x 7 mm	3500	20 kg	8595574123733



Beech Round Patches (solid)

Item No.	Dimensions	Pcs in package	Weight	EAN code
116-1540	ø 15 x 7 mm	40	30 g	8595574115493
116-15001	ø 15 x 7 mm	1100	1 kg	8595574123740
116-15020	ø 15 x 7 mm	22 000	20 kg	8595574123757
116-2030	ø 20 x 7 mm	30	40 g	8595574115516
116-20001	ø 20 x 7 mm	650	1 kg	8595574123764
116-20020	ø 20 x 7 mm	13 000	20 kg	8595574123771
116-2520	ø 25 x 7 mm	20	45 g	8595574115530
116-25001	ø 25 x 7 mm	375	1 kg	8595574123788
116-25020	ø 25 x 7 mm	7500	20 kg	8595574123795
116-3010	ø 30 x 7 mm	10	30 g	8595574115554
116-30001	ø 30 x 7 mm	250	1 kg	8595574123801
116-30020	ø 30 x 7 mm	5000	20 kg	8595574123818
116-3510	ø 35 x 7 mm	10	45 g	8595574115578
116-35001	ø 35 x 7 mm	200	1 kg	8595574123825
116-35020	ø 35 x 7 mm	4000	20 kg	8595574123832
116-408	ø 40 x 7 mm	8	40 g	8595574115592
116-40001	ø 40 x 7 mm	175	1 kg	8595574123849
116-40020	ø 40 x 7 mm	3500	20 kg	8595574123856



Oak Knot Patches (branch)

Item No.	Dimensions	Pcs in package	Weight	EAN code
112-1540	ø 15 x 7 mm	40	30 g	8595574114625
112-15001	ø 15 x 7 mm	1100	1 kg	8595574123863
112-15020	ø 15 x 7 mm	22 000	20 kg	8595574123870
112-2030	ø 20 x 7 mm	30	40 g	8595574114649
112-20001	ø 20 x 7 mm	650	1 kg	8595574123887
112-20020	ø 20 x 7 mm	13 000	20 kg	8595574123894
112-2520	ø 25 x 7 mm	20	45 g	8595574114663
112-25001	ø 25 x 7 mm	375	1 kg	8595574123900
112-25020	ø 25 x 7 mm	7500	20 kg	8595574123917
112-3010	ø 30 x 7 mm	10	30 g	8595574114687
112-30001	ø 30 x 7 mm	250	1 kg	8595574123924
112-30020	ø 30 x 7 mm	5000	20 kg	8595574123931
112-3510	ø 35 x 7 mm	10	45 g	8595574114700
112-35001	ø 35 x 7 mm	200	1 kg	8595574123948
112-35020	ø 35 x 7 mm	4000	20 kg	8595574123955
112-408	ø 40 x 7 mm	8	40 g	8595574114724
112-40001	ø 40 x 7 mm	175	1 kg	8595574123962
112-40020	ø 40 x 7 mm	3500	20 kg	8595574123979



Oak Round Patches (solid)

Item No.	Dimensions	Pcs in package	Weight	EAN code
117-1540	ø 15 x 7 mm	40	30 g	8595574115707
117-15001	ø 15 x 7 mm	1100	1 kg	8595574123986
117-15020	ø 15 x 7 mm	22 000	20 kg	8595574123993
117-2030	ø 20 x 7 mm	30	40 g	8595574115721
117-20001	ø 20 x 7 mm	650	1 kg	8595574124006
117-20020	ø 20 x 7 mm	13 000	20 kg	8595574124013
117-2520	ø 25 x 7 mm	20	45 g	8595574115745
117-25001	ø 25 x 7 mm	375	1 kg	8595574124020
117-25020	ø 25 x 7 mm	7500	20 kg	8595574124037
117-3010	ø 30 x 7 mm	10	30 g	8595574115769
117-30001	ø 30 x 7 mm	250	1 kg	8595574124044
117-30020	ø 30 x 7 mm	5000	20 kg	8595574124051
117-3510	ø 35 x 7 mm	10	45 g	8595574115783
117-35001	ø 35 x 7 mm	200	1 kg	8595574124068
117-35020	ø 35 x 7 mm	4000	20 kg	8595574124075
117-408	ø 40 x 7 mm	8	40 g	8595574115806
117-40001	ø 40 x 7 mm	175	1 kg	8595574124082
117-40020	ø 40 x 7 mm	3500	20 kg	8595574124099



Resin patches

Used to repair resin streaks and other undesirable defects in solid wood. The resin patches meet the standard specification of the size G2-13 mm.

Item No.	Dimensions	Material	Pcs in package	Weight	EAN code
130-150	68 x 13 x 8 mm	spruce	50	70 g	8595574116018
130-1500	68 x 13 x 8 mm	spruce	500	660 g	8595574116025
130-1020	68 x 13 x 8 mm	spruce	15 150	20 kg	8595574122712
130-250	68 x 13 x 8 mm	pine	50	70 g	8595574116032
130-2500	68 x 13 x 8 mm	pine	500	660 g	8595574116049
130-2020	68 x 13 x 8 mm	pine	15 150	20 kg	8595574122736
130-350	68 x 13 x 8 mm	fir	50	70 g	8595574116056
130-3500	68 x 13 x 8 mm	fir	500	660 g	8595574116063
130-3020	68 x 13 x 8 mm	fir	15 150	20 kg	8595574122750
130-450	68 x 13 x 8 mm	beech	50	92 g	8595574116070
130-4500	68 x 13 x 8 mm	beech	500	850 g	8595574116087
130-4020	68 x 13 x 8 mm	beech	11 770	20 kg	8595574122774
130-550	68 x 13 x 8 mm	oak	50	92 g	8595574116094
130-5500	68 x 13 x 8 mm	oak	500	850 g	8595574116100
130-5020	68 x 13 x 8 mm	oak	11 770	20 kg	8595574122798
130-650	68 x 13 x 8 mm	alder	50	70 g	8595574116117
130-6500	68 x 13 x 8 mm	alder	500	660 g	8595574116124
130-6020	68 x 13 x 8 mm	alder	15 150	20 kg	8595574122811
130-750	68 x 13 x 8 mm	birch	50	70 g	8595574116131
130-7500	68 x 13 x 8 mm	birch	500	625 g	8595574114434
130-7020	68 x 13 x 8 mm	birch	16 000	20 kg	8595574122835
130-850	68 x 13 x 8 mm	ash	50	92 g	8595574116155
130-8500	68 x 13 x 8 mm	ash	500	850 g	8595574116162
130-8020	68 x 13 x 8 mm	ash	11 770	20 kg	8595574122859
130-950	68 x 13 x 8 mm	maple	50	92 g	8595574116179
130-9500	68 x 13 x 8 mm	maple	500	850 g	8595574116186
130-9020	68 x 13 x 8 mm	maple	11 770	20 kg	8595574122873

Our cooperation with RÁČEK – Sheltered Workshop for the Disabled

The Sheltered Workshop for the Disabled in Rakovník (Central Bohemia) is a facility for people with disabilities, who are disadvantaged in the labour market. The facility staff take care of the handicapped individuals with the utmost heart-felt care. Our company cooperates with Ráček for a long period of time and Ráček became our life-long partner. Ráček employees do work activities such as completing and packing of all products from our range of components. We would like to extend our warmest gratitude to both the staff and the employees at Ráček for their faithful and exemplary work.



Workbench HOBBY

Heavy-duty workbench with solid bech-block worktop 40mm thick. Due to its size and construction it is suitable for every home workshop, assembly workshop and locksmith shop. The work surface is already oiled, steel powder-coated legs in selectable RAL colors. We supply legs in variant FIX height 810 mm or FLEXI adjustable height 740-1040mm.



Item No.	Dimensions	Working height	Worktop dimensions	Weight	EAN code
Hobby 1-0	1000 x 600 x 850 mm	850 mm	1000 x 600 x 40 mm	40 kg	8595574133206
Hobby 2-0	1500 x 600 x 850 mm	850 mm	1500 x 600 x 40 mm	52 kg	8595574133213
Hobby 3-0	2000 x 600 x 850 mm	850 mm	2000 x 600 x 40 mm	61 kg	8595574133220
Hobby 1-0FLEXI	1000 x 600 x 740 mm	740-1040 mm	1000 x 600 x 40 mm	40 kg	8595574133268
Hobby 2-0FLEXI	1500 x 600 x 740 mm	740-1040 mm	1500 x 600 x 40 mm	52 kg	8595574133275
Hobby 3-0FLEXI	2000 x 600 x 740 mm	740-1040 mm	2000 x 600 x 40 mm	61 kg	8595574133282

Wooden Workbench HOBBY with Single Vice

Heavy-duty workbench with solid bech-block worktop 40mm thick. Due to its size and construction it is suitable for every home workshop, assembly workshop and locksmith shop. It is equipped with vice for maximum comfort. The work surface is already oiled, steel powder-coated legs in selectable RAL colors. As a part of the standard workbench package is one pair of professional dural dogs. The diameter of the bench dog is 25 or 19 mm, depending on the wish of our customer. We supply legs in variant FIX height 810 mm or FLEXI adjustable height 740-1040mm.



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
Hobby 1-1/19	1150 x 600 x 850 mm	850 mm	1000 x 600 x 40 mm	19 mm	43 kg	8595574133404
Hobby 1-1	1150 x 600 x 850 mm	850 mm	1000 x 600 x 40 mm	25 mm	43 kg	8595574133251
Hobby 2-1/19	1650 x 600 x 850 mm	850 mm	1500 x 600 x 40 mm	19 mm	52 kg	8595574133411
Hobby 2-1	1650 x 600 x 850 mm	850 mm	1500 x 600 x 40 mm	25 mm	52 kg	8595574133114
Hobby 3-1/19	2150 x 600 x 850 mm	850 mm	2000 x 600 x 40 mm	19 mm	61 kg	8595574133428
Hobby 3-1	2150 x 600 x 850 mm	850 mm	2000 x 600 x 40 mm	25 mm	61 kg	8595574133121
Hobby 1-1FLEXI/19	1150 x 600 x 740 mm	740-1040 mm	1000 x 600 x 40 mm	19 mm	43 kg	8595574133435
Hobby 1-1FLEXI	1150 x 600 x 740 mm	740-1040 mm	1000 x 600 x 40 mm	25 mm	43 kg	8595574133299
Hobby 2-1FLEXI/19	1650 x 600 x 740 mm	740-1040 mm	1500 x 600 x 40 mm	19 mm	52 kg	8595574133442
Hobby 2-1FLEXI	1650 x 600 x 740 mm	740-1040 mm	1500 x 600 x 40 mm	25 mm	52 kg	8595574133305
Hobby 3-1FLEXI/19	2150 x 600 x 740 mm	740-1040 mm	2000 x 600 x 40 mm	19 mm	61 kg	8595574133459
Hobby 3-1FLEXI	2150 x 600 x 740 mm	740-1040 mm	2000 x 600 x 40 mm	25 mm	61 kg	8595574133312

Optionally you can order lefthanded version by adding letter „L“. For example L Hobby 1-1/19.

Wooden Workbench HOBBY with Two Vices

Heavy-duty workbench with solid beech-block worktop 40mm thick. Due to its size and construction it is suitable for every home workshop, assembly workshop and locksmith shop. It is equipped with two vices for maximum comfort. The work surface is already oiled, steel powder-coated legs in selectable RAL colors. As a part of the standard workbench package is one pair of professional dural dogs. The diameter of the bench dog is 25 or 19 mm, depending on the wish of our customer. We supply legs in variant FIX height 810 mm or FLEXI adjustable height 740-1040mm.



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
Hobby 2-2/19	1650 x 750 x 850 mm	850 mm	1500 x 600 x 40 mm	19 mm	60 kg	8595574133473
Hobby 2-2	1650 x 750 x 850 mm	850 mm	1500 x 600 x 40 mm	25 mm	60 kg	8595574133237
Hobby 3-2/19	2150 x 750 x 850 mm	850 mm	2000 x 600 x 40 mm	19 mm	70 kg	8595574133480
Hobby 3-2	2150 x 750 x 850 mm	850 mm	2000 x 600 x 40 mm	25 mm	70 kg	8595574133244
Hobby 2-2/19FLEXI	1650 x 750 x 740 mm	740-1040 mm	1500 x 600 x 40 mm	19 mm	60 kg	8595574133497
Hobby 2-2FLEXI	1650 x 750 x 740 mm	740-1040 mm	1500 x 600 x 40 mm	25 mm	60 kg	8595574133329
Hobby 3-2/19FLEXI	2150 x 750 x 740 mm	740-1040 mm	2000 x 600 x 40 mm	19 mm	70 kg	8595574133503
Hobby 3-2FLEXI	2150 x 750 x 740 mm	740-1040 mm	2000 x 600 x 40 mm	25 mm	70 kg	8595574133336

Optionally you can order lefthanded version by adding letter „L“. For example L Hobby 2-2/19.

Workbench Accessories HOBBY:

One pair of dural benches dogs with steel springs this enables a fixed position and proper high on surface of workbench. Delivered as a part of workbench.



Item No.	Dimensions	Weight	EAN code
Bench 1-19	ø 19 x 100 mm	100 g	8595574130762
Bench 1	ø 25 x 100 mm	150 g	8595574130861



6 mm anvil for workbench HOBBY. Plate covers top and edge of worktop. The anvil is fixed with a single peg on the work surface.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9A-19	250 x 200 mm	19 mm	3,4 kg	8595574130991
Bench 9A-25	250 x 200 mm	25 mm	3,5 kg	8595574130946



3 mm cast steel plate fixed with double pegs.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9B-19	600 x 300 mm	19 mm	4,8 kg	8595574131004
Bench 9B-25	600 x 300 mm	25 mm	4,9 kg	8595574130953



Sturdy clamp with a \varnothing 25 mm or 19 mm steel body works with every work surface of your workbench.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 5-19	\varnothing 19 x 300 x 150 mm	230 mm	2,1 kg	8595574133466
Bench 5-2	\varnothing 25 x 300 x 150 mm	230 mm	2,3 kg	8595574130960



Highly stable and rigid universal clamp used for fixed mounting of locksmith vices on workbench surface without board destruction or drilling.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 6	260 x 200 x 170 mm	160 mm	2,5 kg	8595574130915



Locksmith's vice. Cast-iron locksmith's vice, made in Czech Republic, features a rigid construction. In the vice platform there is an integrated turn-plate with rotation potential of $\pm 35^\circ$. The vice features a case-hardened jaw of 45 HRC.

Item No.	Jaw width	Jaw opening	Weight	EAN code
Y80	80 mm	70 mm	6 kg	8595574129506
Y100	100 mm	105 mm	12,5 kg	8595574129513
Y125	125 mm	115 mm	20 kg	8595574129520



Lower shelf for HOBBY workbench.

Item No.	Dimensions	Weight	EAN code
HHobby 1	700 x 430 x 20 mm	6 kg	8595574133091
HHobby 2	1200 x 430 x 20 mm	9 kg	8595574129803
HHobby 3	1700 x 430 x 20 mm	12,8 kg	8595574129810



Workbench legs - fixed. Welded steel legs for workbench, powder-coated. Legs depth is 560 mm, height 810 mm.

Item No.	Dimensions	Worktop high	Weight	EAN code
Hobbyfix	820 x 560 x 200 mm	860	16,5 kg	8595574133602



Workbench legs - adjustable. Welded steel legs for workbench, powder-coated. Leg depth is 560 mm, legs adjust from 700 to 1000 mm bench height. Each leg's height is locked by two screws M8.

Item No.	Dimensions	Worktop high	Weight	EAN code
Hobbyflexi	700 x 560 x 200 mm	740 - 1040 mm	16,5 kg	8595574133619

Wooden Workbench SCHOOL 1

This robust workbench with four workplaces is designed mainly for use in schools. Each workstation is equipped with the French-type steel-cast vice Bench 10. The workbench worktop is made from solid beech-block worktop 80mm thick. We offer workbenches in three worktop heights to fit all student height requirement. All workbench surfaces are finished in linen seed oil. As a part of the standard package are 4 pairs of dural bench dogs 19 or 25 mm diameter.



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
School 1/700/19	1450 x 1450 x 700 mm	700 mm	1300 x 1300 x 80 mm	19 mm	160 kg	8595574133510
School 1/700	1450 x 1450 x 700 mm	700 mm	1300 x 1300 x 80 mm	25 mm	160 kg	8595574130199
School 1/780/19	1450 x 1450 x 780 mm	780 mm	1300 x 1300 x 80 mm	19 mm	163 kg	8595574133527
School 1/780	1450 x 1450 x 780 mm	780 mm	1300 x 1300 x 80 mm	25 mm	163 kg	8595574130205
School 1/850/19	1450 x 1450 x 850 mm	850 mm	1300 x 1300 x 80 mm	19 mm	165 kg	8595574133534
School 1/850	1450 x 1450 x 850 mm	850 mm	1300 x 1300 x 80 mm	25 mm	165 kg	8595574130212

Optionally you can order lefthanded version by adding letter „L“. For example L School 1/700/19.

Workbench Accessories SCHOOL 1:



One pair of dural bench dogs with steel spring, this enables a fixed position and proper high on surface of workbench. Delivered as a part of workbench.

Item No.	Dimensions	Weight	EAN code
Bench 1-19	∅ 19 x 100 mm	100 g	8595574130762
Bench 1	∅ 25 x 100 mm	150 g	8595574130861



High stable 4-legged stool for school and home use. Heavy-duty welded construction with solid beech seat and supplied with PVC anti-scratch floor protectors.

Item No.	Dimensions	Weight	EAN code
Bench 4	ø 260 x 470 mm	3,8 kg	8595574130892



Sturdy clamp with a ø 25 mm or ø19 mm steel body works with every work surface of your workbench.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 5-19	ø 19 x 300 x 150 mm	230 mm	2,1 kg	8595574133466
Bench 5-2	ø 25 x 300 x 150 mm	230 mm	2,3 kg	8595574130960



Highly stable and rigid universal clamp used for fixed mounting of locksmith vices on workbench surface without board destruction or drilling.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 6	260 x 200 x 170 mm	160 mm	2,5 kg	8595574130915



Locksmith's vice. Cast-iron locksmith's vice, made in Czech Republic, features a rigid construction. In the vice platform there is an integrated turn-plate with rotation potential of +/- 35°. The vice features a case-hardened jaw of 45 HRC.

Item No.	Jaw width	Jaw opening	Weight	EAN code
Y80	80 mm	70 mm	6 kg	8595574129506
Y100	100 mm	105 mm	12,5 kg	8595574129513
Y125	125 mm	115 mm	20 kg	8595574129520



6 mm anvil for SCHOOL 1 workbench. Plate covers top and edge of worktop. The anvil is fixed with a single peg on the work surface.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9A-19	250 x 200 mm	19 mm	3,4 kg	8595574130991
Bench 9A-25	250 x 200 mm	25 mm	3,5 kg	8595574130946




3 mm cast steel plate for SCHOOL 1 workbenches, fixed with double pegs.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9B-19	600 x 300 mm	19 mm	4,7 kg	8595574131004
Bench 9B-25	600 x 300 mm	25 mm	4,8 kg	8595574130953



Lower shelf for SCHOOL 1 workbench.

Item No.	Dimensions	Weight	EAN code
HSchool	750 x 750 x 20 mm	9 kg	8595574129834



Height-adjustable trestle for SCHOOL 1 workbench.

Item No.	Dimensions	Worktop high	Weight	EAN code
School 10/700	985 x 985 x 660 mm	700 mm	28 kg	8595574130274
School 10/780	985 x 985 x 740 mm	780 mm	30 kg	8595574130281
School 10/850	985 x 985 x 810 mm	850 mm	33 kg	8595574130236

Wooden Workbench SCHOOL 2

The most elegant and robust workbench with 4 work places on the market. Its design is suitable mainly for schools. Each workplace is equipped with one German-type steel-cast vice Bench 13, the most precise and rigid vice available. The workbench worktop is made from solid beech-block 80mm thick. We offer workbenches in three worktop heights to fit all student height requirement. All workbench surfaces are finished in linen seed oil. As a part of the standard package are 4 pairs of dural bench dogs 19 or 30 mm diameter.



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
School 2/700/19	1450 x 1450 x 700 mm	700 mm	1300 x 1300 x 80 mm	19 mm	160 kg	8595574130243
School 2/700	1450 x 1450 x 700 mm	700 mm	1300 x 1300 x 80 mm	30 mm	160 kg	8595574133626
School 2/780/19	1450 x 1450 x 780 mm	780 mm	1300 x 1300 x 80 mm	19 mm	163 kg	8595574130250
School 2/780	1450 x 1450 x 780 mm	780 mm	1300 x 1300 x 80 mm	30 mm	163 kg	8595574133633
School 2/850/19	1450 x 1450 x 850 mm	850 mm	1300 x 1300 x 80 mm	19 mm	165 kg	8595574130229
School 2/850	1450 x 1450 x 850 mm	850 mm	1300 x 1300 x 80 mm	30 mm	165 kg	8595574133640

Optionally you can order lefthanded version by adding letter „L“. For example L School 2/700/19.

Wooden Workbench SCHOOL 3

Very stable workbench with its design suitable for permanent use in schools and training centers is offering 4 full-service workplaces. Each workplace is equipped with one French-type steel-cast vice Bench 11, the most precise and rigid vice on the market. Optional installation of QUICK vice Bench 11Q. Workbench worktop is made from solid beech-block 80mm thick. We offer workbenches in three worktop heights to fit all student height requirement. All workbench surfaces are finished in linen seed oil. As a part of the standard package are 4 pairs of dural bench dogs 19 or 30 mm diameter.



Watch the video



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
School 3/700/19	1450 x 1450 x 700 mm	700 mm	1300 x 1300 x 80 mm	19 mm	160 kg	8595574133657
School 3/700	1450 x 1450 x 700 mm	700 mm	1300 x 1300 x 80 mm	30 mm	160 kg	8595574133664
School 3/780/19	1450 x 1450 x 780 mm	780 mm	1300 x 1300 x 80 mm	19 mm	163 kg	8595574133671
School 3/780	1450 x 1450 x 780 mm	780 mm	1300 x 1300 x 80 mm	30 mm	163 kg	8595574133688
School 3/850/19	1450 x 1450 x 850 mm	850 mm	1300 x 1300 x 80 mm	19 mm	165 kg	8595574133695
School 3/850	1450 x 1450 x 850 mm	850 mm	1300 x 1300 x 80 mm	30 mm	165 kg	8595574133800

Optionally you can order lefthanded version by adding letter „L“. For example L School 3/700/19.



Workbench SCHOOL 4 with Metal Legs

Heavy-duty workbench, 95 mm work surface with 4 work positions. It comes with a heavy-duty vice Bench 11. Optional installation of QUICK vice Bench 11Q. Due to its size and construction it is suitable for children and youth with its easily adaptable trestle. The rigid welded trestle is break-resistant, the legs are powder-coated. Bench surface is oiled and polished. As a part of the standard workbench package are 4 pairs of professional dural dogs, diameter of 19 or 30 mm, depending on the wish of our customer.



Watch the video



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
School 4/19	1680 x 1680 x 780 mm	780 mm	1500 x 1500 x 95 mm	19 mm	287 kg	8595574133541
School 4	1680 x 1680 x 780 mm	780 mm	1500 x 1500 x 95 mm	30 mm	287 kg	8595574130304
School 4FLEXI/19	1680 x 1680 x 695 mm	695-995 mm	1500 x 1500 x 95 mm	19 mm	287 kg	8595574133558
School 4FLEXI	1680 x 1680 x 695 mm	695-995 mm	1500 x 1500 x 95 mm	30 mm	287 kg	8595574130311

Optionally you can order lefthanded version by adding letter „L“. For example L School 4/19.

Workbench Accessories SCHOOL 2, SCHOOL 3, SCHOOL 4:



One pair of dural bench dogs with steel spring, this enables a fixed position and proper high on surface of workbench.

Item No.	Dimensions	Weight	EAN code
Bench 1-19	ø 19 x 100 mm	100 g	8595574130762
Bench 3	ø 30 x 200 mm	350 g	8595574130885



High stable 4-legged stool for school and home use. Heavy-duty welded construction with solid beech seat and supplied with PVC anti-scratch floor protectors.

Item No.	Dimensions	Weight	EAN code
Bench 4	ø 260 x 470 mm	3,8 kg	8595574130892



Sturdy clamp with a ø 19 mm or ø30 mm steel body works with every work surface of your workbench.

Item No.	Dimensions	Work lenght	Weight	EAN code
Bench 5-19	ø 19 x 300 x 150 mm	230 mm	2,1 kg	8595574133466
Bench 5	ø 30 x 300 x 150 mm	230 mm	2,7 kg	8595574130908



Highly stable and rigid universal clamp used for fixed mounting of locksmith vices on workbench surface without board destruction or drilling.

Item No.	Dimensions	Work lenght	Weight	EAN code
Bench 6	260 x 200 x 170 mm	160 mm	2,5 kg	8595574130915



Locksmith's vice. Cast-iron locksmith's vice, made in Czech Republic, features a rigid construction. In the vice platform there is an integrated turn-plate with rotation potential of +/- 35°. The vice features a case-hardened jaw of 45 HRC.

Item No.	Jaw width	Jaw opening	Weight	EAN code
Y80	80 mm	70 mm	6 kg	8595574129506
Y100	100 mm	105 mm	12,5 kg	8595574129513
Y125	125 mm	115 mm	20 kg	8595574129520



6 mm anvil for workbench School 4. Plate covers top and edge of work surface. The anvil is fixed with a single peg on the worktop.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9A-19	250 x 200 mm	19 mm	3,4 kg	8595574130991
Bench 9A-30	250 x 200 mm	30 mm	3,5 kg	8595574130977



3 mm cast steel plate fixed with double pegs.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9B-19	600 x 300 mm	19 mm	4,8 kg	8595574131004
Bench 9B-30	600 x 300 mm	30 mm	4,9 kg	8595574130984



Vice with QUICK system (French type), which allows for instant pull out and push back closing without a need of spindle rotation. Accessories for School 4 workbenches.

Item No.	Total lenght	Work lenght	Screw-thread	Weight	EAN code
Bench 11Q	550 x 300 x 70 mm	350 mm	Tr 28 x 5 mm	8,8 kg	8595574130830



Workbench legs - fixed for workbench School 4. Welded steel legs for workbench, powder-coated. Legs depth is 560 mm, height 810 mm.

Item No.	Dimensions	Worktop high	Weight	EAN code
Schoolfix	820 x 1100 x 1200 mm	860	26,5 kg	8595574130359



Workbench legs - adjustable for workbench School 4. Welded steel legs for workbench, powder-coated. Leg depth is 560 mm, legs adjust from 700 to 1000 mm bench height. Each leg's height is locked by two screws M8.

Item No.	Dimensions	Worktop high	Weight	EAN code
Schoolflexi	700 x 1100 x 1200 mm	740 - 1040 mm	26,5 kg	8595574130366



Wooden Workbench PROFI

Heavy-duty workbench for both professional and home use. This workbench comes with 120 mm work surface and 2 heavy-duty cross cast iron-steel vices Bench 11. The whole bench is oiled. Optional installation of QUICK vice Bench 11Q. The package includes a pair of professional dural dogs, diameter of 19 or 30 mm, depending on the wish of our customer.



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
Profi 1500/19	1650 x 790 x 850 mm	850 mm	1500 x 640 x 120 mm	19 mm	158 kg	8595574133565
Profi 1500	1650 x 790 x 850 mm	850 mm	1500 x 640 x 120 mm	30 mm	158 kg	8595574130410
Profi 2000/19	2150 x 790 x 850 mm	850 mm	2000 x 640 x 120 mm	19 mm	184 kg	8595574133572
Profi 2000	2150 x 790 x 850 mm	850 mm	2000 x 640 x 120 mm	30 mm	184 kg	8595574130427
Profi 2500/19	2650 x 790 x 850 mm	850 mm	2500 x 640 x 120 mm	19 mm	210 kg	8595574133589
Profi 2500	2650 x 790 x 850 mm	850 mm	2500 x 640 x 120 mm	30 mm	210 kg	8595574130434

Optionally you can order lefthanded version by adding letter „L“. For example L Profi 1500/19.

Wooden workbench PROFI II

Heavy-duty workbench for both professional and home use. This workbench comes with 120 mm work surface and 2 heavy-duty double spindle vice, which ensures accurate and even tightening of the vices body. The whole bench is oiled. The package includes a pair of professional dural dogs, diameter of 19 or 30 mm, depending on the wish of our customer.



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
Profi II 1500/19	1650 x 790 x 850 mm	850 mm	1500 x 640 x 120 mm	19 mm	173 kg	8595574135842
Profi II 1500	1650 x 790 x 850 mm	850 mm	1500 x 640 x 120 mm	30 mm	173 kg	8595574135859
Profi II 2000/19	2150 x 790 x 850 mm	850 mm	2000 x 640 x 120 mm	19 mm	200 kg	8595574135866
Profi II 2000	2150 x 790 x 850 mm	850 mm	2000 x 640 x 120 mm	30 mm	200 kg	8595574135873
Profi II 2500/19	2650 x 790 x 850 mm	850 mm	2500 x 640 x 120 mm	19 mm	225 kg	8595574135880
Profi II 2500	2650 x 790 x 850 mm	850 mm	2500 x 640 x 120 mm	30 mm	225 kg	8595574135897

Optionally you can order lefthanded version by adding letter „L“. For example L Profi II 1500/19.

Wooden Workbench PROFIPLUS

Large, high heavy-duty workbench for professional and home use. This workbench comes with 120 mm work surface and with 2 heavy-duty cast iron vices Bench 11 and Bench 13. The whole bench is oiled. Optional instalation of QUICK vice Bench 11Q. The package includes a pair of professional dural dogs, diameter of 19 or 30 mm, depending on the wish of our customer.



Watch the video

Item No.	Dimensions	Working height	Worktop dimensions	Diameter of dogs	Weight	EAN code
Plus 2000/19	2150 x 790 x 850 mm	850 mm	2000 x 640 x 120 mm	19 mm	196 kg	8595574133596
Plus 2000	2150 x 790 x 850 mm	850 mm	2000 x 640 x 120 mm	30 mm	196 kg	8595574130625
Plus 2500/19	2650 x 790 x 850 mm	850 mm	2500 x 640 x 120 mm	19 mm	224 kg	8595574133701
Plus 2500	2650 x 790 x 850 mm	850 mm	2500 x 640 x 120 mm	30 mm	224 kg	8595574130632

Optionally you can order lefthanded version by adding letter „L“. For example L Plus 2000/19.

Lefthanded workbenches

All our workbenches can be supplied in variant for lefthanded persons, which features different layout of vices. The vices are mirror located to allow easier manipulation for lefthanded persons. For example, when using vice on the side of the bench, the back of the bench stays on your left allowing quick access to your tool storage.



Watch the video



Workbench Accessories PROFI, PROFIPLUS:



Two dural bench dogs with steel spring, this enables a fixed position and proper high on surface of workbench.

Item No.	Dimensions	Weight	EAN code
Bench 1-19	ø 19 x 100 mm	100 g	8595574130762
Bench 3	ø 30 x 200 mm	350 g	8595574130885



High stable 4-legged stool for school and home use. Heavy-duty welded construction with solid beech seat and supplied with PVC anti-scratch floor protectors.

Item No.	Dimensions	Weight	EAN code
Bench 4	ø 260 x 470 mm	3,8 kg	8595574130892



Sturdy clamp with a ø19 mm or ø30 mm steel body works with every work surface of your workbench.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 5-19	ø 19 x 300 x 150 mm	230 mm	2,1 kg	8595574133466
Bench 5	ø 30 x 300 x 150 mm	230 mm	2,7 kg	8595574130908



Highly stable and rigid universal clamp used for fixed mounting of locksmith vices on workbench surface without board destruction or drilling.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 6	260 x 200 x 170 mm	160 mm	2,5 kg	8595574130915



Locksmith's vice. Cast-iron locksmith's vice, made in Czech Republic, features a rigid construction. In the vice platform there is an integrated turn-plate with rotation potential of +/- 35°. The vice features a case-hardened jaw of 45 HRC.

Item No.	Jaw width	Jaw opening	Weight	EAN code
Y80	80 mm	70 mm	6 kg	8595574129506
Y100	100 mm	105 mm	12,5 kg	8595574129513
Y125	125 mm	115 mm	20 kg	8595574129520



Linen seed oil for surface treatment and regeneration of our workbenches. The oil layer on the surface protects the workbench from moisture and wood parasites. Recommended frequency of treatment of all wooden surfaces is once in two years, more stressed parts even often.

Item No.	Weight	EAN code
Bench 20	250 ml	8595574133909



6 mm anvil for workbench PROFI and PROFIPLUS. Plate covers top and edge of work surface. The anvil is fixed with a single peg on the work surface.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9A-19	250 x 200 mm	19 mm	3,4 kg	8595574130991
Bench 9A-30	250 x 200 mm	30 mm	3,5 kg	8595574130977



3 mm cast steel plate fixed with double pegs.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9B-19	600 x 300 mm	19 mm	4,8 kg	8595574131004
Bench 9B-30	600 x 300 mm	30 mm	4,9 kg	8595574130984



Tool groove for PROFI and PROFIPLUS workbench.

Item No.	Dimensions	EAN code
Bench 15	1000 x 130 x 20 mm	8595574129902



Solid beech cabinet for workbench PROFI 1500.

Item No.	Dimensions	Weight	EAN code
3MP	1045 x 500 x 430 mm	51 kg	8595574130663



Solid beech cabinet for workbench PROFI 2000, PROFI 2500, PROFIPLUS 2000, PROFIPLUS 2500.

Item No.	Dimensions	Weight	EAN code
4MP	1390 x 500 x 430 mm	68 kg	8595574130670



Lower shelf for PROFI 1500 and PROFIPLUS workbench.

Item No.	Dimensions	Weight	EAN code
HProfi 1500	1080 x 450 x 20 mm	7,8 kg	8595574129841



Lower shelf for PROFI 2000, PROFI 2500 and PROFIPLUS workbench.

Item No.	Dimensions	Weight	EAN code
HProfi	1425 x 450 x 20 mm	10,3 kg	8595574129858

Wooden Workbench KIDS

Heavy-duty workbench, 80 mm work surface with cast iron-steel vice Bench 10. Due to its size and construction it is suitable for children or for adults for using in small workshop or garage. The whole bench comes already oiled. The package includes a pair of professional dural dogs. The diameter of the bench dog is 19 or 25 mm, depending on the wish of our customer.



Watch the video



Item No.	Dimensions	Working height	Worktop dimensions	Diameter of pins	Weight	EAN code
Kids 500/19	1100 x 350 x 500 mm	500 mm	950 x 350 x 80 mm	19 mm	67 kg	8595574133718
Kids 500	1100 x 350 x 500 mm	500 mm	950 x 350 x 80 mm	25 mm	67 kg	8595574130014
Kids 700/19	1100 x 350 x 700 mm	700 mm	950 x 350 x 80 mm	19 mm	70 kg	8595574133725
Kids 700	1100 x 350 x 700 mm	700 mm	950 x 350 x 80 mm	25 mm	70 kg	8595574130021
Kids 850/19	1100 x 350 x 850 mm	850 mm	950 x 350 x 80 mm	19 mm	72 kg	8595574133732
Kids 850	1100 x 350 x 850 mm	850 mm	950 x 350 x 80 mm	25 mm	72 kg	8595574130038

Workbench Accessories KIDS:



Pair of dural bench dogs with steel spring, this enables a fixed position and proper high on surface of workbench.

Item No.	Dimensions	Weight	EAN code
Bench 1-19	∅ 19 x 100 mm	100 g	8595574130762
Bench 1	∅ 25 x 100 mm	150 g	8595574130861



High stable 4-legged stool for school and home use. Heavy-duty welded construction with solid beech seat and supplied with PVC anti-scratch floor protectors.

Item No.	Dimensions	Weight	EAN code
Bench 4	ø 260 x 470 mm	3,8 kg	8595574130892



Sturdy clamp with a ø 19 mm or ø 25 mm steel body works with every work surface of your workbench. Length of the jaw is 150 mm.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 5-19	ø 19 x 300 x 150 mm	230 mm	2,1 kg	8595574133466
Bench 5-2	ø 25 x 300 x 150 mm	230 mm	2,3 kg	8595574130960



Highly stable and rigid universal clamp used for fixed mounting of locksmith vices on workbench surface without board destruction or drilling.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 6	260 x 200 x 170 mm	160 mm	2,5 kg	8595574130915



6 mm anvil for workbench KIDS. Plate covers top and edge of work surface. The anvil is fixed with a single peg on the work surface.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9A-19	250 x 200 mm	19 mm	3,4 kg	8595574130991
Bench 9A-25	250 x 200 mm	25 mm	3,5 kg	8595574130946



3 mm cast steel plate fixed with double pegs.

Item No.	Dimensions	Diameter of pins	Weight	EAN code
Bench 9B-19	600 x 300 mm	19 mm	4,8 kg	8595574131004
Bench 9B-25	600 x 300 mm	25 mm	4,9 kg	8595574130953



Locksmith's vice. Cast-iron locksmith's vice, made in Czech Republic, features a rigid construction. In the vice platform there is an integrated turn-plate with rotation potential of +/- 35°. The vice features a case-hardened jaw of 45 HRC.

Item No.	Jaw width	Jaw opening	Weight	EAN code
Y80	80 mm	70 mm	6 kg	8595574129506
Y100	100 mm	105 mm	12,5 kg	8595574129513
Y125	125 mm	115 mm	20 kg	8595574129520



Height-adjustable trestle for KIDS workbenches.

Item No.	Dimensions	Worktop high	Weight	EAN code
Kids 4/500	890 x 285 x 480 mm	500 mm	13 kg	8595574130069
Kids 4/700	890 x 285 x 680 mm	700 mm	15 kg	8595574130052
Kids 4/850	890 x 285 x 830 mm	850 mm	18 kg	8595574130045



Lower shelf for KIDS workbench.

Item No.	Dimensions	Weight	EAN code
HKids	760 x 185 x 20 mm	2,25 kg	8595574129827

Workbench components



Standard vice (French type) produced in rigid steel weldment, made with high precision in PINIE, Czech Republic. This spindle is possible to assemble on PROFI and PROFIPLUS workbenches.

Order No.	Total length	Screw-thread	Weight	EAN code
Bench 21	520 x 225 x 60 mm	Tr 22 x 5 mm	7,2 kg	8595574130755



Additional jaw for vice BENCH 21

Additional solid beech-block jaw suitable for vice BENCH 21, precisely CNC machined. One of the widest jaws for French-type vices on the market used on workbenches PROFI and PROFIPLUS.

Order No.	Dimensions	Diameter of holes	Weight	EAN code
Bench 21-30	470 x 120 x 80 mm	30 mm	2,7 kg	8595574133930
Bench 21-19	470 x 120 x 80 mm	19 mm	2,7 kg	8595574133947
Bench 21-0	470 x 120 x 80 mm	without holes	2,7 kg	8595574133954



Standard vice (French type) produced in rigid cast steel, made with high precision in Czech Republic. Accessories for PROFI and PROFIPLUS workbenches.

Order No.	Total length	Work length	Screw-thread	Weight	EAN code
Bench 11	550 x 300 x 70 mm	335 mm	Tr 28 x 5 mm	8,6 kg	8595574130823



Vice with QUICK system (French type), which allows for instant pull out and push back closing without a need of spindle rotation. Accessories for PROFI and PROFIPLUS workbenches.

Order No.	Total length	Work length	Screw-thread	Weight	EAN code
Bench 11Q	550 x 300 x 70 mm	350 mm	Tr 28 x 5 mm	8,8 kg	8595574130830



Additional jaw for vice BENCH 11 a BENCH 11Q

Additional solid beech-block jaw suitable for vice BENCH 11 a BENCH 11Q, precisely CNC machined. One of the widest jaws for French-type vices on the market used on workbenches PROFI, PROFIPLUS, SCHOOL3 and SCHOOL 4.

Order No.	Dimensions	Diameter of holes	Weight	EAN code
Bench 11-30	470 x 120 x 80 mm	30 mm	2,7 kg	8595574133961
Bench 11-19	470 x 120 x 80 mm	19 mm	2,7 kg	8595574133978
Bench 11-0	470 x 120 x 80 mm	without holes	2,7 kg	8595574133985



Light weight design vice (French type) for specific use for HOBBY, KIDS and SCHOOL1 workbenches.

Order No.	Total length	Work length	Screw-thread	Weight	EAN code
Bench 10	390 x 190 x 50 mm	205 mm	Tr 24 x 5 mm	4 kg	8595574130816

Additional jaw for vice BENCH 10

Additional solid beech-block jaw suitable for vice BENCH 10, precisely CNC machined. One of the widest jaws on the market used on workbenches HOBBY and SCHOOL 1.

Order No.	Dimensions	Diameter of holes	Weight	EAN code
Bench 10-25	355 x 85 x 60 mm	25 mm	1,1 kg	8595574133992
Bench 10-19	355 x 85 x 60 mm	19 mm	1,1 kg	8595574134807
Bench 10-0	355 x 85 x 60 mm	without holes	1,1 kg	8595574134814



Sturdy box vice (German type) uses for SCHOOL2 workbenches.

Order No.	Total length	Work length	Screw-thread	Weight	EAN code
Bench 12	511 x 100 x 50 mm	250 mm	Tr 24 x 5 mm	8 kg	8595574130847

Additional jaw for vice BENCH 12

Additional solid beech-block jaw suitable for vice BENCH 10, precisely CNC machined. This is one of most solid jaws on the market used for German-type vices.



Order No.	Dimensions	Diameter of holes	Weight	EAN code
Bench 12-30	480 x 170 x 120 mm	30 mm	3,7 kg	8595574134821
Bench 12-19	480 x 170 x 120 mm	19 mm	3,7 kg	8595574134838
Bench 12-0	480 x 170 x 120 mm	without holes	3,7 kg	8595574134845



The most sturdy vice (German type) of the all. Accessories for PROFI and PROFIPLUS workbenches.

Order No.	Total length	Work length	Screw-thread	Weight	EAN code
Bench 13	580 x 100 x 50 mm	250 mm	Tr 28 x 5 mm	9,7 kg	8595574130854

Additional jaw for vice BENCH 13

Additional solid beech-block jaw suitable for vice BENCH 13, precisely CNC machined. One of the most solid and most precise jaws for German-type vices on the market used on workbenches SCHOOL 2 and PROFIPLUS.



Order No.	Dimensions	Diameter of holes	Weight	EAN code
Bench 13-30	480 x 170 x 120 mm	30 mm	3,7 kg	8595574134852
Bench 13-19	480 x 170 x 120 mm	19 mm	3,7 kg	8595574134869
Bench 13-0	480 x 170 x 120 mm	without holes	3,7 kg	8595574134876



Very precise and rigid vice with trapezoidal thread, equipped with a sprocket for the synchronization of the rotation of 2 parallelly mounted vices. It is used for the construction of a French-type vices, one of the most rigid and the most precise on the market.

Order No.	Total length	Work length	Screw-thread	Weight	EAN code
Bench 150	570 x 115 x 60 mm	400 mm	Tr 28 x 5 mm	3,5 kg	8595574133916

This chain serves to synchronize the feed of two vices BENCH 15, the length of the chain is 1m. Part of the set is the chain clutch.

Order No.	Total length	Weight	EAN code
Bench 151	1 m	400 g	8595574133923



Linen seed oil for surface treatment and regeneration of our workbenches. The oil layer on the surface protects the workbench from moisture and wood parasites. Recommended frequency of treatment of all wooden surfaces is once in two years, more stressed parts even often.

Item No.	Weight	EAN code
Bench 20	250 ml	8595574133909



Adjustable legs for the adjustment of all workbenches and worktables.

Item No.	Dimensions	Work length	Weight	EAN code
Bench 7	ø 38 x 70 mm	M12 x 50 mm	72 g	8595574130922

Wooden handle without oiled treatment for easy installation, oil and glue included.



Item No.	Dimensions	Weight	EAN code
Bench 8	ø 40(27) x 270 mm	150 g	8595574130939



Playhouse OSB

This house is suitable for both interior or exterior use. It features opening windows and doors with magnetic lock. The house is designed for children's safety. Used material is OSB. We recommend placing this house on a dry and solid place. We supply this house disassembled with all required parts including a manual.

Item No.	Dimensions	Material	Weight	EAN code
House10	1850 x 1220 x 1260 mm	OSB	105 kg	8595574135712
House20	2130 x 1255 x 1440 mm	OSB	140 kg	8595574135729



Playhouse waterproof plywood

This house is suitable for both interior or exterior use. It features opening windows and doors with magnetic lock. The house is designed for children's safety. Used material is waterproof plywood, which is the most durable material for kid's house that we offer. It has higher endurance against humidity, higher durability. We recommend placing this house on a dry and solid place. We supply this house disassembled with all required parts including a manual.

Item No.	Dimensions	Material	Weight	EAN code
House1P	1850 x 1220 x 1260 mm	Waterproof plywood	115 kg	8595574135736
House2P	2130 x 1255 x 1440 mm	Waterproof plywood	155 kg	8595574135743



Playhouse durelis

This house is suitable for both interior or exterior use. It features opening windows and doors with magnetic lock. The house is designed for children's safety. Used material is Durelis, which has more durable surface finish with typical green color. We recommend placing this house on a dry and solid place. We supply this house disassembled with all required parts including a manual.

Item No.	Dimensions	Material	Weight	EAN code
House1D	1850 x 1220 x 1260 mm	Durelis	105 kg	8595574135750
House2D	2130 x 1255 x 1440 mm	Durelis	140 kg	8595574135767



The Insect hotel

The insect hotel is made from planed spruce wood. Ideal for diverse types of insect. As filling we recommend drilled wooden logs, reed straw, plant stems, drilled bricks and so on. We supply this product disassembled with all required material and a picture manual. Paint coating or asphalt shingles on the roof will increase the durability.

Item No.	Dimensions	Material	Weight	EAN code
Insect 1	550 x 480 x 150 mm	planed spruce	2900g	8595574135828



The Vermicomposter

The vermicomposter from planed spruce wood. We supply this product disassembled with all required material and a picture manual. It is recommended to put some bedding like grass, leaves, ragged paper, soil and so on to the bottom. Into the bedding put the earthworms and small pieces of bio trash, smaller than 5cm.

Item No.	Dimensions	Material	Weight	EAN code
Insect 2	440 x 310 x 220 mm	planed spruce	4600g	8595574135835





Bird box circular entrance

Our bird box is made from planed spruce. Diameter of circular entrance is 35 mm. We supply this product disassembled with all required material and a picture manual. Paint coating or asphalt shingles on the roof will increase the durability.

Item No.	Dimensions	Material	Weight	EAN code
Bird S	200 x 270 x 150 mm	planed spruce	1500g	8595574135804



Bird box recntangular entrance

Our bird box is made from planed spruce. The size of the rectangular entrance is 35 x 100 mm. We supply this product disassembled with all required material and a picture manual. Paint coating or asphalt shingles on the roof will increase the durability.

Item No.	Dimensions	Material	Weight	EAN code
Bird R	200 x 160 x 150 mm	planed spruce	900g	8595574135811



Bird feeder gable roof

Our bird feeder is made from planed spruce. We supply this product disassembled with all required material and a picture manual. Paint coating or asphalt shingles on the roof will increase the durability.



Item No.	Dimensions	Material	Weight	EAN code
Bird 1F	260 x 250 x 210 mm	planed spruce	1400g	8595574135781



Bird feeder flat roof

Our bird feeder is made from planed spruce. We supply this product disassembled with all required material and a picture manual. Paint coating or asphalt shingles on the roof will increase the durability.

Item No.	Dimensions	Material	Weight	EAN code
Bird 2F	250 x 160 x 120 mm	planed spruce	900g	8595574135798





Lever shears HOBBY

For cutting metal-sheets of 3 mm and 4 mm.

Item No.	Dimensions	Cutting length	Thickness of cut mat.	Weight	EAN code
Hobby 120-3	50 x 280 x 680 mm	120 mm	3 mm	7,5 kg	8595574125027
Hobby 150-4	70 x 300 x 750 mm	150 mm	4 mm	9 kg	8595574125034



Blades for HOBBY shears

Complete set of blades for various types of shears.

Item No.	Dimensions	Weight	EAN code
Hobby 120-30	200 x 90 x 10 mm	965 g	8595574125201
Hobby 150-40	200 x 90 x 10 mm	1046 g	8595574125218



Lever shears PROFI

For cutting metal sheets of 5 mm and 6 mm.

Item No.	Dimensions	Cutting length	Thickness of cut mat.	Weight	EAN code
Profi 200-5	100 x 400 x 950 mm	200 mm	5 mm	15,7 kg	8595574125058
Profi 300-6	550 x 150 x 1450 mm	300 mm	6 mm	34,5 kg	8595574125065



Blades for PROFI shears

Complete set of blades for various types of shears.

Item No.	Dimensions	Weight	EAN code
Profi 200-50	280 x 100 x 15 mm	1506 g	8595574125225
Profi 300-60	390 x 110 x 15 mm	3244 g	8595574125232
Profi 130-80	315 x 110 x 20 mm	2430 g	8595574125249
Profi 200-100	315 x 110 x 20 mm	3213 g	8595574125256



Pinie

Pinie Lubná

270 36 Lubná 250

Czech Republic

tel.: +420 313 101 390

e-mail: info@pinie.cz

www.pinie.cz



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness

Our Distributors

