



Floodlight guide


Sensor-switched LED floodlights for any application.

Commercial use

For large areas up to 10x10m

XLED Pro Square

- Up to 4400 lm
- Mounting height up to 6m
- Also available as eNet version



Square illumination:
XLED PRO Square




EAN	Product	Lumens	Watts	Colour
Sensor versions				
4007841 009953	XLED Pro Square	2400	24.8	white
4007841 009977	XLED Pro Square	2400	24.8	black
4007841 009922	XLED Pro Square XL	4400	48	white
4007841 009946	XLED Pro Square XL	4400	48	black
4007841 009991	XLED Pro Square eNet	2400	24.8	white
4007841 010027	XLED Pro Square eNet	2400	24.8	black

EAN	Product	Lumens	Watts	Colour
Slave versions without sensor				
4007841 010010	XLED Pro Square SL	2400	24.8	white
4007841 010034	XLED Pro Square SL	2400	24.8	black
4007841 009984	XLED Pro Square SL XL	4400	48	white
4007841 010003	XLED Pro Square SL XL	4400	48	black

For use along buildings up to 16x6m

XLED Pro Wide

- Up to 4400 lm
- Mounting height up to 6m
- Also available as eNet version



Rectangular illumination:
XLED PRO Wide



EAN	Product	Lumens	Watts	Colour
Sensor versions				
4007841 010072	XLED Pro Wide	2400	24.8	white
4007841 010096	XLED Pro Wide	2400	24.8	black
4007841 010041	XLED Pro Wide XL	4400	48	white
4007841 010065	XLED Pro Wide XL	4400	48	black
4007841 010218	XLED Pro Wide eNet	2400	24.8	white
4007841 010249	XLED Pro Wide eNet	2400	24.8	black

EAN	Product	Lumens	Watts	Colour
Slave versions without sensor				
4007841 010232	XLED Pro Wide SL	2400	24.8	white
4007841 010256	XLED Pro Wide SL	2400	24.8	black
4007841 010201	XLED Pro Wide SL XL	4400	48	white
4007841 010225	XLED Pro Wide SL XL	4400	48	black

Home use

For corner areas and mounting heights up to 6m

XLED Pro 240

- Bright light with 1830 lumens
- Reliable 240° detection up to a height of 6m
- Flat designer panel swivels in all directions
- Including corner wall mount
- 5-year manufacturer's warranty
- Illuminates 300m²

EAN	Product	Lumens	Watts	Colour
4007841 003630	XLED PRO 240	1830	20	white
4007841 003623	XLED PRO 240	1830	20	black

Ideal for mounting high up. Including material for corner mounting.



For entrances, driveways and gardens

XLED home 2 / home 2 XL

- Day-bright LED light, up to 1600 lumens
- Fully swivelling LED panel for any lighting situation
- Available with and without motion detector
- Illuminates 150m² / 300m² (**XL**)

EAN	Product	Lumens	Watts	Colour
Sensor versions				
4007841 033088	XLED home 2	1184	14.8	white
4007841 033071	XLED home 2	1184	14.8	black
4007841 033064	XLED home 2	1184	14.8	graphite
4007841 033057	XLED home 2	1184	14.8	silver
4007841 030070	XLED home 2 XL	1608	20	white
4007841 030049	XLED home 2 XL	1608	20	black
4007841 030056	XLED home 2 XL	1608	20	graphite
4007841 030063	XLED home 2 XL	1608	20	silver

EAN	Product	Lumens	Watts	Colour
Slave versions without sensor				
4007841 033125	XLED home 2 SL	1184	14.8	white
4007841 033118	XLED home 2 SL	1184	14.8	black
4007841 033095	XLED home 2 SL	1184	14.8	graphite
4007841 033101	XLED home 2 SL	1184	14.8	silver
4007841 032814	XLED home 2 SL XL	1608	20	white
4007841 032807	XLED home 2 SL XL	1608	20	black
4007841 030094	XLED home 2 SL XL	1608	20	graphite
4007841 030087	XLED home 2 SL XL	1608	20	silver

EAN	Product	Lumens	Watts	Colour
Z-Wave for wireless interconnection				
4007841 029821	XLED home 2 Z-wave	1184	14.8	white
4007841 029845	XLED home 2 Z-wave	1184	14.8	black
4007841 033996	XLED home 2 Z-wave	1184	14.8	graphite
4007841 029838	XLED home 2 Z-wave	1184	14.8	silver



Home use



For entrances, garages or carports

XLED curved / slim

- 160° infrared motion detector
- 4000K neutral white colour temperature
- UV-resistant plastic with aluminium heat sink
- Illuminates 100m²



EAN	Product	Lumens	Watts	Colour
4007841 012083	XLED curved	830	10.5	white
4007841 012076	XLED curved	830	10.5	anthracite
4007841 012083	XLED slim	660	10.5	white
4007841 012076	XLED slim	660	10.5	anthracite



LS 150 LED – particularly tough

- 240° infrared motion detector
- 4000K neutral white colour temperature
- Long-life aluminium enclosure

EAN	Product	Lumens	Watts	Colour
4007841 052553	LS 150 LED	1760	20.5	white
4007841 052546	LS 150 LED	1760	20.5	black