


MODEL
W6VA4

Rev.6
9.9.2019

HiKOKI

SCREW DRIVER W6VA4

Item No.	Code No.	Description	No. Used	Remarks
1	876031	O-RING (S-16)	1	
2	323487	LOCATOR ASS'Y	1	INCLUD.3
3	323488	CLICK SPRING	1	
4	971468	FRINGER (A)	1	
5	317662	O-RING (F)	1	
6A	323558	PROTECT COVER (A)	1	
7	321057	TAPPING SCREW D4X25 (BLACK)	3	
8	323486	GEAR COVER (A) ASS'Y	1	INCLUD.5
9	872573	SET RING	1	
10	959148	STEEL BALL D3.175 (10 PCS.)	2	
*11	323491	SOCKET (A) ASS'Y	1	INCLUD.9,10
12	323476	CLUTCH DISC	1	
13	306024	SPRING	1	
14	323474	GEAR SET	1	
15	608VVM	BALL BEARING 608VVC2PS2L	2	
16	933545	WASHER (A)	1	
17	323556	SLOTTED HD. SCREW (SEAL LOCK) M4X8	2	
19A	323473	INNER COVER ASS'Y (A)	1	INCLUD.15-17
*20	360671E	ARMATURE (B) 220V-230V	1	
21	323472	FAN GUIDE	1	
22	961672	HEX. HD. TAPPING SCREW D4X50	2	
*23	340599E	STATOR 220V-240V	1	
24	608VVM	BALL BEARING 608VVC2PS2L	1	
25		NAME PLATE	1	
26	323471	HOOK	1	
28	323512	BRUSH HOLDER (A)	2	
29	999091	CARBON BRUSH (AUTO STOP TYPE) (1 PAIR)	2	
*31	323480	CHOKE COIL (W/INTERNAL WIRE) BROWN	1	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
32	323479	SWITCH (1P PILLAR TYPE) W/LOCK	1	
*34	323481	CHOKE COIL (W/INTERNAL WIRE) BLUE	1	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
*35C	326671	HOUSING	1	
36	953327	CORD ARMOR D8.8	1	
*37	323559	CORD (LENGTH 7.5M)	1	(CORD ARMOR D8.8)
38	937631	CORD CLIP	1	
39	984750	TAPPING SCREW (W/FLANGE) D4X16	2	
*40	959140	CONNECTOR 50091 (10 PCS.)	2	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
*41	930039	NOISE SUPPRESSOR	1	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
*42	994273	NOISE SUPPRESSOR	1	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
*43	317667	INTERNAL WIRE	2	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
*44	992635	EARTH TERMINAL	1	EXCEPT FOR SAU,SIN,HKG,USA,CAN,IND
45A	326672	HANDLE COVER	1	
46	301653	TAPPING SCREW (W/FLANGE) D4X20 (BLACK)	3	
47	329770	SPONGE	1	
		STANDARD ACCESSORIES		
*501	323352	SUB STOPPER (G)	1	EXCEPT FOR HKG,NZL,AUS,USA,CAN,TPE
*502	971511Z	+ DRIVER BIT (A) NO.2 25L	1	EXCEPT FOR TPE
*503	317674	MAGNETIC BIT HOLDER ASS'Y (41L)	1	INCLUD.502 EXCEPT FOR TPE,SIN,HKG,NZL,AU
		OPTIONAL ACCESSORIES		
601	317670	SUB STOPPER (B) FOR H3/8､H10 HEX. SOCKET	1	
602	317671	SUB STOPPER (B) FOR H5/16 HEX. SOCKET	1	
603	317827	SUB STOPPER (B) H1/4 HEX. SOCKET	1	
*604	985330	MAGNETIC HEX. SOCKET 3/8"X65L	1	EXCEPT FOR TPE,SIN,HKG
*605	985321	MAGNETIC HEX. SOCKET 10MMX65L	1	EXCEPT FOR TPE,SIN,HKG

* ALTERNATIVE PARTS

HiKOKI

SCREW DRIVER W6VA4

Item No.	Code No.	Description	No. Used	Remarks
*606	985322	MAGNETIC HEX. SOCKET 5/16"X65L	1	EXCEPT FOR TPE,SIN,HKG
*607	985332	MAGNETIC HEX. SOCKET 1/4"X65L	1	EXCEPT FOR TPE,SIN,HKG
*608	985326	NON-MAGNETIC HEX. SOCKET 3/8" 65L	1	EXCEPT FOR TPE,SIN,HKG
*609	985329	NON-MAGNETIC HEX. SOCKET 10MM 65L	1	EXCEPT FOR TPE,SIN,HKG
*610	985327	NON-MAGNETIC HEX. SOCKET 5/16" 65L	1	EXCEPT FOR TPE,SIN,HKG
*611	985328	NON-MAGNETIC HEX. SOCKET 1/4" 65L	1	EXCEPT FOR TPE,SIN,HKG
*612	982563Z	NON-MAGNETIC BIT HOLDER	1	EXCEPT FOR TPE,SIN,HKG
615	985333	+ DRIVER BIT NO.1 25L	1	
616	971512Z	+ DRIVER BIT (A) NO.3 25L	1	
617	985334	+ DRIVER BIT NO.1 25L W/STEPPED ROD	1	
618	985335	+ DRIVER BIT NO.2 25L W/STEPPED ROD	1	
619	985336	- DRIVER BIT 4MMX25	1	
620	985337	- DRIVER BIT 5MMX25	1	
621	985338	- DRIVER BIT 6MMX25	1	
622	985339	- DRIVER BIT 8MMX25	1	
623	985340	- DRIVER BIT 4MMX25 (W/STEPPED ROD)	1	
624	985341	- DRIVER BIT 5MMX25 (W/STEPPED ROD)	1	
625	985342	HEX. BIT 4MMX25L	1	
626	985343	HEX. BIT 5MMX25L	1	
627	985344	HEX. BIT 6MMX25L	1	
628	310904	CASE	1	

* ALTERNATIVE PARTS