
















Rif.	Descrizione	Q.tà	Rif.	Descrizione	Q.tà
0692/400V/1	Base (parte destra)	1	0692/400V/39	Pompa	1
0692/400V/1-1	Base (parte sinistra)	1	0692/400V/40	Attacco 3/8"	1
0692/400V/2	Bullone esagonale M12x40	2	0692/400V/41	Vasca di contenimento	1
0692/400V/3	Dado M12	2	0692/400V/42	Leva di blocco	1
0692/400V/4	Base (ant. / post.)	2	0692/400V/43	Vite di arresto M10x16	1
0692/400V/5	Bullone esagonale M8x16	12	0692/400V/44	Rondella elastica 10	1
0692/400V/6	Rondella piatta M8x18x2	12	0692/400V/45	Vite a brugola M10x35	1
0692/400V/7	Dado M8	12	0692/400V/46	Dado M10	1
0692/400V/8	Rondella piatta 10	2	0692/400V/47	Albero	1
0692/400V/9	Rondella elastica 10	2	0692/400V/48	Guarnizione olio	1
0692/400V/10	Vite a brugola M10x20	2	0692/400V/50	Disco	1
0692/400V/11	Vite a brugola M6x8	2	0692/400V/51	Rondella elastica 8	4
0692/400V/12	Pannello anteriore	1	0692/400V/52	Vite a brugola M8x25	4
0692/400V/13	Vite a brugola M8x20	2	0692/400V/53	Vite di arresto M8x10	1
0692/400V/14	Rondella elastica 8	2	0692/400V/54	Volantino morsa 5 – ½ "	1
0692/400V/15	Vite a brugola M8x20	2	0692/400V/55	Vite di arresto M8x10	1
0692/400V/15-1	Rondella elastica 8	2	0692/400V/56	Dado M20	1
0692/400V/16	Rondella piatta 8	2	0692/400V/57	Cuscinetto a scorrimento assiale	1
0692/400V/17	Piastra di supporto	1	0692/400V/58	Cuscinetto a sfere #51104	1
0692/400V/18	Dado M8	2	0692/400V/59	Leva di blocco morsa	1
0692/400V/18-1	Rondella piatta	2	0692/400V/60	Bronzina	1
0692/400V/19-1	Piastra di supporto	1	0692/400V/61	Vite a brugola M6x100x28	2
0692/400V/19-2	Bullone esagonale M10x20	2	0692/400V/62	Braccio della morsa	1
0692/400V/19-3	Rondella elastica 10	2	0692/400V/63	Molla compressa	1
0692/400V/19-4	Rondella piatta 10	2	0692/400V/64	Vite madre	1
0692/400V/28	Piastra di raccolta fluido	1	0692/400V/64-1	Grano 5x5x15	1
0692/400V/29	Vite a brugola M6x12	2	0692/400V/64-2	Rondella (grande) 8	1
0692/400V/30	Rondella piatta 6	2	0692/400V/64-3	Vite di arresto M8x10	1
0692/400V/30-1	Dado M6	2	0692/400V/66	Morsa	1
0692/400V/31	Bullone esagonale M12x40	2	0692/400V/67	Vite di arresto M8x10	1
0692/400V/32	Dado M12	2	0692/400V/68	Vite a brugola M5x8	2
0692/400V/33	Filtro	1	0692/400V/69	Indicatore	1
0692/400V/34	Vite a testa tonda M5x10	4	0692/400V/70	Vite di arresto M8x10	1
0692/400V/34-1	Rondella 5	4	0692/400V/71	Perno	1
0692/400V/35	Vite a brugola M6x25	2	0692/400V/72	Coperchio	1
0692/400V/36	Rondella piatta 6	2	0692/400V/73	Cuscinetto a sfere #32006zz	2
0692/400V/37	Tubo 5/16" x 125 mm	1	0692/400V/74	Dado M10	2
0692/400V/38	Cravatta ferma-tubi	1	0692/400V/75	Bullone esagonale M10x40	1
0692/400V/75-1	Bullone esagonale M10x25	1	0692/400V/106	Vite a brugola M6x8	1

Rif.	Descrizione	Q.tà	Rif.	Descrizione	Q.tà
0692/400V/76	Gancio della molla	1	0692/400V/107	Leva in plastica M8	1
0692/400V/77	Rosetta ø 30	1	0692/400V/108	Rondella elastica 8	3
0692/400V/78	Dado M30	1	0692/400V/109	Vite a brugola M8x25	3
0692/400V/79	Braccio snodato	1	0692/400V/110	Vite di arresto M8x30	2
0692/400V/80	Scala graduata	1	0692/400V/114	Asta	1
0692/400V/81	Rivetto 2 mm	2	0692/400V/116	Pulsante avvio manuale	1
0692/400V/82	Asta di riferimento	1	0692/400V/117	Coperchio	1
0692/400V/83	Dispositivo di stop	1	0692/400V/118	Vite a brugola M6x8	1
0692/400V/84	Vite a farfalla 5/16x3/4	1	0692/400V/119	Vite di arresto M10x25	1
0692/400V/85	Coperchio	1	0692/400V/120	Vite a brugola M10x40	1
0692/400V/86	Vite a brugola M5x8	1	0692/400V/121	Rondella elastica 10	1
0692/400V/88	Vite a testa tonda M5x10	1	0692/400V/122A	Slitta	1
0692/400V/89	Piastra supporto quadro el.	1	0692/400V/123	Dado M16	1
0692/400V/90-1	Trasformatore	1	0692/400V/124	Leva regolazione puleggia	2
0692/400V/90-2	Interruttore magnetico	1	0692/400V/125	Volantino regolazione puleggia	1
0692/400V/90-3	Sede fusibile	1	0692/400V/126	Molla di spinta	8
0692/400V/90-4	Relè di sovraccarico	1	0692/400V/127	Albero tensionatore	1
0692/400V/90-5	Morsettiera	1	0692/400V/128A	Albero	1
0692/400V/91	Vite a testa tonda M5x10	4	0692/400V/129	Cuscinetto a sfera #6006zz	2
0692/400V/92-1	Interruttore generale 0692/400	1	0692/400V/130	Puleggia folle	1
0692/400V/92-1A	Interruttore generale 0692/230	1	0692/400V/131	Rondella	1
0692/400V/92-2	Spia	1	0692/400V/132	Rondella elastica 10	1
0692/400V/92-3	Pulsante di emergenza	1	0692/400V/133	Bullone esagonale M10x25	1
0692/400V/93-H	Quadro comandi	1	0692/400V/134A	Lama a nastro 2110x20x0.9 mm	1
0692/400V/93-H1	Selettore modale	1	0692/400V/135	Pomello carter posteriore	2
0692/400V/93-H2	Pulsante di avvio	1	0692/400V/136A	Carter posteriore	1
0692/400V/94	Chiusura inferiore quadro	1	0692/400V/137	Vite a testa tonda M4x8	2
0692/400V/95	Supporto	1	0692/400V/138	Rondella elastica 4	2
0692/400V/96	Staffa	1	0692/400V/138-1	Dado M4	2
0692/400V/97	Rondella elastica 8	2	0692/400V/139	Bullone esagonale M10x25	1
0692/400V/98	Vite a brugola M8x20	2	0692/400V/140	Rondella elastica 10	1
0692/400V/99	Rondella elastica 8	4	0692/400V/141	Rondella	1
0692/400V/100	Vite a brugola M8x20	4	0692/400V/142	Puleggia motrice	1
0692/400V/101	Vite a brugola M5x8	4	0692/400V/143	Vite a brugola M8x30	4
0692/400V/103	Supporto cuscinetto anteriore	1	0692/400V/144	Rondella elastica 8	4
0692/400V/104	Regolazione supporto	1	0692/400V/144-1	Rondella 8	4
0692/400V/105	Leva di regolazione	1	0692/400V/145A	Albero lama	1
0692/400V/145-1	Arresto albero	1	0692/400V/160	Motore	1
0692/400V/146	Tubo 5/16" x 750 mm	1	0692/400V/161	Rondella elastica 8	4



Rif.	Descrizione	Q.tà	Rif.	Descrizione	Q.tà
0692/400V/147	Attacco del tubo ¼" x 1/16"	2	0692/400V/162	Vite a brugola M8x25	4
0692/400V/148A	Sede attacco tubo	1	0692/400V/163	Vite di arresto M6x12	4
0692/400V/150	Pulsante lubrificante ¼" x 5/16"	1	0692/400V/170	Vite di arresto M6x12	4
0692/400V/150-1	Fascetta fermatubo	1	0692/400V/172	Vite a brugola M8x30	2
0692/400V/150-2	Vite a brugola M6x15	2	0692/400V/173	Albero	2
0692/400V/151	Cravatta ferma-tubi	1	0692/400V/174	Cuscinetto a sfera #608zz	8
0692/400V/152	Tubo 5/16" 350 mm	1	0692/400V/175	O ring E7	4
0692/400V/153	Micro di fine corsa	1	0692/400V/176	Albero eccentrico	2
0692/400V/153-1	Perno micro di fine corsa	1	0692/400V/177	Sede anteriore cuscinetti	1
0692/400V/154	Vite a brugola M4x35	2	0692/400V/178	Carter anteriore della lama	1
0692/400V/155-H1	Molla dell'albero	1	0692/400V/179	Vite a brugola M6x8	1
0692/400V/155-H2	Staffa di arresto	1	0692/400V/180	Vite a brugola M8x20	2
0692/400V/155-H3	Volantino	1	0692/400V/181	Cuscinetto a sfere #608zz	2
0692/400V/155-H4	Dado m16x2x8t	2	0692/400V/182	Rondella piatta 8	2
0692/400V/155-H5	Bronzina	1	0692/400V/183	Attacco tubo 1/4P x 5/16	2
0692/400V/155-H6	Albero regolabile	1	0692/400V/184	Dado M8	4
0692/400V/155-H7	Molla	1	0692/400V/185	Rondella elastica 8	4
0692/400V/155-H8	Vite di arresto M8x10	3	0692/400V/186	Sede posteriore cuscinetti	1
0692/400V/157	Grano 7x7x25	1	0692/400V/188	Vite a brugola M8x30	2
0692/400V/158	Scatola ingranaggi	1	0692/400V/189	Carter guidalama posteriore	1
0692/400V/159	Grano 5x5x25	1	0692/400V/190	Vite a testa tonda M6x8	2



Rif.	Descrizione	Q.tà	Rif.	Descrizione	Q.tà
0692/400V/1	Supporto superiore	1	0692/400V/10	Rondella elastica	2
0692/400V/2	Vite a brugola M8x20	4	0692/400V/11	Vite a brugola M8x20	2
0692/400V/3	Rondella elastica 8	4	0692/400V/12	Vite a brugola M4x25	2
0692/400V/4	Vite a brugola M10x55	1	0692/400V/13	Micro di fine corsa	1
0692/400V/5	Cilindro idraulico	1	0692/400V/14	Vite a testa tonda M5x10	2
0692/400V/6	Dado M10	1	0692/400V/15	Staffa di regolazione	1
0692/400V/7	Vite di arresto M6x12	1	0692/400V/16	Staffa di arresto	1
0692/400V/8	Supporto inferiore	1	0692/400V/17	Vite di arresto	1
0692/400V/9	Asta di supporto	1			