
EXPLODED VIEW



Item No.	Part Describe	Quantity
1	Turn Staff Armor	1
2	Flex Sheath	1
3	Hex .Socket Bolt M6x25(12.9)	4
4	Distance Piece M6	4
5	Front shade	1
6	Steel Wire Block Ring Φ2×Φ25.5	1
7	Lock Bead Sheath	1
8	Lock Bead Sheath Spring Φ2.5×Φ42.5×74	1
9	Spring Seat	1
10	Brainpan	1
11	O-Ring Φ1.5× Φ60	1
12	Oil Seal Ring Φ34.5×Φ53×7	1
13	Spring Washer Φ61×Φ52.5×4.5	1
14	“L” type Washer	1
14A	Woolen WasherΦ50xΦ34.5x5.5	1
15	Retaining Ring Φ35	1
16	Ball Bearing 6007 RS	1
17	Vibration Reducing Washer Φ62×Φ48.5×1	1
18	Lock Staff Bead Φ8×19.3	2
19	Hammer Staff Sheath	1
21	Impact Hammer Subassembly	1
22	Washer A Φ35.7×Φ19.6×5	1
23	Buffering Washer Φ35.5×Φ19.7×8	1
24	Washer B Φ35.7×Φ19.6×3.5	1
25	Cylinder Lock Bead Φ5.8×6	4
26	Cylinder	1
27	Flower Trough Sheath SpringΦ2.5×Φ53.5×39	1
28	Flower Trough Sheath	1
29	Spring sheath	1
30	Dial Sheath SpringΦ2.5×Φ41×58	1
31	Impact Piston	1
32	Fluorin O Ring Φ3.5×Φ23	2
33	Dial Sheath	1
34	Fluorin O Ring Φ1.5×Φ23	1
35	Gas Press Piston	1
36	Piston Pin Φ8×26	1
37	Connecting Rod Ass’y	1
38	Big Cone-shaped Gear	1
39	Oiliness Bearing Φ40×Φ50×13	1
40	Oil Tank Cover	1
41	Rubber Washer Φ31xΦ25x1.2	1
42	Hex. Socket Bolt M4×12(12.9)	4

42A	Flat Washer Φ4	4
43	Shell cover	1
44	O-Ring Φ2.3×Φ53.2	1
45	Retaining Ring Φ10	1
46	Crank Shaft	1
47	Palt Key 3x3x8	1
48	Retaining Ring Φ40	1
49	Ball Bearing 6203 VV	1
50	O-Ring Φ2xΦ39.7	1
51	Oil Seal Ring Φ30×Φ17×7	1
52	Crank Housing	1
53	Right Cover	1
54	Tapping Screw ST4.2×22	3
55	"Cross recessed pan head tapping screws ST5.5×38"	6
56	Oil Seal Ring Φ30xΦ20x5.5	1
57	Gear (35 Tooth)	1

58	Needle Bearing BK1010	1
69	Clutch Compages	1
70	Ball Bearing 629 RS	1
71	629 Bearing Washer Φ25×Φ20×0.5	1
72	Pin Φ5×14	1
73	Inner Cover	1
74	O-Ring Φ1.5×Φ31.5	1
75	Ball Bearing 6201 RS	1
76	6201 Bearing Hold Down Plate	1
77	Embedding Screws M4×8	3
78	Fluorin O Ring Φ2.5×Φ15	1
79	Dial Staff Sheath	1
80	Left Cover	1
81	Retaining Ring Φ20	1
82	shrapnel	1
83	Function Knob	1
84	Flat Washer Φ5	3
85	Hex .Socket Bolt M5x10	1
86	Armature 220-240V	1
86	Armature 110V-120V	1
89	Tapping Screw ST4.8×65	2
90	Fan Guide	1
91	Stator 220-240V	1
91	Stator 110-120V	1
92	Housing	1

93	Brush Holder	2
94	Carbon Brush	2
95	Brush Cap	2
96	6001Bearing Washer Φ24×Φ12.1×0.5	2
98	Fan Cover	1
99	Tapping Screw ST4.2x18	12
100	Machine Screw ST5.5×25	4
101	Flat Washer Φ5.5×Φ14×1.6	2
102	Main Handle Seat	1
103	Shock Absorption Spring	1
104	Shock Absorption Ferrule	2
105	Shock Absorption Jacket	1
106	Main Handle	1
107	Switch Trigger	1
108	Switch 220-240V	1
108	Switch 110-120V	1
109	Main Handle Cover	1
110	Electricity Feels	1
111	Rivet	2
112	Cord Clip	1
113	Cord Armor	1
114	Cord	1
115	Speed Adjuster	1
116	"Cross recessed pan head tapping screws ST3.5x12"	3

117	Indicator	1
118	Limit block	1
119	Main Handle Platen	2
120	Hex .Socket Bolt M6×20	2
121	Orientation Staff Guage	1
122	Handle bolt	1
123	Handle Stay	1
124	Spring Column Pin Φ6×18	1
125	Side Handle	1