


EXPLODED VIEW OF RD-CS32



PARTS LIST RD-CS32

	name	quantity	material
1	vc	1	Q235
2	Gasket 8.5*14-2	1	Q235
4	Saw blade-185	1	
6	Cross recessed countersunk head screw M4-8	7	Standard Parts
10	Deep groove ball bearing 6001Z	1	
11	Cross recessed countersunk head screw M4-12	3	Standard Parts
14	Half round key 3*10	1	Standard Parts
16	Retaining rings for shafts 12	1	Standard Parts
17	Steel sleeve 12-8-8	1	powder metallurgy
18	Carriage screw M6-18 (double head)	1	Q235
22	Cross recessed pan head screw M4-10	1	Q235
23	Deep groove ball bearing 6000Z	1	
26	Deep groove ball bearing 608Z	1	
28	Cross recessed pan head self-tapping screws ST5-55	2	Q235
34	Cross recessed pan head self-tapping screws ST4-12	2	Q235
38	Cross recessed pan head self-tapping screws ST4-12-F	8	Q235
39	Cross recessed pan head self-tapping screws ST4-18-F	8	Q235
41	Cross recessed pan head machine screw M5-50	3	Q235
45	Gasket 6.5*14-1	1	Q235
46	External hexagonal double-head nut M6-slotted	1	Q235
48	Retaining rings for shafts 11	1	
51	Elastic cylindrical pin 4-16	1	Sr
52	External hexagonal lock nut M5	1	

55	Cross recessed countersunk head screw M6-18	1	Q235
57	Carriage screw M6-11	1	Q235
58,1	Copper card M6*8*10	1	H62
59,1	External hexagonal screw M6-14	1	Q235
25	Rotor assembly	1	
25,1	Enameled wire-45	1	
25,2	commutator	1	
25,3	rotor shaft	1	
25,4	Rotor core-42 (72)	1	
29	stator assembly	1	
29,1	Enameled wire-45		
29,2	Iron core-72-44.4		
31	Cable 2*0.75mm ²	1	
35	Switch FA2-5/2D-A32-Z08-2	1	
36	Capacitance 0.22μF	1	
42	Brush grip 7*11*30.5	2	bakelite
43	Carbon brush 7*11	2	839
44	Brush grip cover	2	bakelite
12	The front cover	1	ADC12
21	head shell	1	ADC12
62	Nameplate	1	
63	Stickers	1	
20	Dust jacket	1	PA6-GF30

27	Wind guide circle	1	PA6-GF30
30	left handle	1	PA6-GF30+TPE
33	Cable pressure plate	1	PA6-GF30
37	right handle	1	PA6-GF30+TPE
40	chassis	1	PA6-GF30
50	Self-locking button	1	PA6-GF30+45#
58	Angle locking knob M6	1	PA6-GF30
59	Guide ruler locking knob M6	1	PA6-GF30
3	Upper platen	1	45#
5	Lower platen	1	45#
7	Movable shield pressure plate $\Phi 46 \times \Phi 22-1.5$	1	Q235
8	Movable shield-185	1	Q235
9	Movable guard spring $\Phi 6$	1	Carbon spring steel wire
13	Output shaft	1	45#
15	big gear	1	40Cr
24	629 bearing pressure plate	1	Q235
47	Locking wrench	1	Q235
49	Spring 11.8*1-25	1	Carbon spring steel wire
53	Cylindrical pin $\Phi 6$ with thread M5	1	
56	Backplane components	1	Q235
60	guide ruler	1	Q235
61	Allen key 8	1	Q235
32	Cable jacket	1	PVC
54	Rubber post 18-6.5-12	1	PVC