

Технически характеристики

Диск HiKOKI - Hitachi карбофлексен за рязане на метал и неръждаема стомана 125х22.2х1 мм, A60U-BF41



PROLINE ABRASIVE CUTTING AND GRINDING DISCS





Cut's all

Hitachi Proline Abrasive wheels are selected to offer maximum performance, lifetime, clean cutting areas, the lowest burr formation and low thermal load on the work piece. Cut-off wheels in standard widths offer not only the most economical solution, but also ultimate safety due to the maximum lifetime and stability.

The wheels are specifically designed for cutting solid materials, pipes, and profiles made from steel and stainless steel, including cast iron.

2-in-1 wheels

Both perfectly well designed for use in Stainless steel as well as in Steel. The wheel composition content of Iron (Fe), Sulfur (S), and Chlorine (Cl) is below 0.1% and therefore safe to use on delicate work pieces such as Inox. The unique composition also guarantees a long life-time whilst cutting in metal, where usual wheels for Inox wear-out too fast. Important note; after having cut with this type of wheels in Metal, you can't go back cutting Inox because of contamination

Quality levels

Selecting the right disc and power tool for the material to be cut is crucial. To help selecting the right product, Hitachi offers 2 quality levels in 115 / 125mm. The professional that frequently cuts with the stronger range of angle grinders will benefit most from the Premium*** wheels. The harder grains and strong bond provide a long life time and fast burr free cutting. When cutting occasionally or with angle grinders in the lower wattage range, choose for the Basic* range. The economic price/ quality ratio makes this a universal product that can be used in a wide range of applications.

Super Thin Wheels

The innovative and economic advantages of our super thin cut-off wheels can be seen especially when cutting sheet metal and thin-walled profiles. Extra thin cutting discs have a smaller friction surface. This allows a fast and cool cut and avoids blueing of the work piece.

The Hitachi wheels convince through outstandingly smooth running resulting in optimum handling. Its exceptional precise, clean

and almost burr-free cut reduces reworking to almost zero. Its narrow cut also means that hardly any contact pressure is needed, making for noticeably easier work.

oSa

oSa stands for "Organization for the Safety of Abrasives". Tools with the oSa trademark symbol have been manufactured according to the worldwide strict guidelines of the oSa. All Hitachi cutting and grinding discs bear the oSa trademark and thus meet the highest safety standards.

Types of grinding discs

Hitachi grinding discs are colour-coded to easily identify the correct disc for an application.

Gold	= lnox
Blue	= Metal
Green	= Stone



Ø (mm	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item number	Barcode			
TVDE ACOLL DE 44									
TYPE A60U-B	F41								
115	1,0	22,23	1	25	782301	8717574043068			
125	1,0	22,23	1	25	782302	8717574043075			
125	1,0	22,23	10	1	782304	8717574043082			
			+-						
TYPE A60R-B	F41								
115	1,0	22,23	1	25	782306	8717574043099			
125	1,0	22,23	1	25	782307	8717574043105			
CUTTING DISCS SUITABLE FOR ELECTRIC ANGLE GRINDERS FOR USE IN INOX AND									
Ø (mm	Thickness (mm)	Arbor hole (mm)			Item number	Barcode			
TVDE A46U RE41									
115		22,23	1	25	782311	8717574043112			
125	1,6	22,23	1	25	782312	8717574043129			
150	1,6	22,23	1	25	782313	8717574043136			
178	1,6	22,23	1	25	782314	8717574043143			
230	1,9	22,23	1	25	782315	8717574043150			
TYPE A46R-B	F41								
115	1,6	22,23	1	25	782316	8717574043167			
125	1,6	22,23	1	25	782317	8717574043174			
	(mm TYPE A60U-B 115 125 TYPE A60R-B 115 125 CUTTI Ø (mm TYPE A46U-E 115 125 150 178 230 TYPE A46R-B 115	(mm (mm) TYPE A60U-BF41 1,0 125 1,0 TYPE A60R-BF41 1,0 125 1,0 CUTTING DISCS S F (mm) Very End of the composition of the composi	TYPE A60U-BF41 115 1,0 22,23 125 1,0 22,23 125 1,0 22,23 125 1,0 22,23 125 1,0 22,23 125 1,0 22,23 125 1,0 22,23 CUTTING DISCS SUITABLE FOR FOR USE IN IN META (mm) Type A46U-BF41 115 1,6 22,23 150 1,6 22,23 178 1,6 22,23 178 1,6 22,23 179E A46R-BF41 115 1,6 22,23 179E A46R-BF41	TYPE A60U-BF41 115 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 125 1,0 22,23 1 TYPE A46U-BF41 115 1,6 22,23 1 178 1,6 22,23 1 178 1,6 22,23 1 179E A46R-BF41 115 1,6 22,23 1 179E A46R-BF41 115 1,6 22,23 1 179E A46R-BF41	TYPE A60U-BF41 115	TYPE A60U-BF41 115	TYPE A60U-BF41 115		

Продукт: Диск HiKOKI - Hitachi карбофлексен за рязане на метал и неръждаема стомана 125x22.2x1 мм, A60U-BF41

Категория: Дискове за полиране

Бранд: <u>Festool</u>

Категория бранд: <u>Диск Festool</u>