

PROXXON

Bits and cutters of industrial and dental quality: Cutting bits (all measures in mm).

For wood, steel, stainless steel: Cutting discs



10x

NO 28 808



50x

NO 28 809



5x

NO 28 818




20x

NO 28 819


Aluminium oxide cutting discs with reinforcement

The cutting discs are available in $\varnothing 22 \times 0.8\text{mm}$ and $\varnothing 38 \times 1.0\text{mm}$. Nearly unbreakable, making them usable to remove stock. Will cut alloyed, standard and stainless steels, non-ferrous metals and even wood and plastic. Arbor shaft of $\varnothing 2.35\text{mm}$.



NO 28 810

NO 28 812




NO 28 820

NO 28 821

Corundum cutting discs

Discs made of a special compound of diameter 22 or 38 x 0.7mm. Used to part alloys and metals, stainless steels and non-ferrous metals. Can also be used for cutting wood and plastic. Shaft of \varnothing 2.35mm.




NO 28 830


Cutting blades made of spring steel

0.1mm thick. For plastic, wood and non-ferrous metal. Shaft \varnothing 2.35mm. For freehand work, we recommend using the protective device NO 28 944.

For glass, ceramics, plastic: Diamond tools




NO 28 844




NO 28 846

Diamond-coated cutting discs with cooling holes

For cutting, grinding and deburring. Same application as described on the left. Less heating up due to cooling holes. No burn marks! Shaft \varnothing 2.35.



NO 28 840



NO 28 842

Diamond cutting discs

Only 0.6mm thick. For cutting and sanding of porcelain, ceramics, glass fibre boards, plastic and nonferrous metals. Shaft of \varnothing 2.35mm.

Ташев-Галвинг ООД
www.tashev-galving.com