

FLEXIBLE ABRASIVES

SKORPIO grinding flap discs



F27



F29



APPLICABLE ON:
grinding with angle
grinder machines with a
peripheral speed of **80 m/s**



L E T T H E S P A R K S F L Y

FLEXIBLE ABRASIVES

TOP quality Flap Discs are intended for professional use in various branches of industry.

With the right choice of the flap disc, such as dimension, shape, abrasive grain and grit size, you will be able to achieve very good results.













The backing pads are made of an increased number of layers and enable aggressive grinding at higher pressures, with uniform wear of the disc.

- > INCREASED NUMBER OF FLAPS
- > INCREASED SURFACE AREA OF THE FLAPS
- > HIGH QUALITY EMERY CLOTH PROVIDES EXTREMELY GOOD GRINDING EFFECTS
- > STRONGER BACKING PADS ALLOW GRINDING AT EXTREME CONDITIONS
- > UP TO 30% MORE EFFECTIVE GRINDING POWER
- > HIGH QUALITY FLAP DISCS




Name	Quality class	Abrasive grain					
Grinding discs FLAP	TOP	A	●	○		●	●
Grinding discs FLAP	TOP	Z	●	●	●	●	

● Main application ○ Possible application

Shape	Dimensions D x H/mm	Peripheral speed m/s	Rpm 1/min	Packaging (units)	Grit size				
F 27 	100 x 16	80	15.280	25	40	60	80	100	120
F 29 	100 x 16	80	15.280	25	40	60	80	100	120
F 27 	115 x 22	80	13.280	25	40	60	80	100	120
F 29 	115 x 22	80	13.280	25	40	60	80	100	120
F 27 	125 x 22	80	12.200	25	40	60	80	100	120
F 29 	125 x 22	80	12.200	25	40	60	80	100	120
F 27 	150 x 22	80	10.000	25	40	60	80	100	120
F 29 	150 x 22	80	10.000	25	40	60	80	100	120
F 27 	165 x 22	80	9.200	25	40	60	80	100	120
F 29 	165 x 22	80	9.200	25	40	60	80	100	120
F 27 	180 x 22	80	8.500	25	40	60	80	100	120
F 29 	180 x 22	80	8.500	25	40	60	80	100	120

C O M E T



Umetni brusilniki in nekovine, d.d.
Tovarniška 5, 3214 Zreče, Slovenija
<http://www.comet.si> E-mail: comet@comet.si
Tel.: +386 3 7575 000
Fax: +386 3 7575 100

