DEWALT

Hammer Dri**ll**s

DCD776C2

18V XR Li-Ion Compact Hammer Drill Driver

Selling Proposition

- 18V XR Li-Ion compact drill driver featuring XR 1.3Ah Li-Ion battery technology
- technology
 13mm
 single
 sleeve
 chuck and
 spindle lock
 for quick
 and easy bit
 change with
 one hand
 Two speed
- Two speed settings, variable speed and reverse switch for maximum control
- Intelligent trigger design allows for total control of application
- 15 Position adjustable torque control for consistent screw driving into a variety of materials with different screw sizes
- Drill Driver and Hammer settings for multiple applications
- Bright white LED with delay feature for improved visibility and flashlight functionality
- Improved ergonomic design and rubber grip increases user comfort
- Multivoltage charger for all XR Li-Ion slide pack batteries
- batteries
 Part of the intelligent XR Lithium Ion Series designed for efficiency and making applications faster





Specifications

Battery chemistry	XR Li-Ion	
Voltage	18	V
Battery Capacity	1.3	Ah
Max Torque (Hard)	42	Nm
Max Torque (Soft)	24	Nm
Power Output	300	Watt
No Load Speed	0-450/1500	rpm
Beats per Minute	0-7650/25500	bpm
Chuck Capacity	1.5-13	mm
Max. Drilling Capacity [Wood]	30	mm
Max, Drilling Capacity [Metal]	13	mm
Max. Drilling Capacity [Masonry]	13	mm
Weight	1.72	kg
Length	228	mm
Height	191	mm
Width	53	mm

Standard Equipment

- $_{ullet}$ 2 x 1.3Ah XR Li-Ion battery packs
- Multi-voltage XR charger
- Heavy duty kitbox

Warranty Specifications

 DEWALT 3 year European PT Guarantee (subject to registration)

Sound Pressure	85	dB(A)
Sound Pressure Uncertainty	3	dB(A)
Sound Power	96	dB(A)
Sound Power Uncertainty	3	dB(A)
Hand/Arm Vibration - Dri∎ing into metal	N/A	m/s²
Uncertainty K 1 (Vibration)	N/A	m/s²
Hand/Arm Vibration - Hammer drilling into concrete	14	m/s²
Uncertainty K 2 (Vibration)	1.5	m/s²
Hand/Arm Vibration - Screw driving without impact		m/s²
Uncertainty K 3 (Vibration)	<2.5	m/s²

