



36 V brushless circular saw with 85 mm cutting depth, torque boost and base plate for easy working with guide rails

- Torque boost for maximum performance triggered by power-intensive cutting
- Compatible with guide rails from Hikoki, Metabo, Mafell, Bosch, Festool, Makita, Hilti and other brands
- Brushless motor for high power, less wear and a long service life
- Integrated LED light for a clear view of the marking and work surface
- High level of user safety thanks to run-out brake for quick saw blade stop
- Equipped with riving knife for optimum user protection: prevents the saw blade from jamming
- Powered by MULTI VOLT, the intelligent battery system for 18 V and 36 V power tools: best performance, maximum freedom

Product ID	C3609DUMW4Z
EAN	4966376417506
Blade diameter	235 mm
Bore size	30 mm
Max. cutting depth (0°)	86 mm
Max. cutting depth (45°)	62 mm
Maximum bevel angle	45 °
Undercut angle	None
Weight (without battery pack)	5.6 kg
Weight (with battery pack)	5.6
Tool length	432 mm
Tool width	275 mm
Tool height	299 mm
Dust box attachment	None
Material: gear cover	Magnesium Die Cast
Brake	Yes
Kick back protection	Yes
Soft start	Yes
Guide rail compatibility	Yes
Riving knife	Yes
Chip blower	Yes
LED light	Yes
Brushless	No

Standard Accessory Supplied

GUIDE, HEX. BAR WRENCH 6MM, TCT SAW BLADE 235MM-D30 HOLE-NT24, Carton Box

Ташев-Галвинг ООД
www.tashev-galving.com

Ташев-Галвинг ООД
www.tashev-galving.com

Ташев-Галвинг ООД
www.tashev-galving.com

Ташев-Галвинг ООД
www.tashev-galving.com

Ташев-Галвинг ООД
www.tashev-galving.com

Ташев-Галвинг ООД
www.tashev-galving.com

Ташев-Галвинг ООД
www.tashev-galving.com