

40V Max Brushless Pruning Saw UC029G



HEAVY DUTY BRUSHLESS



40V Max Brushless 150mm Pruning Saw

The 40V Max Brushless 150mm pruning saw (UC029G) is lightweight, compact, and efficient allowing for easy garden pruning. The UC029G features tool-less blade change & tensioning with an easy to use lever on the side of the tool. During operation, the UC029G automatically lubricates the chain, minimising the chance of chain seizure during use.

The chain guard opens gradually wider as the chain cuts deeper into a branch and the soft grip rear handle is fitted with a guard for further protection. UC029G also has an electric brake to rapidly stop the chain once the trigger has been released.



Product Overview



Lightweight and Compact

Brushless Motor

Electric Brake

Lock-Off Lever

Retractable Guard

Rear Handle Guard

Automatic Chain Lubrication

Tool-less Chain Adjustment



Product Specifications



Oil Tank Capacity	55mL
Chain Speed	8.0m/s
Guide Bar Length	150mm
Standard Chain	0.325LP / 0.043
Overall Length	474mm
Skin Weight	1.4kg
Weight (With Battery)	2.4kg (BL4040)
Voltage	40V Max

- **Lightweight and Compact** – Lightweight at just 2.4kg with 4.0Ah
- **Electric Brake** – Once the trigger is released the electric brake will rapidly stop chain rotation.
- **Moveable Guard** – The chain guard will open gradually wider as the chain cuts deeper into a branch.
- **Automatic Chain Lubrication** – The chain is automatically lubricated during operation, minimising the chance of chain seizure during use.
- **Brushless Motor** – The powerful brushless motor provides chain speeds of 8.0m/s.
- **Lock-Off Lever** – The lock-off lever can be operated from either side allowing the tool to be operated with the left or right hand.
- **Rear Handle Guard** – For added protection the soft grip rear handle is also fitted with a guard.
- **Tool-Less Chain Adjustment** – Simply loosen and re-tighten the large lever to automatically adjust the saw chain tension.

Safety



Retractable guard gradually opens during cut for optimal safety for the user

Convenience



Automatic chain lubrication minimises the chance of chain seizure during use.

Practicality



Automatic chain tension adjustment simply by releasing the sprocket cover nut.

Ergonomics







Narrow design for improved access in tight spaces for detailed pruning



Our Range



HEAVY DUTY BRUSHLESS

	UC029G	UC003G	UC026G	UC013G
				
Bar Size	150mm	300mm	400mm	450mm
Standard Chain	0.325" / 0.043"	3/8" / 0.043"	0.325" / 0.043"	0.325" / 0.043"
Chain Speed	8m/s	24m/s	25.5m/s	25.5m/s
Max Power Output	0.59kW	1.4kW	1.6kW	1.6kW
Oil Tank Capacity	55mL	200mL	200mL	260mL
Skin Weight	1.4kg	2.6kg	3.92kg	4.51kg

Standard Accessories		
	1912F1-4	Guide Bar
	413T67-3	Chain and Bar Cover
	1912E8-3	Saw Chain
	D-70948	Chain Edger
	-	Oil Vessel

Optional Accessories		
	1913K4-9	Belt Holster
	D-72154	Roll Up Accessory kit