




Eignung

Technische Daten


Typ	Art.-Nr.	DIBt ETA	d _o	h ₂	h _{ef}	l	t _{fix}	□ SW					h _{nom} (h _v)
FSA 8/15 S	068520	-	8	65	35	64	15	10	12 x 1,6	50	250	4006209685204	-
FSA 8/40 S	068521	-	8	90	35	89	40	10	12 x 1,6	50	250	4006209685211	-
FSA 8/65 S	068522	-	8	115	35	114	65	10	12 x 1,6	50	250	4006209685228	-
FSA 10/10 S	068523	-	10	65	40	65	10	13	24 x 2,1	20	200	4006209685235	-
FSA 10/35 S	068524	-	10	90	40	90	35	13	24 x 2,1	20	200	4006209685242	-
FSA 10/60 S	068525	-	10	115	40	115	60	13	24 x 2,1	20	100	4006209685259	-
FSA 12/10 S	068526	-	12	75	50	76	10	17	30 x 2,5	20	100	4006209685266	-
FSA 12/25 S	068527	-	12	90	50	91	25	17	30 x 2,5	20	100	4006209685273	-
FSA 12/50 S	068528	-	12	115	50	116	50	17	30 x 2,5	20	100	4006209685280	-

Beschreibung


Anwendungsbeispiele



Montage



Ташев-Галвинг
www.tashev-galving.com



Ташев-Галвинг ООД
www.tashev-galving.com