



Eignung

Technische Daten


Typ	Art.-Nr.	 	d_o	h_2	h_{ef}	l	t_{fix}	□ SW				h_{nom} (h_v)	
FSA 8/15 B	068500	-	8	65	35	65	15	10	12 x 1,6	50	250	4006209685006	-
FSA 8/40 B	068501	-	8	90	35	90	40	10	12 x 1,6	50	250	4006209685013	-
FSA 8/65 B	068502	-	8	115	35	115	65	10	12 x 1,6	50	250	4006209685020	-
FSA 10/10 B	068503	-	10	65	40	69	10	13	24 x 2,1	20	200	4006209685037	-
FSA 10/35 B	068504	-	10	90	40	94	35	13	24 x 2,1	20	200	4006209685044	-
FSA 10/60 B	068505	-	10	115	40	119	60	13	24 x 2,1	20	100	4006209685051	-
FSA 12/10 B	068506	-	12	75	50	81	10	17	30 x 2,5	20	100	4006209685068	-
FSA 12/25 B	068507	-	12	90	50	96	25	17	30 x 2,5	20	100	4006209685075	-
FSA 12/50 B	068508	-	12	115	50	121	50	17	30 x 2,5	20	100	4006209685082	-
FSA 12/75 B	068509	-	12	140	50	146	75	17	30 x 2,5	20	100	4006209685099	-


Beschreibung

Anwendungsbeispiele



Montage





Ташев-Галвинг ООД
www.tashev-galving.com