



Anwendungsbeispiele



Technische Daten



Typ	Art.-Nr.	■ ETA ● DIBt	<div class="h6"><div class="h6">d₀</div></div>	<div class="h6"><div class="h6">h₂</div></div>	<div class="h6"><div class="h6">h_{ef}</div></div>	<div class="h6"><div class="h6">l</div></div>	<div class="h6"><div class="h6">t_{fix}</div></div>	<div class="h6"><div class="h6">SW</div></div>		
FH II 10/10 B	503142	-	10	65	40	70	10	10	18 x 2	50
FH II 10/25 B	503143	-	10	80	40	85	25	10	18 x 2	50
FH II 10/50 B	503144	-	10	105	40	110	50	10	18 x 2	50
FH II 12/10 B	048773	-	12	90	60	95	10	13	22 x 2,5	50
FH II 12/25 B	048774	-	12	105	60	110	25	13	22 x 2,5	50
FH II 12/50 B	048775	-	12	130	60	135	50	13	22 x 2,5	25
FH II 12/100 B	046832	-	12	180	60	185	100	13	22 x 2,5	25
FH II 15/10 B	048776	-	15	100	70	110	10	17	25 x 3	25
FH II 15/25 B	048777	-	15	115	70	125	25	17	25 x 3	25

Typ	Art.-Nr.	ETA DIBt	d₀	h₂	h_{ef}	k	t_{fix}	SW		
FH II 15/50 B	048778	-	15	140	70	150	50	17	25 x 3	25
FH II 15/100 B	046835	-	15	190	70	200	100	17	25 x 3	20
FH II 18/25 B	048779	-	18	130	80	140	25	19	30 x 3	20
FH II 18/50 B	048780	-	18	155	80	165	50	19	30 x 3	20
FH II 18/100 B	046841	-	18	205	80	215	100	19	30 x 3	10
FH II 24/25 B	048886	-	24	150	100	167	25	24	40 x 5	10
FH II 24/50 B	048887	-	24	175	100	192	50	24	40 x 5	10
FH II 24/100 B	046842	-	24	225	100	242	100	24	40 x 5	5
FH II 28/30 B	047547	-	28	185	125	199	30	30	44 x 4,5	4
FH II 28/60 B	047548	-	28	215	125	229	60	30	44 x 4,5	4
FH II 28/100 B	506630	-	28	255	125	271	100	30	44 x 4,5	4
FH II 32/30 B	047549	-	32	210	170	253	30	36	50 x 5	4
FH II 32/60 B	047550	-	32	240	170	283	60	36	50 x 5	4