


Вложка 3/4" - 197/1 6p



Описание

- материал: хром-ванадий
- ковани, изцяло закалени
- хромиран в съответствие със стандарт EN 12540
- полирана
- изработена в съответствие със стандарт ISO 2725-1 (само за метрични размери)
- .

Технически параметри

		D1	D2	L	T				
61969 8	19	29,2	33	50	14	175	1B	10	-
60272 3	22	32,2	36	50	14	220	1B	10	-
60272 4	23	33,2	36	50	14	221	1B	10	-
60272 5	24	34,2	36	51	16	230	1B	10	-
60272 6	26	37	36	52	16,5	230	1B	10	-
60272 7	27	38	36	52	22	239	1B	10	-
60272 8	28	39,5	36	52	22	242	1B	10	-
61970 2	29	40,5	36	52	22	270	1B	10	-
60272 9	30	42	36	54	24	273	1B	10	-
60273 0	32	44	36	56	26	295	1B	10	-
60273 1	34	47	36	56	26	347	1B	5	-
61970 1	35	48	38	58	26	401	1B	5	-
60273 2	36	50	38	58	28	400	1B	5	-
60273 3	38	52	38	60	28	488	1B	5	-
60273 4	41	56	40	64	30	502	1B	5	-
60273 5	46	62	42	66	32	621	1B	1	-
60273 6	50	68	42	70	34	708	1B	1	-
61752 7	55	74	45	76	38	914	1B	1	-
60313 5	60	80	45	78	42	1105	1B	1	-
60938 3	7/8"	32,2	36	50	14	220	1B	10	-
60938 4	15/16"	34,2	36	51	16	231	1B	10	-
60938 5	1"	37	36	52	16	234	1B	10	-
60938 6	1.1/16"	38	36	52	22	224	1B	10	-
60938 7	1.1/8"	40	38	52	22	265	1B	10	-
60938 8	1.1/4"	44	38	56	24	313	1B	10	-
60938 9	1.5/16"	46	38	56	26	336	1B	5	-
60939 0	1.3/8"	48	42	58	26	406	1B	5	-
60939 1	1.7/16"	50	42	58	28	415	1B	5	-
60939 2	1.1/2"	52	45	60	28	414	1B	5	-
60939 3	1.5/8"	56	45	64	30	572	1B	5	-
60939 4	1.11/16"	58	45	65	32	595	1B	5	-

		D1	D2	L	T				
60939 5	1.13/1 6"	62	48	68	34	698	1B	1	-
60939 6	1.7/8"	64	48	70	34	741	1B	1	-
60939 7	2"	68	48	72	36	842	1B	1	-
60939 8	2.1/16"	70	48	72	36	879	1B	1	-

Информация за опаковането

		Опаковка за търговия на дребно					Транспортна опаковка			
		A	Б	Ц			A1	Б1	Ц1	
61969 8	19	125	80	33,2	175	1	-	-	-	-
60272 3	22	162	58	36	230	1	65	185	46	280
60272 4	23	162	58	36	230	1	65	185	46	280
60272 5	24	163	58	36	240	1	65	185	46	290
60272 6	26	162	58	37	240	1	65	185	46	290
60272 7	27	162	58	37,8	240	1	65	185	46	290
60272 8	28	162	58	39,5	255	1	65	185	46	305
61970 2	29	162	58	40,6	285	1	65	185	46	335
60272 9	30	165	58	42	285	1	70	191	55	345
60273 0	32	167	58	44,1	300	1	70	191	55	360
60273 1	34	167	58	47,2	340	1	70	191	55	400
61970 1	35	167	58	48	360	1	70	191	55	420
60273 2	36	167	58	50	400	1	70	191	55	460
60273 3	38	170	58	52,1	430	1	80	200	63	505
60273 4	41	173	58	56,1	505	1	80	200	63	580
60273 5	46	180	62	62	635	1	86	205	69	720
60273 6	50	68	68	184	725	1	95	210	75	825
61752 7	55	74	74	190	945	1	100	215	85	1057
60313 5	60	90	80	190	1120	1	100	215	85	1232
60938 3	7/8"	162	58	36	230	1	65	185	46	280
60938 4	15/16"	163	58	36	240	1	65	185	46	290
60938 5	1"	162	58	37	240	1	65	185	46	290
60938 6	1.1/16"	162	58	37,8	240	1	65	185	46	290
60938 7	1.1/8"	162	58	40,1	260	1	65	185	46	310
60938 8	1.1/4"	167	58	44,1	330	1	70	191	55	390
60938 9	1.5/16"	167	58	47,2	340	1	70	191	55	400
60939 0	1.3/8"	170	58	48	365	1	80	200	63	440
60939 1	1.7/16"	167	58	50	430	1	70	191	55	490
60939 2	1.1/2"	170	58	52,1	430	1	80	200	63	505
60939 3	1.5/8"	173	58	56,1	585	1	80	200	63	660
60939 4	1.11/16"	176	58	58	600	1	80	200	63	675

Опаковка за търговия на дребно							Транспортна опаковка			
		A	Б	Ц			A1	Б1	Ц1	
60939 5	1.13/1 6"	180	62	62	715	1	86	205	69	800
60939 6	1.7/8"	180	64	64,1	770	1	86	205	69	855
60939 7	2"	184	68	68	855	1	95	210	75	955
60939 8	2.1/16 "	185	70	69,8	885	1	95	210	75	985

Ташев-Галвинг ООД
www.tashev-galving.com