


Гайка ситна резба DIN 934



ISO	UNI	DIN
(8673)*	5588	934
MATERIALE	ACCIAIO	
MATERIAL	STEEL	
PROPRIETÀ MECCANICHE	SECONDO	DIN 267
MECHANICAL PROPERTIES	ACCORDING TO	UNI 3740-4
CLASSE	10/8G	
CLASS		
TOLLERANZE	SECONDO	ISO 4759-1
TOLLERANCES	ACCORDING TO	CAT A - B**

d	s	m	e min	passo - pitch	Kg
M 8x1	13	6,5	14,38	1	5,3
M 10x1	17	8	18,90	1	11,4
M 10x1,25	17	8	18,90	1,25	11,4
M 12x1,25	19	10	21,10	1,25	17,0
M 12x1,5	19	10	21,10	1,5	17,0
M 14x1,5	22	11	24,49	1,5	24,5
M 16x1,5	24	13	26,75	1,5	32,6
M 18x1,5	27	15	29,56	1,5	47,2
M 20x1,5	30	16	32,95	1,5	62,3
M 22x1,5	32	18	35,03	1,5	79
M 24x2	36	19	39,55	2	106
M 27x2	41	22	45,20	2	161
M 30x2	46	24	50,85	2	221
M 33x2	50	26	55,37	2	279
M 36x3	55	29	60,79	3	387
M 39x3	60	31	66,44	3	492
M 42x3	65	34	72,09	3	660
M 45x3	70	36	76,95	3	810
M 48x3	75	38	82,60	3	980
M 52x3	80	42	88,25	3	1230
M 56x4	85	45	93,56	4	1430
M 60x4	90	48	99,21	4	1700

Kg PESO PER 1000 PEZZI / WEIGHT FOR 1000 PCS