

Drill motors with stand Husqvarna DMS 240

DMS 240 is an electric drill motor and stand system for a huge variety of core drilling applications. It is the most powerful system in our drill motor stand range. An ideal system for medium core drilling in walls, floors and roofs up to 250 mm diameter. The stand is easy to tilt, the back support provides reliable and stable angle drilling, saving you setup time and body stress. This system can be used for drilling ventilation and plumbing channels, waste evacuation pipes as well as barrier and road signs.

- Rated input power **2.4 kW**
- Drill bit diameter, max **250 mm**
- ⚡ Voltage **220-240 V**

Article number : DRILL MOTOR DMS 240 220-240 V | 1-ph | 50 Hz | EU - 965 17 36-03



Ташев-Галвинг ООД
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Optimum cranking speed

Carriage with single and double gearing for efficient drilling.

User-friendly base plate

Lightweight base plate made of aluminium with integrated vacuum base, means fast setup with no damages to the surroundings.

Overload protection

Increases productivity and extends service life.

- Angle drilling
- Barriers
- Channels, pipes and cables



Easy transportation

The stand is equipped with transport wheels.

- Stitch drilling
- Water evacuation

Ташев-Галвинг ООД
www.tashev-galving.com

SPECIFICATIONS



Rated input power	2.4 kW
Rated current	10 A
Phases	1 ph
Frequency	50 Hz
Voltage	220-240 V



Drill bit diameter, max	250 mm
Weight	20.4 kg

Ташев-Галвинг ООД
www.tashev-galving.com