

Husqvarna DM 400

DM 400 is a powerful and sturdy electric core drill for medium to heavy core drilling where reliability and high productivity is needed. Recommended diameter 55-350 mm. With aluminium motor housing to withstand tough handling and a carrying handle for ergonomic usage and additional impact protection of the drill motor. Equipped with Embedded Connectivity, an enhanced version of Husqvarna Fleet Services™ for data analytics and insights into the health of the machine. Suitable for water evacuation, ventilation, angle drilling, stitch drilling and when you need to cut close to corners.



⌀ Drill bit diameter with stand, max **350 mm**
⚡ Voltage **220-240 V**

Article number : DRILL MOTOR DM 400
220-240V | 1-ph | 50-60Hz | EU | 11/4" -
967 91 03-01

Ташев-Галвинг ООД
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Sturdy and durable

Equipped with an aluminium housing and the protective carrying handle ensures rough handling.



Ergonomic

Equipped with a carrying handle for easy transport and handling.

Optimised RPM's

Enables high drilling performance.



Embedded Connectivity

An enhanced version of Husqvarna Fleet Services™. Enables data analytics and insights into the health of the machine.



- Quick connection
- Quick-release washer
- Functional design
- Load indicator
- Elgard™
- Reliable gearbox
- Easy start with reduced speed

- Angle drilling
- Barriers
- Horizontal drilling
- Stitch drilling
- Water evacuation
- Vertical drilling

Tашев-Гарнитура
www.tashev-garmitura.com

SPECIFICATIONS



Dimensions

Water connector	G 1 / 4"
Weight	14 kg
Product size length	546 mm
Product size width	138 mm



Motor

Electronic product	Yes
Voltage	220-240 V
Rated input power	3.2 kW

Specifications

Water pressure, max	3 bar
Spindle thread, outer	1 1/4" - 7 UNC



Drilling equipment

Drill bit diameter with stand, max	350 mm
Recommended drill bit diameter, min	55 mm



Sound and noise

Sound power level, guaranteed (LWA)	112 dB(A)
Sound power level, measured	110 dB(A)
Sound pressure level at operators ear	92 dB(A)



Transmission

Number of gearbox speeds	3
--------------------------	----------

Ташев-Галвини
www.tashev-galvini.com