

HALOSTAR 10 W 12 V G4

HALOSTAR Standard | Low-voltage halogen lamps with pin base



- General illumination
- Kitchen lighting
- Mirror lighting
- Lighting for reading
- Entrance lighting
- Shops
- Restaurants, hotels and similar prestigious applications
- Offices, public buildings

Product benefits

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires (to IEC 60598-1)
- UV filter
- Contains no mercury, can be thrown away with normal household waste

Product features

• Average life: 2,000 h

• 100 % dimmable

• Color rendering index R_a : 100

• Base: G4, GY6.35







Technical data

Electrical data

Rated wattage	10 W
Nominal wattage	10 W
Nominal voltage	12 V
Rated power factor λ	1.00


Light technical data

Nominal luminous flux	140 lm
Rated luminous flux	140 lm
Rated color temperature	2800 K
Rated color rendering index Ra	100
Rated starting time	0.0 s
Rated warm-up time (60 %)	0 s
Lumen main.fact.at end of nom.life time	0.80

Dimensions & weight

Length	33.0 mm
Overall length	33.0 mm
Diameter	10.0 mm
Light center length (LCL)	22.0 mm
Outer bulb	T10
Young.	






G4
IEC 7004-72
DIN 49757

Fassungsnorm:
IEC 7005-72

Product line drawing with letters

Base



Base



Colors & materials

Rated lamp mercury content	0.0 mg
Mercury-free	Yes

Lifespan

Nominal lamp life time	2000 h
Rated lamp life time	2000 h
Rated number of switching cycles	1000000 1)

¹⁾ At 1 s on / 1 s off

Additional product data

Base (standard designation)	G4	_	

Capabilities

Dimmable	Yes	
Burning position	Any	

Country specific categorizations

ILCOS		HSGST/C/UB-10-12-G4-10/22	
Order reference	.0	64415	



Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300010717	Folding carton box 1	25 mm x 23 mm x 70 mm	2.67 g	0.04 dm ³
4050300942254	Shipping carton box 40	121 mm x 107 mm x 144 mm	188.00 g	1.86 dm ³

Manning Control of Con



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Callegina is a superior of the superior of the