



CorePro LEDspot MV

Corepro LEDspot 550lm GU10 830 120D


CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information		Power Factor (Nom)	
Cap-Base	GU10 [GU10]		0.5
EU RoHS compliant	Yes	Voltage (Nom)	220-240 V
Nominal Lifetime (Nom)	15000 h	Temperature	
Switching Cycle	50000X	T-Case Maximum (Nom)	65 °C
Light Technical		Controls and Dimming	
Color Code	830 [CCT of 3000K]	Dimmable	No
Beam Angle (Nom)	120 °	Approval and Application	
Luminous Flux (Nom)	550 lm	Energy Efficiency Label (EEL)	A+
Color Designation	White (WH)	Suitable For Accent Lighting	No
Correlated Color Temperature (Nom)	3000 K	Energy Consumption kWh/1000 h	5 kWh
Luminous Efficacy (rated) (Nom)	110.00 lm/W	Product Data	
Color Consistency	<6	Full product code	871869668688100
Color Rendering Index (Nom)	80	Order product name	Corepro LEDspot 550lm GU10 830 120D
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	8718696686881
Operating and Electrical		Order code	929001297232
Input Frequency	50 to 60 Hz	Numerator - Quantity Per Pack	1
Power (Nom)	5 W	Numerator - Packs per outer box	10
Lamp Current (Nom)	41 mA	Material Nr. (12NC)	929001297232
Starting Time (Nom)	0.5 s	Net Weight (Piece)	0.038 kg
Warm Up Time to 60% Light (Nom)	0.5 s		

CorePro LEDspot MV



Dimensional drawing



CLA LEDspotMV ND 500lm GU10 830 120D


Product	D	C
Corepro LEDspot 550lm GU10 830 120D	50 mm	55 mm

Photometric data



CLA LEDspotMV ND 5W PAR16 GU10 830 520lm


CLA LEDspotMV ND 5W PAR16 GU10 830 520lm




CLA LEDspotMV ND 5W PAR16 GU10 830 520lm

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

Ташев-Галвинг ООД
www.tashev-galving.com

