

Plusline Large (double ended)

Plusline Large 1500W R7s 230V 1CT

PlusLine Large flood delivers maximum light output to light up large areas like outdoor, buildings and shops.

Product data

• General Characteristics

Cap-Base R7s

Bulb T4 [T4: .434 inch / 11mm]

Bulb Finish Clear

Operating Position p4 [Parallel +/-4D or

Horizontal(HOR)]

Life to 50% failures 2000 hr

• Light Technical Characteristics

Color Rendering 100 Ra8

Index

Color Temperature 2900 K

Color Temperature 2900 K

Technical

Luminous flux lamp
Luminous Efficacy
36300 Lm
24.2 Lm/W

Lamp

• Electrical Characteristics

Lamp Wattage 1500 W Lamp Wattage 1500.0 W

Technical

Voltage 230 V Lamp Current 6.52 A

Dimmable Yes

Luminaire Design Requirements

Pinch Temperature 350 (max) C Bulb Temperature 900 (max) C

Product Dimensions

Insertion Length B 249.1 (min), 250.7 (nom), 252.3 (max)

mm

Overall Length C 254.1 (max) mm
Diameter D 11 (max) mm

• Product Data

Order code 494351 25 Full product code 871150049435125

Full product name Plusline Large 1500W R7s 230V 1CT
Order product name Plusline L 1500W R7s 230V 1CT/10

8711500521682

923932243240

Pieces per pack 1
Packing configuration 10
Packs per outerbox 10

Bar code on pack - 8711500494351

EAN1 Bar code on

outerbox - EAN3 Logistic code(s) -

12NC ILCOS code HDG//RS-1500-230-R7s-250,7

Net weight per piece 21.500 gr


Dimensional drawing



Ташев Галвинг ООД www.tashev-galving.com


Plusline Large (double ended)

Dimensional drawing



R7s, T11/T12

Product	B (Min)	B (Norm)	B (Max)	$\subset (Max)$	$D\left(Norm\right)$	D(Max)
DEBig 1500W R7s 230V T11 CL	249.1	250.7	252.3	254.1	=	11



R7s



Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2012, August 4 data subject to change