

for all common pressfitting systems

**Select REMS pressing tongs Mini/
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table. Adapter tongs (page 154) are necessary for driving the REMS pressing rings (PR).

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC. Read and follow the installation and assembly instructions of the system provider/manufacturer.

REMS pressing tongs Mini (PZ-2B)

REMS Mini pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressing sleeve (**Patent EP 2 027 971**).


REMS pressing ring 45° (PR-2B)

REMS pressing ring 45° (PR-2B), with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access by 45° inclination (**Patent EP 2 774 725**). Adapter tongs are required for driving pressing rings 45° (PR-2B), see page 154.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Patent EP 1 952 948
Patent EP 2 347 862

German Quality Product



REMS Mini pressing tongs (PZ-2B)



REMS pressing ring 45° (PR-2B)
Patent EP 2 774 725


Confirmation of suitability

See page 193.


Hold-Harmless and Indemnification Agreement

See page 194.





Pressing tongs with teeth
 Patent EP 2 027 971



Example REMS pressing tongs Mini V:
 "V" imprint on pressed fitting for
 traceability according to EN 1775:2007

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press
22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
A			
AC-FIX PRESS (Global Piping Systems)	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	VX 16	578552	
	VX 20	578554	
	AC-FIX PRESS DUO (Global Piping Systems)	RFz 16	578492
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
U 16		578374	
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
ACOME ACOPEX ALU	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
ACOME MT	ACz 12	578608	
	ACz 16	578610	
	ACz 20	578612	
	ACz 25	578614	
	U 32	578382	
AHLSELL A-press elförzinkad	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	AHLSELL A-press koppar	V 12	578324
V 15		578328	
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574500	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
AHLSELL A-press rostfritt		M 15	578312
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	AIRBEL PRESSCLIM	M 15	578312
		M 18	578314
		M 22	578316
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
AIRBEL SERTINOX	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	

System	Pressing contour	Art.-No.	
ALB Sistema Multicapa	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	U 40	578386	
ALB Sistema Multicapa Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	ALTECH Altech	RFz 12	578490
		RFz 16	578492
		RFz 20	578494
		RFz 25	578496
		U 32	578382
APE Serie AP	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
U 16	578374		
U 20	578378		
U 40	578386		
APE Serie AP Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 32	578382	
AQUATECHNIK Press-fitting metal	H 16	578400	
	H 20	578406	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
AQUATECHNIK Universal	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	ARKA DUROsystem	H 16	578400
		H 20	578406
H 25		578408	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
Aschi NIR		M 15	578312
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	ASSOTHERM IPC-RAC Carbon Steel	M 15	578312
		M 18	578314
		M 22	578316
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
ASSOTHERM IPI-RAX Inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	

System	Pressing contour	Art.-No.	
ASSOTHERM IPI-RAX Inox Gas	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	ASSOTHERM IPM-Multistrato	H 16	578400
		H 20	578406
		H 26	578410
		H 32	578412
		TH 16	578352
		TH 20	578358
		TH 26	578362
TH 32		578364	
THL 30		578368	
TH 40		578624	
ASSOTHERM IPR-RRA Copper	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASSOTHERM IPR-RRA Copper Gas	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾"	578534	
	US ½"	578536	
	US ¾"	578538	
	US 1"	578540	
	US 1 1/4"	578542	
AYOR FIXOCONNECT Press	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	RFz 12	578490	
AYOR FIXOMULTIX	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
AYOR SOMATHERM FOR YOU -1	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	H 12	578396	
	H 16	578400	
	H 20	578406	
AYOR SOMATHERM FOR YOU -2	H 25	578408	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	H 12	578396	
	H 16	578400	
B			
Bampi BALPEX serie LP	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Bampi BALPEX serie MP	U 16	578374	
	U 20	578378	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
Bampi BALPEX Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	

System	Pressing contour	Art.-No.
BARBI EASYPRESS (Industrial Blansol)	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	BARBI MULTIPEX (Industrial Blansol)	H 14
H 16		578400
H 18		578404
H 20		578406
H 25		578408
H 26		578410
H 32		578412
RFz 16		578492
RFz 18		578638
RFz 20		578494
RFz 25		578496
RFz 32		578498
TH 16		578352
TH 20		578358
TH 26		578362
TH 32	578364	
U 16	578374	
U 18	578376	
U 20	578378	
U 25	578380	
U 32	578382	
U 40	578386	
BEGETUBE/ IVAR	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
B 32	578476	
BRASELI GPF GAS	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
BRASELI Pressfitting PE-X	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
BRASELI Pressfitting Multicapa	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
U 40	578386	
Brass Form Master Press	H 16	578400
	H 18	578404
	H 20	578406
	TH 16	578352
	TH 18	578356
	TH 20	578358
	U 16	578374
	U 18	578376
U 20	578378	
Brass & Fittings PRESSMAN MultiPress	RFz 16	578492
	RFz 18	578638
	ACz 20	578612
	RFz 25	578496
RFz 32	578498	
Brass & Fittings PRESSMAN RetiPress	RFz 16	578492
	RFz 18	578638
	ACz 20	578612
	RFz 25	578496
	RFz 32	578498
BRASSTECH MULTItermoSAN Brasspress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578460
	F 20	578462
	F 26	578462
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
C 26	578392	
U 32	578382	

System	Pressing contour	Art.-No.
C		
Cello Products Press	VUS ½" (OD 15,9mm)	578566
	VUS ¾" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1½" (OD 34,9mm)	578606
CHIALI	TH 16	578352
CHIALIPEX	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Climatek Clima Therm	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
Climatek Clima Therm	TH 26	578362
	TH 32	578364
	TH 32	578364
	TH 32	578364
Climatrix	H 16	578400
	H 20	578406
Climatrix Rhinopex	U 16	578374
	U 20	578378
	TH 14	578348
	TH 16	578352
ClouSet	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 20	578358
Comap PEX Press	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
Comap PEX Press	RFz 25	578496
	RFz 25	578496
	RFz 25	578496
Comap Multiskin	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	THL 32	578368
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 32	578382
Comap Multiskin Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	THL 32	578368
	THL 32	578368
	U 16	578374
	U 20	578378
	U 32	578382
	U 32	578382
	U 32	578382
	COMISA Press System	TH 14
TH 16		578352
TH 18		578356
TH 20		578358
TH 25		578360
TH 26		578362
TH 32		578364
TH 40		578624
H 14		578398
H 16		578400
H 18		578404
H 20		578406
H 26	578410	
H 32	578412	
B 14	578466	
B 16	578468	
B 18	578470	
B 20	578472	
B 26	578474	
B 32	578476	
COMISA Press System Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364

System	Pressing contour	Art.-No.
CONEL CONNECT MULTI	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
TH 32	578364	
U 16	578374	
U 20	578378	
U 25	578380	
U 32	578382	
VP 16	578482	
VP 20	578484	
VP 32	578488	
D		
DIWAsystems	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 40	578624
DUOFIL MKSYSTEM	U 16	578374
	U 18	578376
	U 20	578378
DUOFIL MKSYSTEM	U 25	578380
	U 32	578382
	U 32	578382
DW Verbindung multitubo systems	U 16	578374
	U 18	578376
	U 20	578378
DW Verbindung multitubo systems	U 25	578380
	U 32	578382
	U 32	578382
E		
EBRILLE Isomonflex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
	U 32	578382
EBRILLE Monflex	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
EFFEBI PRESSTIGE	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
V 15 45° (PR-2B) ³⁾	574504	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
EFFEBI TOF-GAS MULTIPINZA	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 32	578382

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
EFFEBI TOF	TH 16	578352
MULTIPINZA	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	Fz 40	578478
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
EFIELD MULTILAYER PRESS DINGAS	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
EFIELD MULTILAYER PRESS WATER	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Elkhart APOLLOXPRESS	VUS 1/2" (OD 15,9mm)	578566
Fittings Copper and Low-Lead Brass	VUS 3/4" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1 1/4" (OD 34,9mm)	578606
EMMETI GERPEX- FIVPRESS	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	H 16	578400
	H 20	578406
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
EMPUR	TH 15	578350
	TH 17	578354
	TH 20	578358
EURACCORDI SYCPRESS	M 15	578312
	M 18	578314
STAINLESS	M 22	578316
STEEL PRESS FITTINGS	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
EURACCORDI SYCPRESS	M 15	578312
	M 18	578314
CARBON STEEL PRESS FITTINGS	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
EUROTUBI EUROPA	M 12	578310
	M 15	578312
C-Steel Pressfitting System M-Profile ¹⁾	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
EUROTUBI EUROPA	M 15	578312
	M 18	578314
Inox Pressfitting System M-Profile ¹⁾	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Evans Components Presslok	VAU 15 (1/2")	578630
	VAU 20 (3/4")	578632
	VAU 25 (1")	578634

System	Pressing contour	Art.-No.
F		
FAR Rubinetteria PRESSFAR	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
F.B.Q. BARONIO BQ press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 14 45° (PR-2B) ³⁾	574504
	V 15 45° (PR-2B) ³⁾	574506
	V 16 45° (PR-2B) ³⁾	574508
	V 18 45° (PR-2B) ³⁾	574510
	V 22 45° (PR-2B) ³⁾	574512
	V 28 45° (PR-2B) ³⁾	574514
	V 35 45° (PR-2B) ³⁾	574516
F.B.Q. BARONIO BQ press carbon steel	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574506
	V 18 45° (PR-2B) ³⁾	574508
	V 22 45° (PR-2B) ³⁾	574510
	V 28 45° (PR-2B) ³⁾	574512
	V 35 45° (PR-2B) ³⁾	574514
F.B.Q. BARONIO BQ press gas	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574506
	V 18 45° (PR-2B) ³⁾	574508
	V 22 45° (PR-2B) ³⁾	574510
	V 28 45° (PR-2B) ³⁾	574512
	V 35 45° (PR-2B) ³⁾	574514
Fercofloor DUO Press FERCO PEX	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
FILINOX Instalpress Steel	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FILINOX Instalpress Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Fittings Estándar ECO-PRESS	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Fittings Estándar MULTICAPA	RFz 16	578492
	RFz 18	578638
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Fittings Estándar PE-X	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498

System	Pressing contour	Art.-No.
FOHS	TH 16	578352
HEIZTECHNIK	TH 20	578358
FOHSPRESS	TH 26	578362
	TH 32	578364
FORNARA ForPress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
FRABO Chrompress	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
FRABO Frabopress 316 GAS	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574506
	V 18 45° (PR-2B) ³⁾	574508
	V 22 45° (PR-2B) ³⁾	574510
	V 28 45° (PR-2B) ³⁾	574512
	V 35 45° (PR-2B) ³⁾	574514
FRABO Frabopress 316 GAS-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress 316 Securfrabo	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO Frabopress 316 Securfrabo-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress C-Steel Securfrabo	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO Frabopress C-Steel Securfrabo-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress GAS	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
FRABO	M 12	578310
Frabopress	M 15	578312
GAS-M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO	V 12	578324
Frabopress H ₂ O	V 15	578328
Securfrabo	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO	M 12	578310
Frabopress H ₂ O	M 15	578312
Securfrabo-M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO	H 16	578400
FRABOPRESS	H 20	578406
MULTI-BRASS	TH 16	578352
(MB)	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
FRABO	V 12	578324
Frabopress	V 15	578328
Securfrabo	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO	M 22	578316
Frabopress	M 22 45° (PR-2B) ³⁾	574526
TS PRESS	V 22	578334
	V 22 45° (PR-2B) ³⁾	574508
FRABO	V 15	578328
Solarpress	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
Fränkische	B 16	578468
alpeX-duo	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364

System	Pressing contour	Art.-No.
Fränkische	F 16	578456
alpeX F50 PROFIL	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(DN 26)	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Fränkische	F 20	578460
alpeX-gas	F 26	578462
	F 32	578464
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
Fränkische	Fz 40	578478
alpeX L		
G		
gabotherm H+S	TH 10	578342
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
Gallagher USA	H 12 (1/4")	578396
YogaPipe ACR	U 14 (3/8")	578372
	U 16 (1/2")	578374
	U 18 (5/8")	578376
	U 20 (3/4")	578378
	U 25 (1")	578380
	U 32 (1 1/4")	578382
Geberit Mapress	M 12	578310
C-STAHl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 12	578310
EDELSTAHL	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 15	578312
EDELSTAHL Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 12	578310
KUPFER	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530

System	Pressing contour	Art.-No.
Geberit Mapress	M 15	578312
KUPFER Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mepla	G 16	578444
	G 20	578446
	G 26	578448
	G 32	578450
	G 40	578452
Geberit Mepla	G 16	578444
Therm	G 20	578446
	G 26	578448
Geberit Volex	TH 16	578352
	TH 20	578358
	TH 26	578362
General Fittings	H 16	578400
5T00	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	B 16	578468
Serie 5S00	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 40	578386
General Fittings	B 16	578468
Trident	F 16	578456
	F 16 45° (PR-2B) ³⁾	574550
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	H 16	578400
Trident Gas	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
Giacomini	H 16	578400
Raccordi RM	H 20	578406
Giacomini	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
Giacomini	H 16	578400
RM MULTIGAS	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
Giacomini	V 15	578328
Valvole Giacomini	V 18	578332
serie R650V	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Golan Pipe	U 16	578374
Systems	U 20	578378
(Scandinavia)	U 25	578380
Alu-Press	U 32	578382
	U 40	578386
Grinnell G-PRESS	VUS 1/2" (OD 15,9mm)	578566
Copper Fittings	VUS 3/4" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1 1/4" (OD 34,9mm)	578606
GS	TH 14	578348
Wärmesysteme	TH 16	578352
System TH	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
GS	V 15	578328
Wärmesysteme	V 18	578332
System V	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
H		
HakaGerodur	TH 10	578342
HAKASAN	TH 11,6	578344
	TH 12	578346
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
I		
IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
IBP >B< Press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 14 45° (PR-2B) ³⁾	574532
	V 15 45° (PR-2B) ³⁾	574504
	V 16 45° (PR-2B) ³⁾	574534
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 12	578324
Carbon	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

System	Pressing contour	Art.-No.
Herotec	H 16	578400
TEMPUS-PRESS	H 20	578406
PLUS	H 25	578408
	H 32	578412
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
HERZ PIPEFIX	TH 10	578342
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
HIDRONIX	TH 16	578352
MULTIGAS	TH 20	578358
	TH 26	578362
HIDRONIX	TH 14	578348
MULTIPIPE	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
HIDRONIX	TH 14	578348
UNICO	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
HITEC Sistema	TH 14	578348
Multistrato	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Hopewell	M 15	578312
press fit system	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
ip praksi	TH 10	578342
BAVARIA-press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
I		
IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
IBP >B< Press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 14 45° (PR-2B) ³⁾	574532
	V 15 45° (PR-2B) ³⁾	574504
	V 16 45° (PR-2B) ³⁾	574534
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 12	578324
Carbon	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

System	Pressing contour	Art.-No.
IBP >B< Press	V 15	578328
Gas	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 15	578328
Inox	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 15	578328
Solar	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
ICMA	H 16	578400
Sempiter	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
ICMA	TH 16	578352
Sempigas	TH 20	578358
	TH 26	578362
	TH 32	578364
Idrosanitaria	TH 16	578352
Bonomi	TH 20	578358
Homegas	TH 26	578362
Idrosanitaria	TH 16	578352
Bonomi	TH 18	578356
Idropress	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
IDROSISTEMI	TH 16	578352
Ta-Press	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	Fz 40	578478
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
IDROTRADE	H 16	578400
Storm Multipinza	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 40	578386
IDROTRADE	H 14	578398
Storm Multistrato	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 40	578386
IDROTRADE	M 15	578312
StormPRES	M 18	578314
	M 22	578316
	M 28	578318
IDROTRADE	M 12	578310
StormSTEEL	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
ILTA INOX/CHIBRO Pressfitting Cuni	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ILTA INOX/CHIBRO Pressfitting inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
Instantor Copper Press Imperial	VI ½" (OD 14,7 mm)	578716	
	VI ¾" (OD 21,0 mm)	578718	
	VI 1" (OD 27,4 mm)	578720	
Instantor Copper Press Metric	M 15	578312	
	M 22	578316	
	M 28	578318	
Instantor Press System	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	IPA IPANA Press	TH 10	578342
		TH 11,6	578344
TH 12		578346	
TH 14		578348	
TH 15		578350	
TH 16		578352	
TH 17		578354	
TH 18		578356	
TH 20		578358	
TH 22		578588	
TH 25		578360	
TH 26		578362	
TH 28		578590	
TH 32		578364	
TH 40		578624	
IPA THu IPANA Press		TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 32	578364
IPALPEX (Industrie du Plastique et Accessoires)		TH 14	578348
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18	578592	
	K120	578594	
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K32	578598	
	K1/40	578600	
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18	578592	
	K/20	578594	
ISOTUBI NUMEPRESS	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
IVAR ALPEX-GAS	B 20	578472	
	B 26	578474	
	B 32	578476	
	IVAR Ivar-Press	B 14	578466
B 16		578468	
B 18		578470	
B 20		578472	
B 26		578474	
B 32		578476	
Fz 40		578478	
IVAR MULTI PRESS GAS		TH 16	578352
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	

System	Pressing contour	Art.-No.	
IVAR MULTI PRESS GAS ITALIA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	IVAR Multi Press MP	TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 25	578360
		TH 26	578362
TH 32		578364	
TH 40		578624	
F 16		578456	
F 18		578458	
F 20		578460	
F 26		578462	
F 32		578464	
Fz 40		578478	
F 16 45° (PR-2B) ³⁾		574550	
F 20 45° (PR-2B) ³⁾		574552	
F 26 45° (PR-2B) ³⁾		574554	
F 32 45° (PR-2B) ³⁾		574556	
H 16		578400	
H 18		578404	
H 20		578406	
H 25	578408		
H 26	578410		
H 32	578412		
U 16	578374		
U 18	578376		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
U 40	578386		
B 16	578468		
B 18	578470		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Multi Press Leak (MPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
H 16	578400		
H 20	578406		
H 26	578410		
H 32	578412		
U 16	578374		
U 20	578378		
C 26	578392		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Plastic Multi Press PMP	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
F 32 45° (PR-2B) ³⁾	574556		
H 16	578400		
H 20	578406		
H 25	578408		
H 26	578410		
H 32	578412		
U 16	578374		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		

System	Pressing contour	Art.-No.	
IVAR Plastic Multi Press Leak (PMPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	IVT PRIPRESS	TH 16	578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
J			
Jäger - Aquatec Aquapress H		H 14	578398
		H 16	578400
		H 17	578402
		H 18	578404
	H 20	578406	
	H 26	578410	
Jäger - Aquatec C-Stahl Press Typ M	H 32	578412	
	U 40	578386	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
Jäger - Aquatec Edelstahl Press Typ M	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
Jäger - Aquatec Kupfer Press Typ V	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
Jansen AG JANSEN prima	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
Jaraflex- Presssystem	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
JUNGWOO JWPress	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	VUS ½" (OD 15,9 mm)	578566	
VUS ¾" (OD 22,2 mm)	578568		
VUS 1" (OD 28,6 mm)	578570		
VUS 1½" (OD 34,9 mm)	578606		
K			
KAN KAN-therm	U 16	578374	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
U 40	578386		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
KAN	TH 14	578348
KAN-therm LBP	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
KAN	M 12	578310
KAN-therm	M 15	578312
Inox	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KAN	M 12	578310
KAN-therm	M 15	578312
Steel	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	U 16	578374
KELIT KELOX	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
KE KELIT	M 15	578312
COPPERFIX	M 18	578314
Kupfer	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	M 15	578312
steelFIX	M 18	578314
C-Stahl	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	M 15	578312
steelFIX	M 18	578314
Edelstahl	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KEMBLA	VAU 15 (OD 12,7 mm)	578630
KemPress	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
KEMBLA	VAU 15 (OD 12,7 mm)	578630
KemPress Gas	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
KISAN	KI 16	578524
Kisan KD	KI 20	578526
	KI 25	578528
	TH 16	578352
	TH 20	578358
	TH 25	578360
KISAN	KI 16	578524
Kisan WL	KI 20	578526
	KI 25	578528
	KI 32	578530
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
KISAN	KI 16	578524
Kisan WM	KI 20	578526
	KI 25	578528
	KI 32	578530
KISAN	U 20	578378
Kisan WR	U 25	578380
	U 32	578382
	U 40	578386
	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
KISAN	M 15	578312
Kistal C	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KISAN	M 15	578312
Kistal Inox	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KME	TH 14	578348
cuprotherm CTX	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
KME	TH 14	578348
QTEC - Comap	TH 16	578352
SkinPress	TH 20	578358
	TH 26	578362
KME	H 16 A	578420
QTEC - Oventrop	H 20 A	578426
Cofit	H 26 A	578430
L		
LEGEND-PRESS	VUS ½" (OD 15,9 mm)	578566
press fitting	VUS ¾" (OD 22,2 mm)	578568
system	VUS 1" (OD 28,6 mm)	578570
	VUS 1½" (OD 34,9 mm)	578572
LK Systems	V 12	578324
LK >B<Press	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	V 12	578324
LK >B<Press	V 15	578328
Elfözinkat	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	V 15	578328
LK >B<Press	V 18	578332
gas	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	TH 16	578352
LK Universal	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
LVA DAHL	U 16	578374
Altech Alupex	U 20	578378
	U 25	578380
	U 32	578382
M		
Meier Tobler	U 16	578374
Metalplast - Stramax	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
MAINCOR	U 16	578374
MAINPRESS	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
MAINCOR	U 16	578374
MAINFLOR	U 20	578378
Mair Heiztechnik	M 12	578310
Gomafix Cu/E ¹⁾	M 15	578312
	M 18	578314
	M 22	578316
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Mair Heiztechnik	H 11,5	578394
Gomafix M	H 14	578398
	H 16	578400
	H 20	578406

System	Pressing contour	Art.-No.
Mair Heiztechnik	H 11,5	578394
M-Press	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
Ma.s.ter System	TH 14	578348
PRESSMASTER	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
METALGRUP	U 16	578374
Permatubo	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
METALGRUP	RFz 16	578492
PexGrup	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
METALGRUP	U 16	578374
MultiGrup	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Muejler Industries	VUS ½" (OD 15,9 mm)	578566
Streamline PRS	VUS ¾" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570
	VUS 1½" (OD 34,9 mm)	578572
MULTITHERM	TH 16	578352
PRESSSYSTEM	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Multicapas	RFz 16	578492
Industrial	RFz 20	578494
AIS PEX	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Multicapas	MT 20	578560
Industrial	MT 25	578562
multitubo systems	MT 32	578564
MC	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Multicapas	H 16	578400
Industrial	H 20	578406
multitubo systems	H 25	578408
MM	H 26	578410
	H 32	578412
	MT 20	578560
	MT 25	578562
	MT 32	578564
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
N		
NEUTHERM	H 16	578400
MEKUPRESS-HT	H 20	578406
	H 26	578410
	H 32	578412
NIBCO (USA)	VUS ½" (OD 15,9 mm)	578566
Press System	VUS ¾" (OD 22,2 mm)	578568
Copper	VUS 1" (OD 28,6 mm)	578570
	VUS 1½" (OD 34,9 mm)	578572
Nicoll Fluxo	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
POLYSAN	M 15	578312
Handelsges.	M 18	578314
m.b.H. & Co KG	M 22	578316
(Krems/Öster-	M 28	578318
reich)	M 35	578390
POLYSAN-	M 15 45° (PR-2B) ³⁾	574522
Edelstahl	M 18 45° (PR-2B) ³⁾	574524
Press-System	M 22 45° (PR-2B) ³⁾	574526
Wasser	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
POLYSAN	TH 14	578348
Handelsges.	TH 16	578352
m.b.H. & Co KG	TH 17	578354
(Krems/Öster-	TH 18	578356
reich)	TH 20	578358
POLYSAN-	TH 26	578362
Press-System	TH 32	578364
	TH 40	578624
POLYSAN	TH 14	578348
Handelsges.	TH 16	578352
m.b.H. & Co KG	TH 17	578354
(Krems/Öster-	TH 18	578356
reich)	TH 20	578358
POLYSAN-Henco-	TH 26	578362
Press-System	HE 32	578370
	HEz 40 ⁴⁾	578572
POLYSAN	U 16	578374
(España)	U 18	578376
Rainbow	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Prandelli	H 14	578398
Mulyrama Pf	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 40	578386
Prandelli	H 16	578400
Mulyrama Pfm	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	U 40	578386
R		
Raccorderie	M 15	578312
Metalliche	M 18	578314
aesPRES ¹⁾	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Raccorderie	M 15	578312
Metalliche	M 18	578314
inoxPRES ¹⁾	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Raccorderie	M 15	578312
Metalliche	M 18	578314
steelPRES ¹⁾	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
S		
RBM Tita-gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
RBM Tita-fix	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	F 16	578456
	F 18	578458
	F 20	578460
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378

System	Pressing contour	Art.-No.
Redi Nicoll Fluxo	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Redi Nicoll Fluxo	TH 16	578352
Gas	TH 20	578358
	TH 26	578362
RETTIG HEATING	F 16	578456
Purmo Cleverfit Radial	F 20	578460
	F 26	578462
	F 32	578464
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
RIFENG LD	LD 16	578652
PRESS FITTING	LD 20	578654
(F8)	LD 25	578656
RIFENG U	U 14	578372
PRESS FITTING	U 16	578374
(F5)	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
RIFENG TH	TH 16	578352
PRESS FITTING	TH 20	578358
(F9)	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
RIQUIER	RFz 12	578490
A SERTIR	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
Roth PressCheck	RN 14	578434
	RN 16	578454
	RN 17	578436
	RN 20	578438
	RN 25/26	578440
	RN 32	578442
Roth España -	TH 16	578352
Global Plastic	TH 18	578356
Rothapress	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
Rubinetterie	TH 14	578348
Bresciane	TH 16	578352
Bonomi	TH 18	578356
TURBO PRESS	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Rubinetterie	TH 16	578352
Bresciane	TH 20	578358
Bonomi	TH 26	578362
TURBO PRESS	TH 32	578364
GAS		
S		
SAMI plastic	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
SAMI plastic	TH 16	578352
Multistrato Gas	TH 20	578358
	TH 26	578362
	TH 32	578364
SANHA	B 16	578468
3fit-Press Pb-free	B 20	578472
Serie 25000	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	Fz 40	578478
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386

System	Pressing contour	Art.-No.
SANHA	B 16	578468
3fit-Press PPSU	B 20	578472
Serie 35000	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
SANHA-NiroSan	SA 15	578514
Gas Presssystem	SA 18	578518
Serie 17000	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
SANHA-NiroSan	SA 15	578514
Industry	SA 18	578518
Presssystem	SA 22	578520
Serie 18000	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
SANHA-NiroSan-	SA 15	578514
Presssystem	SA 18	578518
Serie 9000	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
SANITOP PERMATUBO INOX	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
SANPRO THPRESS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SATEC SK ViTerm	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Schütz duo-flex tri-o-flex	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
Schwer Fittings AQUApress	TH 25	578360
	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
Seppelfricke VSH SudoPress C-Stahl Visu-Control	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
Seppelfricke Seppelfricke VSH SudoPress Edelstahl Visu-Control	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Seppelfricke VSH SudoPress Kupfer Visu-Control	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
Seppelfricke VSH SudoPress Kupfer Gas Visu-Control	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 15	578328
Seppelfricke VSH XPress C-Stahl	V 18	578332
	V 22	578334
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	M 12	578310
	M 15	578312
	Seppelfricke VSH XPress Edelstahl	M 18 ¹⁾
M 22		578316
M 28 ¹⁾		578318
M 35		578390
M 12 45° (PR-2B) ³⁾		574520
M 15 45° (PR-2B) ³⁾		574522
M 18 45° (PR-2B) ³⁾		574524
M 22 45° (PR-2B) ³⁾		574526
M 28 45° (PR-2B) ³⁾		574528
M 35 45° (PR-2B) ³⁾		574530
Seppelfricke VSH XPress Edelstahl gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Seppelfricke VSH XPress Edelstahl gas	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390

System	Pressing contour	Art.-No.	
Seppelfricke VSH XPress Kupfer	M 12	578310	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
Seppelfricke VSH XPress Kupfer gas	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
SESTA SESTA GAS	M 35	578390	
	TH 14	578348	
	TH 16	578352	
SESTA sistema multistrato	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
SIGMA LI Premium	H 20	578406	
	TH 12	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
SLOVARM PEX-THERM	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 16	578374	
	U 20	578378	
STANDARD HIDRAULICA MultiStandard	H 26	578410	
	U 32	578382	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
STELBI Polikraft	U 32	578382	
	U 40	578386	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
STELBI Stelgas	U 16	578374	
	U 20	578378	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
	U 32	578382	
System WELCO Gas	U 40	578386	
	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
	System WOPREX	H 14 A	578418
		H 16 A	578420
		H 17 A	578422
		H 20 A	578426
		H 26 A	578430
H 32 A		578432	
TDM BRASS Serie 1600	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
UPONOR MLC	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	UPONOR MLC-D	H 16	578400
H 18		578404	
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 25		578360	
UPONOR MLC-G	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	UPONOR S-Press PLUS	H 16	578400
H 18		578404	
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 25		578360	

System	Pressing contour	Art.-No.	
TDM BRASS Serie 1700 gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
TermoConcept TC-PRESS	Basic E01 ¹⁾	578618	
THERMOLUTZ	H 14	578398	
	H 16	578400	
	TH 20	578358	
	TH 26	578362	
TE-SA TE-SA press serie 800	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
TIEMME AL-COBRAPEX Serie 1650	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 14	578348	
TIEMME Serie 1700 PE-X a pressare	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
TIEMME TIEMME Gas	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
TIEMME TIEMME Gas	RFz 32	578498	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
TIGRE ALPEX GAS	THL 32	578368	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
TKM Systemtechnik	TH 32	578364	
	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
TRA MULTITRAPRESS	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
TRA TRAPRESS	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
TWEETOP	U 40	578386	
	U 16	578374	
	U 20	578378	
	U 25	578380	
UNICAL AG MAX-MULTIPEX	U 32	578382	
	C 26	578392	
	U 32	578382	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	H 16	578400	
	H 20	578406	
UNIDELTA DeltAll	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	U 40	578386	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
UNIDELTA DeltAll GAS	TH 40	578624	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	U 40	578386	
	UPONOR MLC	TH 16	578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
H 16		578400	
H 20		578406	
H 26		578410	
H 32		578412	
U 16		578374	
UPONOR MLC-D	U 20	578378	
	U 32	578382	
	U 40	578386	
	UP 14	578576	
	UP 16	578578	
	UP 18	578580	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
	UP 40	578588	
UPONOR MLC-G	UP 16	578578	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
	UP 40	578588	
	UPONOR S-Press PLUS	UP 16	578578
		UP 20	578582
		UP 25	578584
		UP 32	578586
		UP 40	578588

T

U

System	Pressing contour	Art.-No.
VSH	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
Gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
W		
Watts MTR	TH 16	578352
Art press	TH 20	578358
	TH 26	578362
	TH 32	578364
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts WaterPEX	US ¾"	578538
	US 1"	578540
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts	US ¾"	578538
RadiantPEX	US 1"	578540
WATTS	U 16 (½")	578374
RADIANT	U 20 (¾")	578378
Watts	U 25 (¾")	578380
RadiantPEX-AL	U 32 (1")	578382
Wavin	U 14	578372
Tigris K1/K5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Wavin	U 14	578372
Tigris M1/M5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
WeeConPress	M 12	578310
Alu	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522

System	Pressing contour	Art.-No.
WeeConPress	M 12	578310
C-Stahl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConPress	M 12	578310
Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConPress	M 12	578310
Kupfer	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConFlex	H 16	578400
MVR	H 20	578406
	H 26	578410
	H 32	578412
	H 32	578412
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WEM	U 16	578374
WIELAND	TH 14	578348
cuprotherm	TH 16	578352
CTX	TH 18	578356
	TH 20	578358
	TH 26	578362
WKS-Press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WÜRTH	TH 16	578352
Würth	TH 20	578358
	TH 26	578362
	HE 32	578370

System	Pressing contour	Art.-No.
X		
XtraConnect	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(DN 26)	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Z		
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
EUROPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
ISOPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
ZEWOTHERM	TH 12	578346
Zewo Press Premium	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
ZEWOTHERM	TH 16	578352
Zewo Press PPSU	TH 20	578358
	TH 26	578362
	TH 32	578364
ZURN	US ¾"	578534
INDUSTRIES	US ½"	578536
ZURN PEX	US ¾"	578538
	US 1"	578540

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems. Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Adapter tongs Mini Z1 for driving REMS pressing rings 45° (PR-2B)	578558
Steel case with insert for adapter tongs Mini Z1 and adapter tongs Z1 and 6 REMS pressing rings V 12–35 45° (PR-2B) or M 12–35 45° (PR-2B) or F 16–32 45° (PR-2B)	574516
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295
L-Boxx system case with inserts for 11 pressing tongs Mini and 6 pressing rings 45° (PR-2B)	578659

