

for all common pressfitting systems

**Select REMS pressing tongs Mini/
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table. Adapter tongs (page 154) are necessary for driving the REMS pressing rings (PR).

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC. Read and follow the installation and assembly instructions of the system provider/manufacturer.

REMS pressing tongs Mini (PZ-2B)

REMS Mini pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressing sleeve (**Patent EP 2 027 971**).


REMS pressing ring 45° (PR-2B)

REMS pressing ring 45° (PR-2B), with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access by 45° inclination (**Patent EP 2 774 725**). Adapter tongs are required for driving pressing rings 45° (PR-2B), see page 154.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Patent EP 1 952 948
Patent EP 2 347 862

German Quality Product



REMS Mini pressing tongs (PZ-2B)



REMS pressing ring 45° (PR-2B)
Patent EP 2 774 725


Confirmation of suitability

See page 193.


Hold-Harmless and Indemnification Agreement

See page 194.





Pressing tongs with teeth
 Patent EP 2 027 971



Example REMS pressing tongs Mini V:
 "V" imprint on pressed fitting for
 traceability according to EN 1775:2007

REMS pressing tongs Mini
REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press
22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
A			
AC-FIX PRESS (Global Piping Systems)	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	VX 16	578552	
	VX 20	578554	
	AC-FIX PRESS DUO (Global Piping Systems)	RFz 16	578492
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
U 16		578374	
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
ACOME ACOPEX ALU	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
ACOME MT	ACz 12	578608	
	ACz 16	578610	
	ACz 20	578612	
	ACz 25	578614	
	AHLSELL A-press elförzinkad	M 12	578310
M 15		578312	
M 18		578314	
M 22		578316	
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
AHLSELL A-press koppar		V 12	578324
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574500	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	AHLSELL A-press rostfritt	M 15	578312
M 18		578314	
M 22		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
AIRBEL PRESSCLIM		M 15	578312
		M 18	578314
		M 22	578316
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
AIRBEL SERTINOX	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	

System	Pressing contour	Art.-No.	
ALB Sistema Multicapa	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	U 40	578386	
ALB Sistema Multicapa Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	ALTECH Altech	RFz 12	578490
		RFz 16	578492
		RFz 20	578494
		RFz 25	578496
	APE Serie AP	B 16	578468
B 20		578472	
B 26		578474	
B 32		578476	
H 16		578400	
H 20		578406	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 18		578356	
APE Serie AP Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 32	578364	
AQUATECHNIK Press-fitting metal	H 16	578400	
	H 20	578406	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	AQUATECHNIK Universal	H 16	578400
H 20		578406	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
ARKA DUROsystem	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
Aschi NIR	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASSOTHERM IPC-RAC Carbon Steel	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASSOTHERM IPI-RAX Inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	

System	Pressing contour	Art.-No.	
ASSOTHERM IPI-RAX Inox Gas	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASSOTHERM IPM-Multistrato	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	THL 30	578368	
	TH 40	578624	
ASSOTHERM IPR-RRA Copper	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASSOTHERM IPR-RRA Copper Gas	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾"	578534	
	US ½"	578536	
	US ¾"	578538	
	US 1"	578540	
AYOR FIXOCONNECT Press	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
AYOR FIXOMULTIX	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	U 16	578374	
	U 20	578378	
AYOR SOMATHERM FOR YOU -1	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
AYOR SOMATHERM FOR YOU -2	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	U 40	578386	
Bampi BALPEX serie LP	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Bampi BALPEX serie MP	U 16	578374	
	U 20	578378	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Bampi BALPEX Gas	TH 16	578352
		TH 20	578358
TH 26		578362	

B

System	Pressing contour	Art.-No.	
BARBI EASYPRESS (Industrial Blansol)	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	BARBI MULTIPEX (Industrial Blansol)	H 14	578398
		H 16	578400
		H 18	578404
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
RFz 16		578492	
RFz 18		578638	
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
BEGETUBE/ IVAR		B 14	578466
	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	BRASELI GPF GAS	TH 16	578352
		TH 20	578358
		TH 25	578360
		TH 32	578364
		BRASELI Pressfitting PE-X	RFz 16
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	BRASELI Pressfitting Multicapa		U 16
		U 18	578376
		U 20	578378
U 25		578380	
U 32		578382	
Brass Form Master Press	H 16	578400	
	H 18	578404	
	H 20	578406	
	TH 16	578352	
	TH 18	578356	
Brass & Fittings PRESSMAN MultiPress	RFz 16	578492	
	RFz 18	578638	
	ACz 20	578612	
	RFz 25	578496	
	RFz 32	578498	
Brass & Fittings PRESSMAN RetiPress	RFz 16	578492	
	RFz 18	578638	
	ACz 20	578612	
	RFz 25	578496	
	RFz 32	578498	
BRASSTECH MULTItermoSAN Brasspress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	C 26	578392	
	U 32	578382	

System	Pressing contour	Art.-No.	
C			
Cello Products Press	VUS ½" (OD 15,9mm)	578566	
	VUS ¾" (OD 22,2mm)	578568	
	VUS 1" (OD 28,6mm)	578570	
	VUS 1½" (OD 34,9mm)	578606	
CHIALI	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
CHIALIPEX	TH 40	578624	
	Climatek	TH 14	578348
		TH 16	578352
		TH 18	578356
TH 20		578358	
Clima Therm	TH 26	578362	
	TH 32	578364	
	Climatrix	H 16	578400
		H 20	578406
U 16		578374	
U 20		578378	
Climatrix Rhinopex	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
ClouSet	TH 26	578362	
	TH 32	578364	
	Comap	TH 14	578348
		TH 16	578352
TH 18		578356	
TH 20		578358	
PEX Press	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
Comap Multiskin	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
Comap Multiskin Gas	TH 26	578362	
	TH 32	578364	
	THL 32	578368	
	TH 40	578624	
COMISA Press System	U 16	578374	
	U 20	578378	
	U 32	578382	
	TH 14	578348	
COMISA Press System Gas	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
COMISA Press System Gas	TH 32	578364	
	TH 40	578624	
	H 14	578398	
	H 16	578400	
COMISA Press System Gas	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
COMISA Press System Gas	B 14	578466	
	B 16	578468	
	B 18	578470	
	B 20	578472	
COMISA Press System Gas	B 26	578474	
	B 32	578476	
	TH 16	578352	
	TH 20	578358	
COMISA Press System Gas	TH 26	578362	
	TH 32	578364	
	TH 36	578366	
	TH 38	578368	

System	Pressing contour	Art.-No.	
CONEL CONNECT MULTI	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	(DN 26)	U 16	578374
U 20		578378	
U 25		578380	
U 32		578382	
VP 16		578482	
VP 20		578484	
VP 32		578488	
DIWAsystems		TH 14	578348
		TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 32	578364
DUOFIL MKSYSTEM		TH 40	578624
		U 16	578374
		U 18	578376
		U 20	578378
		U 25	578380
DW Verbindung multitubo systems	U 32	578382	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
E	U 32	578382	
	EBRILLE Isomonflex	U 16	578374
		U 18	578376
		U 20	578378
		U 25	578380
H 26		578410	
EBRILLE Monflex	TH 26	578362	
	U 32	578382	
	U 40	578386	
	U 14	578372	
	U 16	578374	
EFFEBI PRESSTIGE	U 18	578376	
	U 20	578378	
	U 25	578380	
	H 26	578410	
	TH 26	578362	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15	578328	
	V 18	578332	
V 22	578334		
V 28	578336		
V 35	578604		
V 15 45° (PR-2B) ³⁾	574504		
V 18 45° (PR-2B) ³⁾	574506		
V 22 45° (PR-2B) ³⁾	574508		
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
EFFEBI TOF-GAS MULTIPINZA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 26	578382	
	U 32	578386	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.
Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website:
www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.
Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
EFFEBI TOF	TH 16	578352
MULTIPINZA	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	Fz 40	578478
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
EFIELD MULTILAYER PRESS DINGAS	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
EFIELD MULTILAYER PRESS WATER	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Elkhart APOLLOXPRESS	VUS 1/2" (OD 15,9mm)	578566
	VUS 3/4" (OD 22,2mm)	578568
Fittings Copper and Low-Lead Brass	VUS 1" (OD 28,6mm)	578570
	VUS 1 1/4" (OD 34,9mm)	578606
EMMETI GERPEX- FIVPRESS	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	H 16	578400
	H 20	578406
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
EMPUR	TH 15	578350
	TH 17	578354
	TH 20	578358
EURACCORDI SYCPRESS	M 15	578312
	M 18	578314
STAINLESS	M 22	578316
STEEL PRESS FITTINGS	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
EURACCORDI SYCPRESS	M 15	578312
	M 18	578314
CARBON STEEL PRESS FITTINGS	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
EUROTUBI EUROPA	M 12	578310
	M 15	578312
C-Steel Pressfitting System M-Profile ¹⁾	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
EUROTUBI EUROPA	M 15	578312
	M 18	578314
Inox Pressfitting System M-Profile ¹⁾	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Evans Components Presslok	VAU 15 (1/2")	578630
	VAU 20 (3/4")	578632
	VAU 25 (1")	578634

System	Pressing contour	Art.-No.
F		
FAR Rubinetteria PRESSFAR	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
F.B.Q. BARONIO BQ press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 14 45° (PR-2B) ³⁾	574504
	V 15 45° (PR-2B) ³⁾	574506
	V 16 45° (PR-2B) ³⁾	574508
	V 18 45° (PR-2B) ³⁾	574510
	V 22 45° (PR-2B) ³⁾	574512
	V 28 45° (PR-2B) ³⁾	574514
	V 35 45° (PR-2B) ³⁾	574516
F.B.Q. BARONIO BQ press carbon steel	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
F.B.Q. BARONIO BQ press gas	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
Fercofloor DUO Press FERCO PEX	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
FILINOX Instalpress Steel	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FILINOX Instalpress Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Fittings Estándar ECO-PRESS	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Fittings Estándar MULTICAPA	RFz 16	578492
	RFz 18	578638
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Fittings Estándar PE-X	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498

System	Pressing contour	Art.-No.
FOHS	TH 16	578352
HEIZTECHNIK	TH 20	578358
FOHSPRESS	TH 26	578362
	TH 32	578364
FORNARA ForPress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
FRABO Chrompress	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
FRABO Frabopress 316 GAS	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO Frabopress 316 GAS-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress 316 Securfrabo	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO Frabopress 316 Securfrabo-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress C-Steel Securfrabo	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO Frabopress C-Steel Securfrabo-M	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO Frabopress GAS	V 12	578324
	V 15	578326
	V 18	578328
	V 22	578330
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
FRABO	M 12	578310
Frabopress	M 15	578312
GAS-M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO	V 12	578324
Frabopress H ₂ O	V 15	578328
Securfrabo	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO	M 12	578310
Frabopress H ₂ O	M 15	578312
Securfrabo-M	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
FRABO	H 16	578400
FRABOPRESS	H 20	578406
MULTI-BRASS	TH 16	578352
(MB)	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
FRABO	V 12	578324
Frabopress	V 15	578328
Securfrabo	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
FRABO	M 22	578316
Frabopress	M 22 45° (PR-2B) ³⁾	574526
TS PRESS	V 22	578334
	V 22 45° (PR-2B) ³⁾	574508
FRABO	V 15	578328
Solarpress	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
Fränkische	B 16	578468
alpeX-duo	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364

System	Pressing contour	Art.-No.
Fränkische	F 16	578456
alpeX F50 PROFIL	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(DN 26)	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Fränkische	F 20	578460
alpeX-gas	F 26	578462
	F 32	578464
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
Fränkische	Fz 40	578478
alpeX L		
G		
gabotherm H+S	TH 10	578342
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
Gallagher USA	H 12 (1/4")	578396
YogaPipe ACR	U 14 (3/8")	578372
	U 16 (1/2")	578374
	U 18 (5/8")	578376
	U 20 (3/4")	578378
	U 25 (1")	578380
	U 32 (1 1/4")	578382
Geberit Mapress	M 12	578310
C-STAHl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 12	578310
EDELSTAHL	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 15	578312
EDELSTAHL Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mapress	M 12	578310
KUPFER	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530

System	Pressing contour	Art.-No.
Geberit Mapress	M 15	578312
KUPFER Gas	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Geberit Mepla	G 16	578444
	G 20	578446
	G 26	578448
	G 32	578450
	G 40	578452
Geberit Mepla	G 16	578444
Therm	G 20	578446
	G 26	578448
Geberit Volex	TH 16	578352
	TH 20	578358
	TH 26	578362
General Fittings	H 16	578400
5T00	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	B 16	578468
Serie 5S00	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 40	578386
General Fittings	B 16	578468
Trident	F 16	578456
	F 16 45° (PR-2B) ³⁾	574550
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
General Fittings	H 16	578400
Trident Gas	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
Giacomini	H 16	578400
Raccordi RM	H 20	578406
Giacomini	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
Giacomini	H 16	578400
RM MULTIGAS	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
Giacomini	V 15	578328
Valvole Giacomini	V 18	578332
serie R650V	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Golan Pipe	U 16	578374
Systems	U 20	578378
(Scandinavia)	U 25	578380
Alu-Press	U 32	578382
	U 40	578386
Grinnell G-PRESS	VUS 1/2" (OD 15,9mm)	578566
Copper Fittings	VUS 3/4" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1 1/4" (OD 34,9mm)	578606
GS	TH 14	578348
Wärmesysteme	TH 16	578352
System TH	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
GS	V 15	578328
Wärmesysteme	V 18	578332
System V	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
H		
HakaGerodur	TH 10	578342
HAKASAN	TH 11,6	578344
	TH 12	578346
	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
I		
IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
IBP >B< Press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 14 45° (PR-2B) ³⁾	574532
	V 15 45° (PR-2B) ³⁾	574504
	V 16 45° (PR-2B) ³⁾	574534
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 12	578324
Carbon	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

System	Pressing contour	Art.-No.
Herotec	H 16	578400
TEMPUS-PRESS	H 20	578406
PLUS	H 25	578408
	H 32	578412
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
HERZ PIPEFIX	TH 10	578342
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
HIDRONIX	TH 16	578352
MULTIGAS	TH 20	578358
	TH 26	578362
HIDRONIX	TH 14	578348
MULTIPIPE	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
HIDRONIX	TH 14	578348
UNICO	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382
HITEC Sistema	TH 14	578348
Multistrato	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Hopewell	M 15	578312
press fit system	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
ip praksi	TH 10	578342
BAVARIA-press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
I		
IBP >B< Flex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
IBP >B< Press	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 14 45° (PR-2B) ³⁾	574532
	V 15 45° (PR-2B) ³⁾	574504
	V 16 45° (PR-2B) ³⁾	574534
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 12	578324
Carbon	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

System	Pressing contour	Art.-No.
IBP >B< Press	V 15	578328
Gas	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 15	578328
Inox	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
IBP >B< Press	V 15	578328
Solar	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
ICMA	H 16	578400
Sempiter	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
ICMA	TH 16	578352
Sempigas	TH 20	578358
	TH 26	578362
	TH 32	578364
Idrosanitaria	TH 16	578352
Bonomi	TH 20	578358
Homegas	TH 26	578362
Idrosanitaria	TH 16	578352
Bonomi	TH 18	578356
Idropress	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
IDROSISTEMI	TH 16	578352
Ta-Press	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	Fz 40	578478
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
	U 40	578386
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
IDROTRADE	H 16	578400
Storm Multipinza	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 40	578386
IDROTRADE	H 14	578398
Storm Multistrato	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 40	578386
IDROTRADE	M 15	578312
StormPRES	M 18	578314
	M 22	578316
	M 28	578318
IDROTRADE	M 12	578310
StormSTEEL	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
ILTA INOX/CHIBRO Pressfitting Cuni	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ILTA INOX/CHIBRO Pressfitting inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
Instantor Copper Press Imperial	VI ½" (OD 14,7 mm)	578716	
	VI ¾" (OD 21,0 mm)	578718	
	VI 1" (OD 27,4 mm)	578720	
Instantor Copper Press Metric	M 15	578312	
	M 22	578316	
	M 28	578318	
Instantor Press System	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 10	578342	
	TH 11,6	578344	
IPA IPANA Press	TH 12	578346	
	TH 14	578348	
	TH 15	578350	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
	TH 22	578588	
	TH 25	578360	
	TH 26	578362	
	TH 28	578590	
	TH 32	578364	
	TH 40	578624	
	IPA THu IPANA Press	TH 16	578352
		TH 20	578358
		TH 26	578362
TH 32		578364	
IPALPEX (Industrie du Plastique et Accessoires)	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18	578592	
	K120	578594	
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K/25	578596	
	K32	578598	
	K1/40	578600	
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18	578592	
	K/20	578594	
	K/25	578596	
ISOTUBI NUMEPRESS	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
IVAR ALPEX-GAS	B 20	578472	
	B 26	578474	
	B 32	578476	
	B 14	578466	
IVAR Ivar-Press	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	Fz 40	578478	
	IVAR MULTI PRESS GAS	TH 16	578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
B 16		578468	
B 20		578472	
B 26		578474	
B 32		578476	

System	Pressing contour	Art.-No.	
IVAR MULTI PRESS GAS ITALIA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	IVAR Multi Press MP	TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 25	578360
		TH 26	578362
TH 32		578364	
TH 40		578624	
F 16		578456	
F 18		578458	
F 20		578460	
F 26		578462	
F 32		578464	
Fz 40		578478	
F 16 45° (PR-2B) ³⁾		574550	
F 20 45° (PR-2B) ³⁾		574552	
F 26 45° (PR-2B) ³⁾		574554	
F 32 45° (PR-2B) ³⁾		574556	
H 16		578400	
H 18		578404	
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
U 16		578374	
U 18	578376		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
U 40	578386		
B 16	578468		
B 18	578470		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Multi Press Leak (MPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
U 16	578374		
U 20	578378		
C 26	578392		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Plastic Multi Press PMP	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
F 32 45° (PR-2B) ³⁾	574556		
H 16	578400		
H 20	578406		
H 25	578408		
H 26	578410		
H 32	578412		
U 16	578374		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		

System	Pressing contour	Art.-No.	
IVAR Plastic Multi Press Leak (PMPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	IVT PRIPRESS	TH 16	578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
J			
Jäger - Aquatec Aquapress H		H 14	578398
		H 16	578400
	H 17	578402	
	H 18	578404	
	H 20	578406	
	H 26	578410	
Jäger - Aquatec C-Stahl Press Typ M	H 32	578412	
	U 40	578386	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
Jäger - Aquatec Edelstahl Press Typ M	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
Jäger - Aquatec Kupfer Press Typ V	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15	578328	
	V 18	578332	
	V 22	578334	
Jansen AG JANSEN prima	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
Jaraflex- Presssystem	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
JUNGWOO JWPress	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
JUNGWOO JWPress	VUS ½" (OD 15,9 mm)	578566	
	VUS ¾" (OD 22,2 mm)	578568	
	VUS 1" (OD 28,6 mm)	578570	
	VUS 1½" (OD 34,9 mm)	578606	
K			
KAN KAN-therm	U 16	578374	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	U 40	578386	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
KAN	TH 14	578348
KAN-therm LBP	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382
	U 40	578386
KAN	M 12	578310
KAN-therm	M 15	578312
Inox	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KAN	M 12	578310
KAN-therm	M 15	578312
Steel	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	U 16	578374
KELIT KELOX	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
KE KELIT	M 15	578312
COPPERFIX	M 18	578314
Kupfer	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	M 15	578312
steelFIX	M 18	578314
C-Stahl	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KE KELIT	M 15	578312
steelFIX	M 18	578314
Edelstahl	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KEMBLA	VAU 15 (OD 12,7 mm)	578630
KemPress	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
KEMBLA	VAU 15 (OD 12,7 mm)	578630
KemPress Gas	VAU 20 (OD 19,1 mm)	578632
(AUS)	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
KISAN	KI 16	578524
Kisan KD	KI 20	578526
	KI 25	578528
	TH 16	578352
	TH 20	578358
	TH 25	578360
KISAN	KI 16	578524
Kisan WL	KI 20	578526
	KI 25	578528
	KI 32	578530
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
KISAN	KI 16	578524
Kisan WM	KI 20	578526
	KI 25	578528
	KI 32	578530
KISAN	U 20	578378
Kisan WR	U 25	578380
	U 32	578382
	U 40	578386
	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
KISAN	M 15	578312
Kistal C	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KISAN	M 15	578312
Kistal Inox	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
KME	TH 14	578348
cuprotherm CTX	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
KME	TH 14	578348
QTEC - Comap	TH 16	578352
SkinPress	TH 20	578358
	TH 26	578362
KME	H 16 A	578420
QTEC - Oventrop	H 20 A	578426
Cofit	H 26 A	578430
L		
LEGEND-PRESS	VUS 1/2" (OD 15,9 mm)	578566
press fitting	VUS 3/4" (OD 22,2 mm)	578568
system	VUS 1" (OD 28,6 mm)	578570
	VUS 1 1/2" (OD 34,9 mm)	578572
LK Systems	V 12	578324
LK >B<Press	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	V 12	578324
LK >B<Press	V 15	578328
Elfözinkat	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	V 15	578328
LK >B<Press	V 18	578332
gas	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
LK Systems	TH 16	578352
LK Universal	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 40	578624
LVA DAHL	U 16	578374
Altech Alupex	U 20	578378
	U 25	578380
	U 32	578382
M		
Meier Tobler	U 16	578374
Metalplast - Stramax	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
MAINCOR	U 16	578374
MAINPRESS	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
MAINCOR	U 16	578374
MAINFLOR	U 20	578378
Mair Heiztechnik	M 12	578310
Gomafix Cu/E ¹⁾	M 15	578312
	M 18	578314
	M 22	578316
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Mair Heiztechnik	H 11,5	578394
Gomafix M	H 14	578398
	H 16	578400
	H 20	578406

System	Pressing contour	Art.-No.
Mair Heiztechnik	H 11,5	578394
M-Press	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
Ma.s.ter System	TH 14	578348
PRESSMASTER	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
METALGRUP	U 16	578374
Permatubo	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
METALGRUP	RFz 16	578492
PexGrup	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
METALGRUP	U 16	578374
MultiGrup	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Muejler Industries	VUS 1/2" (OD 15,9 mm)	578566
Streamline PRS	VUS 3/4" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570
	VUS 1 1/2" (OD 34,9 mm)	578572
MULTITHERM	TH 16	578352
PRESSSYSTEM	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Multicapas	RFz 16	578492
Industrial	RFz 20	578494
AIS PEX	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
Multicapas	MT 20	578560
Industrial	MT 25	578562
multitubo systems	MT 32	578564
MC	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Multicapas	H 16	578400
Industrial	H 20	578406
multitubo systems	H 25	578408
MM	H 26	578410
	H 32	578412
	MT 20	578560
	MT 25	578562
	MT 32	578564
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
N		
NEUTHERM	H 16	578400
MEKUPRESS-HT	H 20	578406
	H 26	578410
	H 32	578412
NIBCO (USA)	VUS 1/2" (OD 15,9 mm)	578566
Press System	VUS 3/4" (OD 22,2 mm)	578568
Copper	VUS 1" (OD 28,6 mm)	578570
	VUS 1 1/2" (OD 34,9 mm)	578572
Nicoll Fluxo	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.	
NUPI Industrie Italiane Multinupi	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 18	578458	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
U 40	578386		
Nussbaum Optifitt-Press	VMP 3/4" (OD 17,2 mm)	578660	
	VMP 1/2" (OD 21,3 mm)	578662	
Nussbaum Optiflex-Flowpress	VRX 16	578640	
	VRX 20	578644	
	VRX 32	578646	
Nussbaum Optipress Aquaplus	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
Nussbaum Optipress Gaz	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
Nussbaum Optipress-Therm	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
O.M.T. - Press	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Oventrop Cofit P	H 16 A	578420
		H 20 A	578426
		H 26 A	578430
		H 32 A	578432
	Oventrop Cofit PD	H 16 A	578420
H 20 A		578426	
H 26 A		578430	
H 32 A		578432	
Oventrop Cofit PDK	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
Oventrop Cofit PD-HT	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
Oventrop Cofit PDK-HT	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
PBtub SERTIPRESS	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	

System	Pressing contour	Art.-No.
PBtub SERTI-STEEL ¹⁾	M 15	578312
	M 18	578314
Pegler Yorkshire XPress Carbon	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
Pegler Yorkshire XPress Copper	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 12	578310
	M 15	578312
Pegler Yorkshire XPress Copper Gas	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Pegler Yorkshire XPress Stainless	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
Pegler Yorkshire XPress Stainless Gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
PERFEXIM "PERFEKT SYSTEM"	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
PERFILTUBO PERFILALUPEX	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
PERFILTUBO PERFILPRESS	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Pipelife COPRESS	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
Pipelife RADOPRESS	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	TH 16	578352
	TH 18	578356
Pipetec Connect	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
PLASTICA ALFA Multiplex	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 16	578352
	TH 20	578358
	TH 26	578362

System	Pressing contour	Art.-No.
PLASTICA ALFA Multiplex Air	TH 16	578352
	TH 20	578358
	TH 26	578362
PLASTICA ALFA Multiplexalfa Gas	TH 32	578364
	TH 16	578352
	TH 20	578358
PLASTICA ALFA Multiplexalfa Gas protek	TH 26	578362
	TH 16	578352
	TH 20	578358
PLASTICA ALFA Multiplex Plus	TH 26	578362
	TH 32	578364
	TH 16	578352
PLASTICA ALFA Multiplex Thermo	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplex Thermo Plus	TH 16	578352
	TH 20	578358
	TH 26	578362
PLÁSTICOS FERRO	TH 32	578364
	U 16	578374
	U 20	578378
FERROPLAST GPF MC PRESS Pressfitting MULTICAPA	U 25	578380
	U 32	578382
	U 16	578374
PLÁSTICOS FERRO	U 20	578378
	U 26	578380
	U 32	578382
FERROPLAST GPF PPSU Pressfitting PE-X y MULTICAPA	U 26	578380
	U 32	578382
	RFz 16	578492
PLÁSTICOS FERRO	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
GPF PRESS Pressfitting PE-X y MULTICAPA	RFz 25	578498
	K16/P18	578592
	K/20	578594
PLUMBING PLUS EZIPEX Comp. (AUS)	K/25	578596
	K/32	578598
	K1/40	578600
PLUMBING PLUS EZIPEX Gas (AUS)	K1/40	578600
	K16/P18	578592
	K/20	578594
PLUMBING PLUS EZIPEX Gas (AUS)	K/25	578596
	K/32	578598
	K1/40	578600
PLUMBING PLUS EZIPEX Solar (AUS)	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
PLUMBING PLUS EZIPEX Water (AUS)	VAU 30 (OD 31,8 mm)	578636
	VAU 15 45° (PR-2B) ³⁾	574540
	VAU 20 45° (PR-2B) ³⁾	574542
POLYPIPE POLYSURE	VAU 25 45° (PR-2B) ³⁾	574544
	VAU 32 (OD 31,8 mm)	578636
	VAU 15 45° (PR-2B) ³⁾	574540
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	VAU 20 45° (PR-2B) ³⁾	574542
	VAU 25 45° (PR-2B) ³⁾	574544
	VAU 32 (OD 31,8 mm)	578636
POLYSAN- C Stahl-Press- System M	VAU 15 45° (PR-2B) ³⁾	574522
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	VAU 30 (OD 31,8 mm)	578636
	VAU 15 45° (PR-2B) ³⁾	574522
	VAU 20 (OD 19,1 mm)	578632
POLYSAN- Edelstahl Press-System Gas	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
	VAU 15 45° (PR-2B) ³⁾	574522
POLYSAN Edelstahl Press-System Gas	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
POLYSAN Handelsges.	M 15	578312
m.b.H. & Co KG (Krems/Österreich)	M 18	578314
M 22	578316	
M 28	578318	
M 35	578390	
POLYSAN-Edelstahl Press-System Wasser	M 15 45° (PR-2B) ³⁾	574522
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Österreich)	TH 14	578348
TH 16	578352	
TH 17	578354	
TH 18	578356	
TH 20	578358	
TH 26	578362	
POLYSAN-Press-System	TH 32	578364
TH 40	578624	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Österreich)	TH 14	578348
TH 16	578352	
TH 17	578354	
TH 18	578356	
TH 20	578358	
POLYSAN-Henco-Press-System	TH 26	578362
HE 32	578370	
HEz 40 ⁴⁾	578572	
POLYSAN (España) Rainbow	U 16	578374
U 18	578376	
U 20	578378	
U 25	578380	
U 32	578382	
U 40	578386	
Prandelli Mulyrama Pf	H 14	578398
H 16	578400	
H 18	578404	
H 20	578406	
H 26	578410	
H 32	578412	
U 40	578386	
Prandelli Mulyrama Pfm	H 16	578400
H 18	578404	
H 20	578406	
H 26	578410	
H 32	578412	
TH 16	578352	
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
U 16	578374	
U 18	578376	
U 20	578378	
U 40	578386	
R		
Raccorderie Metalliche aesPRES ¹⁾	M 15	578312
M 18	578314	
M 22	578316	
M 28	578318	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
Raccorderie Metalliche inoxPRES ¹⁾	M 15	578312
M 18	578314	
M 22	578316	
M 28	578318	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
Raccorderie Metalliche steelPRES ¹⁾	M 15	578312
M 18	578314	
M 22	578316	
M 28	578318	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
RBM Tita-gas	TH 16	578352
TH 20	578358	
TH 26	578362	
TH 32	578364	
RBM Tita-fix	B 14	578466
B 16	578468	
B 18	578470	
B 20	578472	
B 26	578474	
F 16	578456	
F 18	578458	
F 20	578460	
F 16 45° (PR-2B) ³⁾	574550	
F 20 45° (PR-2B) ³⁾	574552	
H 14	578398	
H 16	578400	
H 18	578404	
H 20	578406	
H 26	578410	
H 32	578412	
TH 14	578348	
TH 16	578352	
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
U 14	578372	
U 16	578374	
U 18	578376	
U 20	578378	

System	Pressing contour	Art.-No.
Redi Nicoll Fluxo	TH 14	578348
TH 16	578352	
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
Redi Nicoll Fluxo Gas	TH 16	578352
TH 20	578358	
TH 26	578362	
RETTIG HEATING Purmo Cleverfit Radial	F 16	578456
F 20	578460	
F 26	578462	
F 32	578464	
H 16	578400	
H 20	578406	
H 26	578410	
H 32	578412	
TH 14	578348	
TH 16	578352	
TH 17	578354	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
U 16	578374	
U 20	578378	
U 32	578382	
VP 16	578482	
VP 20	578484	
VP 32	578488	
RIFENG LD PRESS FITTING (F8)	LD 16	578652
LD 20	578654	
LD 25	578656	
RIFENG U PRESS FITTING (F5)	U 14	578372
U 16	578374	
U 18	578376	
U 20	578378	
U 25	578380	
U 32	578382	
U 40	578386	
RIFENG TH PRESS FITTING (F9)	TH 16	578352
TH 20	578358	
TH 25	578360	
TH 26	578362	
TH 32	578364	
TH 40	578624	
RIQUIER A SERTIR	RFz 12	578490
RFz 16	578492	
RFz 20	578494	
RFz 25	578496	
Roth PressCheck	RN 14	578434
RN 16	578436	
RN 17	578438	
RN 20	578440	
RN 25/26	578442	
RN 32	578444	
Roth España - Global Plastic Rothapress	TH 16	578352
TH 18	578356	
TH 20	578358	
TH 25	578360	
TH 32	578364	
TH 40	578624	
Rubinetterie Bresciane Bonomi TURBO PRESS	TH 14	578348
TH 16	578352	
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
Rubinetterie Bresciane Bonomi TURBO PRESS GAS	TH 16	578352
TH 20	578358	
TH 26	578362	
TH 32	578364	
S		
SAMI plastic	TH 14	578348
TH 16	578352	
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
SAMI plastic Multistrato Gas	TH 16	578352
TH 20	578358	
TH 26	578362	
TH 32	578364	
SANHA 3fit-Press Pb-free Serie 25000	B 16	578468
B 20	578472	
B 26	578474	
B 32	578476	
F 16	578456	
F 20	578460	
F 26	578462	
F 32	578464	
Fz 40	578478	
F 16 45° (PR-2B) ³⁾	574550	
F 20 45° (PR-2B) ³⁾	574552	
F 26 45° (PR-2B) ³⁾	574554	
F 32 45° (PR-2B) ³⁾	574556	
H 16	578400	
H 20	578406	
H 26	578410	
H 32	578412	
TH 16	578352	
TH 20	578358	
TH 26	578362	
TH 32	578364	
TH 40	578624	
U 16	578374	
U 20	578378	
C 26	578392	
U 32	578382	
U 40	578386	

System	Pressing contour	Art.-No.
SANHA 3fit-Press PPSU Serie 35000	B 16	578468
B 20	578472	
B 26	578474	
B 32	578476	
F 16	578456	
F 20	578460	
F 26	578462	
F 32	578464	
F 16 45° (PR-2B) ³⁾	574550	
F 20 45° (PR-2B) ³⁾	574552	
F 26 45° (PR-2B) ³⁾	574554	
F 32 45° (PR-2B) ³⁾	574556	
H 16	578400	
H 20	578406	
H 26	578410	
H 32	578412	
TH 16	578352	
TH 20	578358	
TH 26	578362	
TH 32	578364	
U 16	578374	
U 20	578378	
C 26	578392	
U 32	578382	
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15	578514
SA 18	578518	
SA 22	578520	
SA 28	578522	
M 15 ¹⁾	578312	
M 18 ¹⁾	578314	
M 22 ¹⁾	578316	
M 28 ¹⁾	578318	
M 35	578390	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530	
V 15 ¹⁾	578328	
V 18 ¹⁾	578332	
V 22 ¹⁾	578334	
V 28	578336	
V 35	578604	
V 15 45° (PR-2B) ³⁾	574504	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15	578514
SA 18	578518	
SA 22	578520	
SA 28	578522	
M 15 ¹⁾	578312	
M 18 ¹⁾	578314	
M 22 ¹⁾	578316	
M 28	578318	
M 35	578390	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530	
V 15 ¹⁾	578328	
V 18 ¹⁾	578332	
V 22 ¹⁾	578334	
V 28	578336	
V 35	578604	
V 15 45° (PR-2B) ³⁾	574504	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-NiroSan-Presssystem Serie 9000	SA 15	578514
SA 18	578518	
SA 22	578520	
SA 28	578522	
M 15 ¹⁾	578312	
M 18 ¹⁾	578314	
M 22 ¹⁾	578316	
M 28	578318	
M 35	578390	
M 15 45° (PR-2B) ³⁾	574522	
M 18 45° (PR-2B) ³⁾	574524	
M 22 45° (PR-2B) ³⁾	574526	
M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530	
V 15 ¹⁾	578328	
V 18 ¹⁾	578332	
V 22 ¹⁾	578334	
V 28	578336	
V 35	578604	
V 15 45° (PR-2B) ³⁾	574504	
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA NiroTherm Serie 91000	SA 15	578514
		SA 18	578518
SA 22		578520	
SA 28		578522	
M 15 ¹⁾		578312	
M 18 ¹⁾		578314	
M 22 ¹⁾		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
SANHA NiroTherm Industry Serie 98000		SA 15	578514
		SA 18	578518
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA-Press Chrom Serie 16000	SA 12	578510
		SA 15	578514
SA 18		578518	
SA 22		578520	
SA 28		578522	
M 12		578310	
M 15 ¹⁾		578312	
M 18 ¹⁾		578314	
M 22 ¹⁾		578316	
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 12		578324	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾	574508		
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		

System	Pressing contour	Art.-No.
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	VG 14 45° (PR-2B) ³⁾	574536
	V 15 45° (PR-2B) ³⁾	574504
	VG 16 45° (PR-2B) ³⁾	574538
	V 18 45° (PR-2B) ³⁾	574506
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Press Pressfittings Serie 6000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	VG 14 45° (PR-2B) ³⁾	574536
	V 15 45° (PR-2B) ³⁾	574504
	VG 16 45° (PR-2B) ³⁾	574538
	V 18 45° (PR-2B) ³⁾	574506
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

System	Pressing contour	Art.-No.	
SANHA PURAPRESS Serie 8000	SA 12	578510	
	SA 14	578512	
	SA 15	578514	
	SA 16	578516	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 12 ¹⁾	578310	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28 ¹⁾	578318	
	M 35 ¹⁾	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 12	578324	
	V 14	578326	
	VG 14	578338	
	V 15 ¹⁾	578328	
	V 16	578330	
	VG 16	578340	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	VG 14 45° (PR-2B) ³⁾	574536	
	V 15 45° (PR-2B) ³⁾	574504	
	VG 16 45° (PR-2B) ³⁾	574538	
	V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508		
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
SANHA-Therm Serie 24000	SA 12	578510	
	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 12	578310	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 12	578324	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA-Therm Industry Serie 28000	SA 12	578510
		SA 15	578514
		SA 18	578518
		SA 22	578520
		SA 28	578522
M 12		578310	
M 15 ¹⁾		578312	
M 18 ¹⁾		578314	
M 22 ¹⁾		578316	
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 12		578324	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
SANITOP PERMATUBO INOX	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	SANPRO THPRESS	TH 16
TH 20		578358
TH 26		578362
TH 32		578364
SATEC SK ViTerm	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Schütz duo-flex tri-o-flex	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
Schwer Fittings AQUApress	TH 25	578360
	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Seppelfricke VSH SudoPress C-Stahl Visu-Control	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
Seppelfricke Seppelfricke VSH SudoPress Edelstahl Visu-Control	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	Seppelfricke VSH SudoPress Kupfer Visu-Control	V 15 45° (PR-2B) ³⁾
V 18 45° (PR-2B) ³⁾		574506
V 22 45° (PR-2B) ³⁾		574508
V 28 45° (PR-2B) ³⁾		574510
V 35 45° (PR-2B) ³⁾		574512
V 12		578324
V 15		578328
V 18		578332
V 22		578334
V 28		578336
Seppelfricke VSH SudoPress Kupfer Gas Visu-Control		V 35
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 15	578328
	V 18	578332
	V 22	578334
	V 15 45° (PR-2B) ³⁾	574504
Seppelfricke VSH XPress C-Stahl	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	Seppelfricke VSH XPress Edelstahl gas	M 18 45° (PR-2B) ³⁾
M 22 45° (PR-2B) ³⁾		574526
M 28 45° (PR-2B) ³⁾		574528
M 35 45° (PR-2B) ³⁾		574530
M 15		578312
M 18 ¹⁾		578314
M 22		578316
M 28 ¹⁾		578318
M 35		578390
M 12 45° (PR-2B) ³⁾		574520
Seppelfricke VSH XPress Edelstahl gas		M 15 45° (PR-2B) ³⁾
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390

System	Pressing contour	Art.-No.	
Seppelfricke VSH XPress Kupfer	M 12	578310	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	Seppelfricke VSH XPress Kupfer gas	M 28 45° (PR-2B) ³⁾	574528
M 35 45° (PR-2B) ³⁾		574530	
M 15		578312	
M 18 ¹⁾		578314	
M 22		578316	
M 28 ¹⁾		578318	
M 35		578390	
TH 14		578348	
TH 16		578352	
TH 20		578358	
SESTA SESTA GAS		TH 26	578362
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	TH 12	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	SESTA sistema multistrato	H 16	578400
H 20		578406	
TH 12		578348	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
U 16		578374	
SIGMA LI Premium		U 20	578378
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 16	578374	
	SLOVARM PEX-THERM	U 20	578378
H 26		578410	
U 32		578382	
H 16		578400	
H 20		578406	
H 26		578410	
H 32		578412	
U 16		578374	
U 18		578376	
U 20		578378	
STANDARD HIDRAULICA MultiStandard		U 25	578380
	U 32	578382	
	U 40	578386	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	STELBI Polikraft	TH 40	578624
U 16		578374	
U 20		578378	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
U 16		578374	
U 20		578378	
STELBI Stelgas		TH 16	578352
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	STPC STPEX System Ewoprex	H 16	578400
H 20		578406	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
System WELCO Gas		U 32	578382
	H 16 A	578420	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
	H 14 A	578418	
	H 16 A	578420	
	H 17 A	578422	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
System WOPREX	H 14 A	578418	
	H 16 A	578420	
	H 17 A	578422	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
	TDM BRASS Serie 1600	H 16	578400
		H 18	578404
		H 20	578406
		H 25	578408
		H 26	578410
H 32		578412	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 25		578360	
TDM BRASS Serie 1600		TH 26	578362
	THL 32	578368	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	

System	Pressing contour	Art.-No.	
TDM BRASS Serie 1700 gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
TermoConcept TC-PRESS	Basic E01 ¹⁾	578618	
THERMOLUTZ	H 14	578398	
	H 16	578400	
	TH 20	578358	
	TH 26	578362	
TE-SA TE-SA press serie 800	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
TIEMME AL-COBRAPEX Serie 1650	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 14	578348	
TIEMME Serie 1700 PE-X a pressare	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
TIEMME TIEMME Gas	THL 32	578368	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
TIGRE ALPEX GAS	TH 32	578364	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
TKM Systemtechnik	TH 32	578364	
	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
TRA MULTITRAPRESS	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
TRA TRAPRESS	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
TWEETOP	U 40	578386	
	U 16	578374	
	U 20	578378	
	U 25	578380	
UNICAL AG MAX-MULTIPEX	U 32	578382	
	C 26	578392	
	U 32	578382	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
UNIDELTA DeltAll	TH 32	578364	
	TH 40	578624	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	U 40	578386	
	UNIDELTA DeltAll GAS	TH 16	578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
H 16		578400	
H 20		578406	
H 26		578410	
H 32		578412	
U 16		578374	
Uponor MLC		U 20	578378
	U 32	578382	
	UP 14	578576	
	UP 16	578578	
	UP 18	578580	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
	U 40	578386	
	Uponor MLC-D	UP 16	578578
		UP 20	578582
UP 25		578584	
UP 32		578586	
Uponor MLC-G	UP 16	578578	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
Uponor S-Press PLUS	UP 16	578578	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	

U

T

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
Uponor Uni Pipe PLUS	UP 16	578578	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
V			
Valsir Bravopress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	H 32 V	578602	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	Valsir PEXAL	H 14	578398
		H 16	578400
		H 20	578406
		H 26	578410
H 32		578412	
H 32 V		578602	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
C 26		578392	
U 32	578382		
Van Marcke NV Tubipex	TH 16	578352	
	TH 17	578354	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Van Marcke NV Tubipress	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530		
Variotherm System TH	TH 11,6	578344	
	TH 16	578352	
	TH 20	578358	
VESBO VPremium	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	Viega Fonterra	VX 12	578550
VP 14/15		578480	
VP 16/17		578482	
VP 20		578484	
VP 25		578486	
Viega MegaPress	VMP 3/4" (OD 17,2 mm)	578660	
	VMP 1/2" (OD 21,3 mm)	578662	
	Viega Pexfit	VX 16	578552
VX 20		578554	
VX 25		578556	
Viega Pexfit Fosta G	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Prestabo	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	

System	Pressing contour	Art.-No.	
Viega Profipress	V 12	578324	
	VG 14	578338	
	V 15	578328	
	VG 16	578340	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	VG 14 45° (PR-2B) ³⁾	574536	
	V 15 45° (PR-2B) ³⁾	574504	
	VG 16 45° (PR-2B) ³⁾	574538	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega Profipress G	V 12	578324
		VG 14	578338
		V 15	578328
VG 16		578340	
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
VG 14 45° (PR-2B) ³⁾		574536	
V 15 45° (PR-2B) ³⁾		574504	
VG 16 45° (PR-2B) ³⁾		574538	
Viega Profipress S		V 12	578324
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega Profipress Therm	V 12	578324
V 15		578328	
V 18		578332	
V 22		578334	
V 28		578336	
Viega ProPress System USA	VUS 1/2" (OD 19,9 mm)	578666	
	VUS 3/4" (OD 22,2 mm)	578668	
	VUS 1" (OD 28,6 mm)	578670	
	VUS 1 1/4" (OD 34,9 mm)	578666	
Viega ProPress WATER System AUS	VAU 15 (OD 12,7 mm)	578630	
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
	VAU 32 (OD 31,8 mm)	578636	
Viega ProPressG GAS System AUS	VAU 15 (OD 12,7 mm)	578630	
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
Viega Raxinox	VRX 16	578640	
	VRX 20	578642	
	Viega Raxofix	VRX 16	578640
VRX 20		578642	
VRX 25		578644	
VRX 32		578646	
Viega Sanfix	VP 16/17	578482	
	VP 20	578484	
	VP 25	578486	
Viega Sanpress	V 12	578324	
	V 15	578328	
	V 18	578332	
Viega Sanpress Inox	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	

System	Pressing contour	Art.-No.
Viega Sanpress Inox G	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	Viessmann	TH 14
TH 16		578352
TH 20		578358
TH 26		578362
TH 32		578364
Vogel & Noot EASYTEC	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
VSH MultiPress	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
VSH SudoPress Carbon	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
VSH SudoPress Copper	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
VSH SudoPress Stainless	V 12	578324
	V 14	578326
	V 15	578328
	V 18	578332
	V 22	578334
VSH XPress Carbon	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
VSH XPress Copper	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
VSH XPress Stainless	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
VSH	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
Gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
W		
Watts MTR	TH 16	578352
Art press	TH 20	578358
	TH 26	578362
	TH 32	578364
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts WaterPEX	US ¾"	578538
	US 1"	578540
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts	US ¾"	578538
RadiantPEX	US 1"	578540
WATTS	U 16 (½")	578374
RADIANT	U 20 (¾")	578378
Watts	U 25 (¾")	578380
RadiantPEX-AL	U 32 (1")	578382
Wavin	U 14	578372
Tigris K1/K5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Wavin	U 14	578372
Tigris M1/M5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
WeeConPress	M 12	578310
Alu	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522

System	Pressing contour	Art.-No.
WeeConPress	M 12	578310
C-Stahl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConPress	M 12	578310
Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConPress	M 12	578310
Kupfer	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConFlex	H 16	578400
MVR	H 20	578406
	H 26	578410
	H 32	578412
	H 32	578412
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WEM	U 16	578374
WIELAND	TH 14	578348
cuprotherm	TH 16	578352
CTX	TH 18	578356
	TH 20	578358
	TH 26	578362
WKS-Press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WÜRTH	TH 16	578352
Würth	TH 20	578358
	TH 26	578362
	HE 32	578370

System	Pressing contour	Art.-No.
X		
XtraConnect	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Z		
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
EUROPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
ISOPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
ZEWOTHERM	TH 12	578346
Zewo Press Premium	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
ZEWOTHERM	TH 16	578352
Zewo Press PPSU	TH 20	578358
	TH 26	578362
	TH 32	578364
ZURN	US ¾"	578534
INDUSTRIES	US ½"	578536
ZURN PEX	US ¾"	578538
	US 1"	578540

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems. Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Adapter tongs Mini Z1 for driving REMS pressing rings 45° (PR-2B)	578558
Steel case with insert for adapter tongs Mini Z1 and adapter tongs Z1 and 6 REMS pressing rings V 12–35 45° (PR-2B) or M 12–35 45° (PR-2B) or F 16–32 45° (PR-2B)	574516
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295
L-Boxx system case with inserts for 11 pressing tongs Mini and 6 pressing rings 45° (PR-2B)	578659

