

for all common pressfitting systems

**Select REMS pressing tongs Mini/
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table. Adapter tongs (page 154) are necessary for driving the REMS pressing rings (PR).

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC. Read and follow the installation and assembly instructions of the system provider/manufacturer.

REMS pressing tongs Mini (PZ-2B)

REMS Mini pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressing sleeve (**Patent EP 2 027 971**).


REMS pressing ring 45° (PR-2B)

REMS pressing ring 45° (PR-2B), with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access by 45° inclination (**Patent EP 2 774 725**). Adapter tongs are required for driving pressing rings 45° (PR-2B), see page 154.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Patent EP 1 952 948
Patent EP 2 347 862

German Quality Product



REMS Mini pressing tongs (PZ-2B)



REMS pressing ring 45° (PR-2B)
Patent EP 2 774 725


Confirmation of suitability

See page 193.


Hold-Harmless and Indemnification Agreement

See page 194.





Pressing tongs with teeth
 Patent EP 2 027 971



Example REMS pressing tongs Mini V:
 "V" imprint on pressed fitting for
 traceability according to EN 1775:2007

System	Pressing contour	Art.-No.	
A			
AC-FIX PRESS (Global Piping Systems)	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	VX 16	578552	
	VX 20	578554	
	AC-FIX PRESS DUO (Global Piping Systems)	RFz 16	578492
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
U 16		578374	
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	U 16	578374	
ACOME ACOPEX ALU	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
ACOME MT	ACz 12	578608	
	ACz 16	578610	
	ACz 20	578612	
	ACz 25	578614	
	U 32	578382	
AHLSELL A-press elförzinkad	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	AHLSELL A-press koppar	V 12	578324
V 15		578328	
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574500	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
AHLSELL A-press rostfritt		M 15	578312
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	AIRBEL PRESSCLIM	M 15	578312
		M 18	578314
		M 22	578316
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
AIRBEL SERTINOX	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	

System	Pressing contour	Art.-No.	
ALB Sistema Multicapa	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	U 40	578386	
ALB Sistema Multicapa Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	ALTECH Altech	RFz 12	578490
		RFz 16	578492
		RFz 20	578494
		RFz 25	578496
		U 32	578382
APE Serie AP	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
U 16	578374		
U 20	578378		
U 40	578386		
APE Serie AP Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 32	578382	
AQUATECHNIK Press-fitting metal	H 16	578400	
	H 20	578406	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
AQUATECHNIK Universal	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	ARKA DUROsystem	H 16	578400
		H 20	578406
H 25		578408	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
Aschi NIR		M 15	578312
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	ASSOTHERM IPC-RAC Carbon Steel	M 15	578312
		M 18	578314
		M 22	578316
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
ASSOTHERM IPI-RAX Inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	

System	Pressing contour	Art.-No.	
ASSOTHERM IPI-RAX Inox Gas	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	ASSOTHERM IPM-Multistrato	H 16	578400
		H 20	578406
		H 26	578410
		H 32	578412
		TH 16	578352
		TH 20	578358
		TH 26	578362
TH 32		578364	
THL 30		578368	
TH 40		578624	
ASSOTHERM IPR-RRA Copper	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASSOTHERM IPR-RRA Copper Gas	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾"	578534	
	US ½"	578536	
	US ¾"	578538	
	US 1"	578540	
	US 1 1/4"	578542	
AYOR FIXOCONNECT Press	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	RFz 12	578490	
AYOR FIXOMULTIX	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	U 16	578374	
	U 20	578378	
AYOR SOMATHERM FOR YOU -1	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
AYOR SOMATHERM FOR YOU -2	H 12	578396	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	U 16	578374	
	U 25	578380	
B			
Bampi BALPEX serie LP	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Bampi BALPEX serie MP	U 16	578374	
	U 20	578378	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Bampi BALPEX Gas	TH 16	578352
		TH 20	578358
TH 26		578362	

System	Pressing contour	Art.-No.
BARBI EASYPRESS (Industrial Blansol)	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	BARBI MULTIPEX (Industrial Blansol)	H 14
H 16		578400
H 18		578404
H 20		578406
H 25		578408
H 26		578410
H 32		578412
RFz 16		578492
RFz 18		578638
RFz 20		578494
RFz 25		578496
RFz 32		578498
TH 16		578352
TH 20		578358
TH 26		578362
TH 32	578364	
U 16	578374	
U 18	578376	
U 20	578378	
U 25	578380	
U 32	578382	
U 40	578386	
BEGETUBE/ IVAR	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
BRASELI GPF GAS	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	TH 32	578364
BRASELI Pressfitting PE-X	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	RFz 32	578498
BRASELI Pressfitting Multicapa	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
Brass Form Master Press	H 16	578400
	H 18	578404
	H 20	578406
	TH 16	578352
	TH 18	578356
Brass & Fittings PRESSMAN MultiPress	RFz 16	578492
	RFz 18	578638
	ACz 20	578612
	RFz 25	578496
	RFz 32	578498
Brass & Fittings PRESSMAN RetiPress	RFz 16	578492
	RFz 18	578638
	ACz 20	578612
	RFz 25	578496
	RFz 32	578498
BRASSTECH MULTItermoSAN Brasspress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578460
	F 20	578462
	F 26	578462
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382

System	Pressing contour	Art.-No.
C		
Cello Products Press	VUS ½" (OD 15,9mm)	578566
	VUS ¾" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1½" (OD 34,9mm)	578606
	TH 16	578352
CHIALI	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 14	578348
Climatek Clima Therm	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Climatrix	H 16	578400
	H 20	578406
	U 16	578374
	U 20	578378
	TH 14	578348
Climatrix Rhinopex	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
ClouSet	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Comap PEX Press	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	TH 14	578348
Comap Multiskin	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
Comap Multiskin Gas	THL 32	578368
	THL 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
COMISA Press System	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
COMISA Press System Gas	TH 32	578364
	THL 32	578368
	U 16	578374
	U 20	578378
	U 32	578382
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
	B 32	578476
TH 16	578352	
TH 20	578358	
TH 26	578362	
TH 32	578364	

System	Pressing contour	Art.-No.	
CONEL CONNECT MULTI	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	(DN 26)	TH 26	578362
TH 32		578364	
U 16		578374	
U 20		578378	
U 25		578380	
U 32		578382	
VP 16		578482	
VP 20		578484	
VP 32		578488	
D			
DIWAsystems		TH 14	578348
		TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 40	578624
DUOFIL MKSYSTEM	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
DW Verbindung multitubo systems	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
E			
EBRILLE Isomonflex	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	H 26	578410	
EBRILLE Monflex	TH 26	578362	
	U 32	578382	
	U 40	578386	
	U 14	578372	
	U 16	578374	
EFFEBI PRESSTIGE	U 18	578376	
	U 20	578378	
	U 25	578380	
	H 26	578410	
	TH 26	578362	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
V 15	578328		
V 18	578332		
V 22	578334		
V 28	578336		
V 35	578604		
V 15 45° (PR-2B) ³⁾	574504		
V 18 45° (PR-2B) ³⁾	574506		
V 22 45° (PR-2B) ³⁾	574508		
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
EFFEBI TOF-GAS MULTIPINZA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 32	578382	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.
Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website:
www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.
Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
ILTA INOX/CHIBRO Pressfitting Cuni	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
ILTA INOX/CHIBRO Pressfitting inox	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
Instantor Copper Press Imperial	VI 1/2" (OD 14,7 mm)	578716	
	VI 3/4" (OD 21,0 mm)	578718	
	VI 1" (OD 27,4 mm)	578720	
	M 15	578312	
	M 22	578316	
Instantor Copper Press Metric	M 15	578312	
	M 22	578316	
	M 28	578318	
Instantor Press System	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 10	578342	
	TH 11,6	578344	
	TH 12	578346	
IPA IPANA Press	TH 14	578348	
	TH 15	578350	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
	TH 22	578588	
	TH 25	578360	
	TH 26	578362	
	TH 28	578590	
	TH 32	578364	
	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
IPALPEX (Industrie du Plastique et Accessoires)	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
TH 40	578624		
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18	578592	
	K120	578594	
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K32	578598	
	K1/40	578600	
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18	578592	
	K/20	578594	
ISOTUBI NUMEPRESS	M 15	578312	
	M 18	578314	
IVAR ALPEX-GAS	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	IVAR Ivar-Press	B 14	578466
		B 16	578468
B 18		578470	
B 20		578472	
B 26		578474	
B 32		578476	
Fz 40		578478	
IVAR MULTI PRESS GAS	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	

System	Pressing contour	Art.-No.	
IVAR MULTI PRESS GAS ITALIA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	IVAR Multi Press MP	TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 25	578360
		TH 26	578362
TH 32		578364	
TH 40		578624	
F 16		578456	
F 18		578458	
F 20		578460	
F 26		578462	
F 32		578464	
Fz 40		578478	
F 16 45° (PR-2B) ³⁾		574550	
F 20 45° (PR-2B) ³⁾		574552	
F 26 45° (PR-2B) ³⁾		574554	
F 32 45° (PR-2B) ³⁾		574556	
H 16		578400	
H 18		578404	
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
U 16	578374		
U 18	578376		
U 20	578378		
U 25	578380		
C 26	578392		
U 32	578382		
U 40	578386		
B 16	578468		
B 18	578470		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Multi Press Leak (MPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
H 20	578406		
H 26	578410		
H 32	578412		
U 16	578374		
U 20	578378		
C 26	578392		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		
IVAR Plastic Multi Press PMP	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
H 16	578400		
H 20	578406		
H 25	578408		
H 26	578410		
H 32	578412		
U 16	578374		
U 20	578378		
C 26	578392		
U 32	578382		
B 16	578468		
B 20	578472		
B 26	578474		
B 32	578476		

System	Pressing contour	Art.-No.	
IVAR Plastic Multi Press Leak (PMPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	F 32 45° (PR-2B) ³⁾	574556	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	IVT PRIPRESS	TH 16	578352
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
J			
Jäger - Aquatec Aquapress H		H 14	578398
		H 16	578400
		H 17	578402
		H 18	578404
	H 20	578406	
Jäger - Aquatec C-Stahl Press Typ M	H 26	578410	
	H 32	578412	
	U 40	578386	
	M 15	578312	
	M 18	578314	
Jäger - Aquatec Edelstahl Press Typ M	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18	578314	
Jäger - Aquatec Kupfer Press Typ V	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15	578328	
	V 18	578332	
Jansen AG JANSEN prima	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	TH 14	578348	
	TH 16	578352	
Jaraflex- Presssystem	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
JUNGWOO JWPress	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	VUS 1/2" (OD 15,9 mm)	578566	
VUS 3/4" (OD 22,2 mm)	578568		
VUS 1" (OD 28,6 mm)	578570		
VUS 1 1/4" (OD 34,9 mm)	578606		
K			
KAN KAN-therm	U 16	578374	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
U 40	578386		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.		
NUPI Industrie Italiane Multinupi	B 16	578468		
	B 18	578470		
	B 20	578472		
	B 26	578474		
	B 32	578476		
	F 16	578456		
	F 18	578458		
	F 20	578460		
	F 26	578462		
	F 32	578464		
	F 16 45° (PR-2B) ³⁾	574550		
	F 20 45° (PR-2B) ³⁾	574552		
	F 26 45° (PR-2B) ³⁾	574554		
	F 32 45° (PR-2B) ³⁾	574556		
	H 16	578400		
	H 18	578404		
	H 20	578406		
	H 25	578408		
	H 26	578410		
	H 32	578412		
	TH 16	578352		
	TH 18	578356		
	TH 20	578358		
	TH 25	578360		
	TH 26	578362		
	TH 32	578364		
	U 14	578372		
	U 16	578374		
	U 18	578376		
	U 20	578378		
	U 25	578380		
	C 26	578392		
U 32	578382			
U 40	578386			
Nussbaum Optifitt-Press	VMP 3/4" (OD 17,2 mm)	578660		
	VMP 1/2" (OD 21,3 mm)	578662		
Nussbaum Optiflex-Flowpress	VRX 16	578640		
	VRX 20	578644		
	VRX 32	578646		
Nussbaum Optipress Aquaplus	V 15	578328		
	V 18	578332		
	V 22	578334		
	V 28	578336		
	V 35	578604		
	V 15 45° (PR-2B) ³⁾	574504		
	V 18 45° (PR-2B) ³⁾	574506		
	V 22 45° (PR-2B) ³⁾	574508		
	V 28 45° (PR-2B) ³⁾	574510		
	V 35 45° (PR-2B) ³⁾	574512		
	Nussbaum Optipress Gaz	V 15	578328	
		V 18	578332	
		V 22	578334	
V 28		578336		
V 35		578604		
V 15 45° (PR-2B) ³⁾		574504		
V 18 45° (PR-2B) ³⁾		574506		
V 22 45° (PR-2B) ³⁾		574508		
V 28 45° (PR-2B) ³⁾		574510		
V 35 45° (PR-2B) ³⁾		574512		
Nussbaum Optipress-Therm		V 15	578328	
		V 18	578332	
		V 22	578334	
	V 28	578336		
	V 35	578604		
	V 15 45° (PR-2B) ³⁾	574504		
	V 18 45° (PR-2B) ³⁾	574506		
	V 22 45° (PR-2B) ³⁾	574508		
	V 28 45° (PR-2B) ³⁾	574510		
	V 35 45° (PR-2B) ³⁾	574512		
	O			
		O.M.T. - Press	TH 16	578352
			TH 20	578358
TH 26			578362	
TH 32			578364	
Oventrop Cofit P		H 16 A	578420	
		H 20 A	578426	
	H 26 A	578430		
Oventrop Cofit PD	H 16 A	578420		
	H 20 A	578426		
	H 26 A	578430		
Oventrop Cofit PDK	H 16 A	578420		
	H 20 A	578426		
	H 26 A	578430		
Oventrop Cofit PD-HT	H 16 A	578420		
	H 20 A	578426		
	H 26 A	578430		
Oventrop Cofit PDK-HT	H 16 A	578420		
	H 20 A	578426		
	H 26 A	578430		
P				
	PBtub SERTIPRESS	RFz 12	578490	
		RFz 16	578492	
		RFz 20	578494	
		RFz 25	578496	

System	Pressing contour	Art.-No.	
PBtub SERTI-STEEL ¹⁾	M 15	578312	
	M 18	578314	
Pegler Yorkshire XPress Carbon	M 22	578316	
	M 28	578318	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 12	578310	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
Pegler Yorkshire XPress Copper	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 12	578310	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
Pegler Yorkshire XPress Copper	M 28 ¹⁾	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
Pegler Yorkshire XPress Stainless	M 28 ¹⁾	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	Pegler Yorkshire XPress Stainless Gas	M 28 ¹⁾	578318
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
M 15		578312	
M 18 ¹⁾		578314	
M 22		578316	
PERFEXIM "PERFEKT SYSTEM"		M 28 ¹⁾	578318
	M 35	578390	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
PERFILTUBO PERFILALUPLEX	U 32	578382	
	U 40	578386	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	PEXTUBE PexTube	M 28 45° (PR-2B) ³⁾	574528
M 35 45° (PR-2B) ³⁾		574530	
RFz 16		578492	
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
Pipelife COPRESS		M 15	578312
		M 18	578314
		M 22	578316
		M 28	578318
		M 35	578390
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	Pipelife RADOPRESS	TH 16	578352
TH 18		578356	
TH 20		578358	
TH 26		578362	
TH 32		578364	
Pipetec Connect	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
PLASTICA ALFA Multiplex	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	

System	Pressing contour	Art.-No.
PLASTICA ALFA Multiplex Air	TH 16	578352
	TH 20	578358
	TH 26	578362
PLASTICA ALFA Multiplexalfa Gas	TH 32	578364
	TH 16	578352
	TH 20	578358
PLASTICA ALFA Multiplexalfa Gas protek	TH 26	578362
	TH 16	578352
	TH 20	578358
PLASTICA ALFA Multiplex Plus	TH 26	578362
	TH 32	578364
	TH 16	578352
PLASTICA ALFA Multiplex Thermo	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multiplex Thermo Plus	TH 16	578352
	TH 20	578358
	TH 26	578362
PLÁSTICOS FERRO	TH 32	578364
	U 16	578374
	U 20	578378
FERROPLAST GPF MC PRESS	U 25	578380
	U 32	578382
	U 40	578386
Pressfitting MULTICAPA	U 16	578374
	U 20	578378
	U 25	578380
PLÁSTICOS FERRO	U 32	578382
	U 16	578374
	U 20	578378
FERROPLAST GPF PPSU	U 25	578380
	U 32	578382
	U 40	578386
Pressfitting PE-X y MULTICAPA	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
PLÁSTICOS FERRO	RFz 32	578498
	K16/P18	578592
	K/20	578594
EZIPEX Comp. (AUS)	K/25	578596
	K/32	578598
	K/40	578600
PLUMBING PLUS EZIPEX Gas (AUS)	K16/P18	578592
	K/20	578594
	K/25	578596
PLUMBING PLUS EZIPEX Gas (AUS)	K/32	578598
	K/40	578600
	VAU 15 (OD 12,7 mm)	578630
PLUMBING PLUS EZIPEX Solar (AUS)	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
PLUMBING PLUS EZIPEX Water (AUS)	VAU 15 45° (PR-2B) ³⁾	574540
	VAU 20 45° (PR-2B) ³⁾	574542
	VAU 25 45° (PR-2B) ³⁾	574544
POLYPIPE POLYSURE	VAU 32 45° (PR-2B) ³⁾	574546
	TH 10	578342
	TH 15	578350
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Oster- reich)	TH 22	578358
	TH 28	578366
	M 15	578312
POLYSAN- C Stahl-Press- System M	M 18	578314
	M 22	578316
	M 28	578318
POLYSAN- Edelstahl Press-System Gas	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
POLYSAN- Edelstahl Press-System Gas	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini
REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press
22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA NiroTherm Serie 91000	SA 15	578514
		SA 18	578518
		SA 22	578520
		SA 28	578522
		M 15 ¹⁾	578312
		M 18 ¹⁾	578314
		M 22 ¹⁾	578316
		M 28	578318
		M 35	578390
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	
SANHA NiroTherm Industry Serie 98000		SA 15	578514
		SA 18	578518
		SA 22	578520
		SA 28	578522
		M 15 ¹⁾	578312
		M 18 ¹⁾	578314
		M 22 ¹⁾	578316
		M 28	578318
		M 35	578390
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA-Press Chrom Serie 16000	SA 12	578510
		SA 15	578514
		SA 18	578518
		SA 22	578520
		SA 28	578522
		M 12	578310
		M 15 ¹⁾	578312
		M 18 ¹⁾	578314
		M 22 ¹⁾	578316
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 12		578324	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	

System	Pressing contour	Art.-No.
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	VG 14 45° (PR-2B) ³⁾	574536
	V 15 45° (PR-2B) ³⁾	574504
	VG 16 45° (PR-2B) ³⁾	574538
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Press Pressfittings Serie 6000	SA 12	578510
	SA 14	578512
	SA 15	578514
	SA 16	578516
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 14	578326
	VG 16	578340
	V 15 ¹⁾	578328
	V 16	578330
	VG 16	578340
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	VG 14 45° (PR-2B) ³⁾	574536
	V 15 45° (PR-2B) ³⁾	574504
	VG 16 45° (PR-2B) ³⁾	574538
V 18 45° (PR-2B) ³⁾	574506	
V 22 45° (PR-2B) ³⁾	574508	
V 28 45° (PR-2B) ³⁾	574510	
V 35 45° (PR-2B) ³⁾	574512	
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512

System	Pressing contour	Art.-No.	
SANHA PURAPRESS Serie 8000	SA 12	578510	
	SA 14	578512	
	SA 15	578514	
	SA 16	578516	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 12 ¹⁾	578310	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28 ¹⁾	578318	
	M 35 ¹⁾	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 12	578324	
	V 14	578326	
	VG 14	578338	
	V 15 ¹⁾	578328	
	V 16	578330	
	VG 16	578340	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	VG 14 45° (PR-2B) ³⁾	574536	
	V 15 45° (PR-2B) ³⁾	574504	
	VG 16 45° (PR-2B) ³⁾	574538	
V 18 45° (PR-2B) ³⁾	574506		
V 22 45° (PR-2B) ³⁾	574508		
V 28 45° (PR-2B) ³⁾	574510		
V 35 45° (PR-2B) ³⁾	574512		
SANHA-Therm Serie 24000	SA 12	578510	
	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 12	578310	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
	M 35 45° (PR-2B) ³⁾	574530	
	V 12	578324	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	SANHA-Therm Industry Serie 28000	SA 12	578510
		SA 15	578514
		SA 18	578518
		SA 22	578520
SA 28		578522	
M 12		578310	
M 15 ¹⁾		578312	
M 18 ¹⁾		578314	
M 22 ¹⁾		578316	
M 28		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520	
M 15 45° (PR-2B) ³⁾		574522	
M 18 45° (PR-2B) ³⁾		574524	
M 22 45° (PR-2B) ³⁾		574526	
M 28 45° (PR-2B) ³⁾		574528	
M 35 45° (PR-2B) ³⁾		574530	
V 12		578324	
V 15 ¹⁾		578328	
V 18 ¹⁾		578332	
V 22 ¹⁾		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
SANITOP PERMATUBO INOX	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
SANPRO THPRESS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SATEC SK ViTerm	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Schütz duo-flex tri-o-flex	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
Schwer Fittings AQUApress	TH 25	578360
	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
Seppelfricke VSH SudoPress C-Stahl Visu-Control	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
Seppelfricke Seppelfricke VSH SudoPress Edelstahl Visu-Control	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
Seppelfricke VSH SudoPress Kupfer Visu-Control	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 12	578324
	V 15	578328
	V 18	578332
Seppelfricke VSH SudoPress Kupfer Gas Visu-Control	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	V 15	578328
Seppelfricke VSH XPress C-Stahl	V 18	578332
	V 22	578334
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	M 12	578310
	M 15	578312
	Seppelfricke VSH XPress Edelstahl	M 18 ¹⁾
M 22		578316
M 28 ¹⁾		578318
M 35		578390
M 12 45° (PR-2B) ³⁾		574520
M 15 45° (PR-2B) ³⁾		574522
M 18 45° (PR-2B) ³⁾		574524
M 22 45° (PR-2B) ³⁾		574526
M 28 45° (PR-2B) ³⁾		574528
M 35 45° (PR-2B) ³⁾		574530
Seppelfricke VSH XPress Edelstahl gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
Seppelfricke VSH XPress Edelstahl gas	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390

System	Pressing contour	Art.-No.
Seppelfricke VSH XPress Kupfer	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
Seppelfricke VSH XPress Kupfer gas	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
SESTA SESTA GAS	M 35	578390
	TH 14	578348
	TH 16	578352
SESTA sistema multistrato	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 16	578400
SIGMA LI Premium	H 20	578406
	TH 12	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
SLOVARM PEX-THERM	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 16	578374
	U 20	578378
STANDARD HIDRAULICA MultiStandard	H 26	578410
	U 32	578382
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
STELBI Polikraft	U 32	578382
	U 40	578386
	H 16	578400
	H 20	578406
	H 26	578410
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
STELBI Stelgas	U 16	578374
	U 20	578378
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 32	578382
System WELCO Gas	U 40	578386
	H 16 A	578420
	H 20 A	578426
	H 26 A	578430
	H 32 A	578432
	H 14 A	578418
	H 16 A	578420
	H 17 A	578422
	H 20 A	578426
	H 26 A	578430
System WOPREX	H 32 A	578432
	H 16	578400
	H 18	578404
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 18	578356
	TH 20	578358
TDM BRASS Serie 1600	TH 25	578360
	TH 26	578362
	THL 32	578368
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	C 26	578392
	U 32	578382

System	Pressing contour	Art.-No.
TDM BRASS Serie 1700 gas	TH 16	578352
	TH 20	578358
	TH 26	578362
	THL 32	578368
TermoConcept TC-PRESS	Basic E01 ¹⁾	578618
THERMOLUTZ	H 14	578398
	H 16	578400
	TH 20	578358
	TH 26	578362
TE-SA TE-SA press serie 800	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
TIEMME AL-COBRAPEX Serie 1650	TH 26	578362
	TH 32	578364
	TH 40	578624
	TH 14	578348
TIEMME Serie 1700 PE-X a pressare	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
TIEMME TIEMME Gas	TH 26	578362
	THL 32	578368
	TH 16	578352
	TH 20	578358
TIGRE ALPEX GAS	TH 26	578362
	TH 32	578364
	TH 16	578352
	TH 20	578358
TKM Systemtechnik	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
TRA MULTITRAPRESS	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
TRA TRAPRESS	U 40	578386
	H 12	578396
	H 16	578400
	H 20	578406
TWEETOP	H 25	578408
	H 32	578412
	RFz 12	578490
	RFz 16	578492
UNICAL AG MAX-MULTIPEX	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	U 16	578374
	U 20	578378
UNIDELTA DeltAll	U 25	578380
	U 32	578382
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 20	578406
UNIDELTA DeltAll GAS	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Uponor MLC	TH 40	578624
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	U 32	578382
	UP 14	578576
	Uponor MLC-D	UP 16
UP 18		578580
UP 20		578582
UP 25		578584
Uponor MLC-G	UP 32	578586
	UP 40	578588
	UP 16	578578
	UP 20	578582
Uponor S-Press PLUS	UP 25	578584
	UP 32	578586
	UP 16	578578
	UP 20	578582

REMS pressing tongs Mini
REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press
22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
Uponor Uni Pipe PLUS	UP 16	578578	
	UP 20	578582	
	UP 25	578584	
	UP 32	578586	
V			
Valsir Bravopress	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 16 45° (PR-2B) ³⁾	574550	
	F 20 45° (PR-2B) ³⁾	574552	
	F 26 45° (PR-2B) ³⁾	574554	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	H 32 V	578602	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	Valsir PEXAL	H 14	578398
		H 16	578400
		H 20	578406
		H 26	578410
H 32		578412	
H 32 V		578602	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
U 16		578374	
U 20		578378	
C 26		578392	
U 32	578382		
Van Marcke NV Tubipex	TH 16	578352	
	TH 17	578354	
	TH 20	578358	
	TH 26	578362	
Van Marcke NV Tubipress	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520	
	M 15 45° (PR-2B) ³⁾	574522	
	M 18 45° (PR-2B) ³⁾	574524	
	M 22 45° (PR-2B) ³⁾	574526	
	M 28 45° (PR-2B) ³⁾	574528	
M 35 45° (PR-2B) ³⁾	574530		
Variotherm System TH	TH 11,6	578344	
	TH 16	578352	
	TH 20	578358	
VESBO VPremium	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
Viega Fonterra	VX 12	578550	
	VP 14/15	578480	
	VP 16/17	578482	
	VP 20	578484	
	VP 25	578486	
Viega MegaPress	VMP ¾" (OD 17,2 mm)	578660	
	VMP ½" (OD 21,3 mm)	578662	
	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Pexfit	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Prestabo	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 12 45° (PR-2B) ³⁾	574512	
	V 15 45° (PR-2B) ³⁾	574514	
	V 18 45° (PR-2B) ³⁾	574516	
	V 22 45° (PR-2B) ³⁾	574518	

System	Pressing contour	Art.-No.	
Viega Profipress	V 12	578324	
	VG 14	578338	
	V 15	578328	
	VG 16	578340	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	VG 14 45° (PR-2B) ³⁾	574536	
	V 15 45° (PR-2B) ³⁾	574504	
	VG 16 45° (PR-2B) ³⁾	574538	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega Profipress G	V 12	578324
		VG 14	578338
		V 15	578328
		VG 16	578340
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502	
VG 14 45° (PR-2B) ³⁾		574536	
V 15 45° (PR-2B) ³⁾		574504	
VG 16 45° (PR-2B) ³⁾		574538	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
Viega Profipress S	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
Viega Profipress Therm	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
Viega ProPress System USA	VUS ¾" (OD 19,9 mm)	578666	
	VUS ½" (OD 22,2 mm)	578668	
	VUS 1" (OD 28,6 mm)	578670	
	VUS 1¼" (OD 34,9 mm)	578666	
	VUS 1½" (OD 39,7 mm)	578666	
Viega ProPress WATER System AUS	VAU 15 (OD 12,7 mm)	578630	
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
	VAU 32 (OD 31,8 mm)	578636	
Viega ProPressG GAS System AUS	VAU 15 (OD 12,7 mm)	578630	
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
Viega Raxinox	VRX 16	578640	
	VRX 20	578642	
	VRX 25	578644	
Viega Raxofix	VRX 16	578640	
	VRX 20	578642	
	VRX 25	578644	
	VRX 32	578646	
Viega Sanfix	VP 16/17	578482	
	VP 20	578484	
	VP 25	578486	
	VP 32	578488	
Viega Sanpress	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502	
	V 15 45° (PR-2B) ³⁾	574504	
	V 18 45° (PR-2B) ³⁾	574506	
	V 22 45° (PR-2B) ³⁾	574508	
	V 28 45° (PR-2B) ³⁾	574510	
	V 35 45° (PR-2B) ³⁾	574512	
	Viega Sanpress Inox	V 15	578328
		V 18	578332
V 22		578334	
V 28		578336	
V 35		578604	
V 15 45° (PR-2B) ³⁾		574504	
V 18 45° (PR-2B) ³⁾		574506	
V 22 45° (PR-2B) ³⁾		574508	
V 28 45° (PR-2B) ³⁾		574510	
V 35 45° (PR-2B) ³⁾		574512	

System	Pressing contour	Art.-No.
Viega Sanpress Inox G	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
Viessmann	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578372
Vogel & Noot EASYTEC	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 40	578372
VSH MultiPress	U 14	578372
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
VSH SudoPress Carbon	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
VSH SudoPress Copper	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
VSH SudoPress Copper Gas	V 12	578324
	V 14	578326
	V 15	578328
	V 16	578330
	V 18	578332
	V 22	578334
VSH SudoPress Stainless	V 12	578324
	V 14	578326
	V 15	578328
	V 18	578332
	V 22	578334
	V 35	578604
VSH XPress Carbon	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
VSH XPress Copper	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
VSH XPress Copper GAS	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
VSH XPress Stainless	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
VSH	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
Gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
W		
Watts MTR	TH 16	578352
Art press	TH 20	578358
	TH 26	578362
	TH 32	578364
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts WaterPEX	US ¾"	578538
	US 1"	578540
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts	US ¾"	578538
RadiantPEX	US 1"	578540
WATTS	U 16 (½")	578374
RADIANT	U 20 (¾")	578378
Watts	U 25 (¾")	578380
RadiantPEX-AL	U 32 (1")	578382
Wavin	U 14	578372
Tigris K1/K5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Wavin	U 14	578372
Tigris M1/M5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
WeeConPress	M 12	578310
Alu	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502
	V 15 45° (PR-2B) ³⁾	574504
	V 18 45° (PR-2B) ³⁾	574506
	V 22 45° (PR-2B) ³⁾	574508
	V 28 45° (PR-2B) ³⁾	574510
	V 35 45° (PR-2B) ³⁾	574512
	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522

System	Pressing contour	Art.-No.
WeeConPress	M 12	578310
C-Stahl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConPress	M 12	578310
Inox	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConPress	M 12	578310
Kupfer	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520
	M 15 45° (PR-2B) ³⁾	574522
	M 18 45° (PR-2B) ³⁾	574524
	M 22 45° (PR-2B) ³⁾	574526
	M 28 45° (PR-2B) ³⁾	574528
	M 35 45° (PR-2B) ³⁾	574530
WeeConFlex	H 16	578400
MVR	H 20	578406
	H 26	578410
	H 32	578412
	H 32	578412
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WEM	U 16	578374
WIELAND	TH 14	578348
cuprotherm	TH 16	578352
CTX	TH 18	578356
	TH 20	578358
	TH 26	578362
WKS-Press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WÜRTH	TH 16	578352
Würth	TH 20	578358
	TH 26	578362
	HE 32	578370

System	Pressing contour	Art.-No.
X		
XtraConnect	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550
	F 20 45° (PR-2B) ³⁾	574552
	F 26 45° (PR-2B) ³⁾	574554
	F 32 45° (PR-2B) ³⁾	574556
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Z		
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
EUROPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
ISOPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
ZEWOTHERM	TH 12	578346
Zewo Press Premium	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
ZEWOTHERM	TH 16	578352
Zewo Press PPSU	TH 20	578358
	TH 26	578362
	TH 32	578364
ZURN	US ¾"	578534
INDUSTRIES	US ½"	578536
ZURN PEX	US ¾"	578538
	US 1"	578540

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 154.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems. Date 15.10.2019. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Adapter tongs Mini Z1 for driving REMS pressing rings 45° (PR-2B)	578558
Steel case with insert for adapter tongs Mini Z1 and adapter tongs Z1 and 6 REMS pressing rings V 12–35 45° (PR-2B) or M 12–35 45° (PR-2B) or F 16–32 45° (PR-2B)	574516
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295
L-Boxx system case with inserts for 11 pressing tongs Mini and 6 pressing rings 45° (PR-2B)	578659

