

## OPEN-END WRENCHES - METRIC




### Description :

- ISO 691 - ISO 1711-1 - ISO 3318 - ISO 10102 - DIN 3110
- Open end angled at 15° from handle axis.
- Forged in Chrome Vanadium steel.
- High chrome finish.

### Conditioning :

1



### References :

	EAN	A1 [mm]	A [mm]	B [mm]	B1 [mm]	C [mm]	C1 [mm]	H1 [mm]	L [mm]	[g]
<b>E111201</b>	3258951112014	26	24	50.4	55.9	8	8	55	266	318
<b>E111202</b>	3258951112021	46	41	85	94	14.7	14.7	92	415	1450
<b>E111203</b>	3258951112038	50	46	94	103	15.7	15.7	107	465	1767
<b>E113250</b>	3258951132500	7	6	16	18	3.3	3.3	23	122	20
<b>E113251</b>	3258951132517	9	8	20	22	3.6	3.6	25	140	32
<b>E113252</b>	3258951132524	11	10	23.4	25.4	4	4	30	156	47
<b>E113253</b>	3258951132531	13	12	27.2	28.4	5	5	34	172	63
<b>E113254</b>	3258951132548	15	14	31.4	33.9	5.6	5.6	38	188	92

<b><u>E113255</u></b>	3258951132555	17	16	35.9	38	6.1	6.1	43	204	118
<b><u>E113256</u></b>	3258951132562	19	18	38.4	41.9	6.5	6.5	48	220	146
<b><u>E113257</u></b>	3258951132579	22	20	42	45.9	7.2	7.2	49	234	200
<b><u>E113258</u></b>	3258951132586	23	21	45.2	48.4	7.5	7.5	49	247	220
<b><u>E113259</u></b>	3258951132593	27	24	50.4	55.9	8	8	55	266	375
<b><u>E113260</u></b>	3258951132609	28	25	53.4	61.9	8.4	8.4	59	285	377
<b><u>E113261</u></b>	3258951132616	28	26	53.4	61.9	8.4	8.4	59	285	456
<b><u>E113262</u></b>	3258951132623	5	4	12.5	14.5	3.2	3.2	20	112	15
<b><u>E113265</u></b>	3258951132654	10	8	20	22	3.6	3.6	25	140	32
<b><u>E113267</u></b>	3258951132678	13	10	25.8	28.4	5	5	34	172	62
<b><u>E113268</u></b>	3258951132685	13	11	27.2	28.4	5	5	34	172	62
<b><u>E113272</u></b>	3258951132722	17	13	31.4	33.9	5.6	5.6	38	188	88
<b><u>E113275</u></b>	3258951132753	19	17	38.4	41.9	6.5	6.5	48	220	158
<b><u>E113279</u></b>	3258951132791	24	22	45.2	48.4	7.5	7.5	49	247	234
<b><u>E113281</u></b>	3258951132814	29	27	58.3	62.7	9.1	9.1	62	302	456
<b><u>E113282</u></b>	3258951132821	30	27	58.3	62.7	9.1	9.1	62	302	481
<b><u>E113285</u></b>	3258951132852	35	33	64	78	10	10	70	319	612
<b><u>E113286</u></b>	3258951132869	41	36	74.3	85.4	12.2	12.2	83	380	918
<b><u>E113287</u></b>	3258951132876	36	34	64	78	10	10	70	319	918
<b><u>E113288</u></b>	3258951132883	42	38	74.3	85.4	12.2	12.2	83	380	918
<b><u>E113909</u></b>	3258951139097	32	30	59.9	64	9.1	9.1	62	302	600