

Floor grinders

Husqvarna PG 450

PG 450 is a versatile and user-friendly planetary floor grinder. Perfect for a wide range of applications, e.g. coating removal, concrete grinding and concrete polishing. It is also suitable to use to make Husqvarna HiPERFLOOR®. With its 450 mm grinding width it is excellent for both small hard to get to areas, as well as larger surfaces. It is ideal for rental and both professional and semi-professional applications due to its many self-adjusting benefits. 1-phase means it is suitable for industrial and domestic applications. It can easily be folded and divided without tools for transport and storage.

- ⊗ Grinding width **450 mm**
- Phases **1 ph**

Article number : FLOOR GRINDER PG 450 220-240 V | 1-ph | 50 Hz | EU | 2-pin - 967
64 86-01



Ташев-Галвинг ООД
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Highly versatile

Planetary drive, single phase and the ability to make HiPERFLOOR® makes this a very versatile machine.



Easy to transport and set-up

The machine is light and fits easily in any car thanks to the compact design and foldable frame and dividable parts.


Easy to use

The speed is fixed and no settings are required. The machine also has an user-friendly logical control panel with overload protection.



Efficient dust management

Self-adjusting floating cover with brush list follows the surface and gives a tight seal to prevent the dust from entering the working environment.



- Time saving tool change
- Ergonomic working position

- Hour meter
- Redi Lock®

Ташев-Галвинг.ком
www.tashev-galving.com

SPECIFICATIONS



Rated current	13 A
Voltage	220-240 V
Phases	1 ph
Pins	2-pin
Frequency	50 Hz

Other

Grinding width	450 mm
Grinding disc diameter	450 mm
Grinding disc speed min	0 rpm
Grinding disc speed max	705 rpm
Grinding pressure, max	59 kg
Direction of rotation	One Direction
Number of grinding discs	3



Product size length	1320 mm
Product size width	480 mm
Product size height	1150 mm
Weight	109 kg

Ташев-Галвинг ООД
www.tashev-galving.com