

Compaction equipment

Husqvarna LT 6005

LT 6005 is a well-balanced and powerful rammer, developed for efficient compaction of granular and cohesive soils such as clay and silt. Ideal for compaction in trenches or other narrow spaces, for example around pillars and pipes. Equipped with the latest Honda GXR120 engine, which is especially designed for rammers. The rammer offers superb control, low noise and low emissions.

- **Honda GXR120**

Motor/engine
model

⚡ Power **2.7 kW**
output

● Speed **16.5 m/min**

🏠 Weight **70 kg**

Article number : RAMMERS LT 6005 9" | Indicator - 967 85 45-01



FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

High compaction performance

Efficient compaction thanks to a powerful Honda engine mounted in a compact, durable chassis delivering high speed and high impact force.

Easy to maneuver

The three-position throttle control (idle, full speed, stop/closed) also closes the fuel line to prevent leakage. The balanced design provides excellent traction and maneuverability.

Great ergonomics

The single lifting point and rollers on the steering bow make on-site handling easy. Transport wheel kit available as an accessory.

Easy to service

Easy access to all service points including oil level checking (engine and foot), air filter cleaning/replacing. Equipped with hour meter, air filter indicator and oil warning indicator.

SPECIFICATIONS

Engine

Motor/engine model

Honda GXR120

Power

2.7 W

Exhaust emissions (CO2 EU V)

674 g/kWh

Dimensions

Weight

70 kg

Specifications

Frequency

11.9 Hz

Speed

16.5 m/min

Sound and noise

Sound power level, guaranteed (LWA)

106 dB(A)

Sound pressure level at operators ear

92 dB(A)