

Отвертка плоска NI

605NI



Профили




Параметри на продукта



- стъбло: premium hard хромванадиева стомана, изцяло закалено
- острие - никелирано
- дръжка: ергономична
- дръжка - полипропилен
- отвор за закачване
- изработена в съответствие със стандарт ISO 2380-1,2


Стандарти

DIN 5265, ISO 2380-1, 2





Barcode	axb	C	L	D	Weight
616419	0.4 x 2.0	60	145	2	33
616420	0.4 x 2.5	75	160	2.5	34
616421	0.5 x 3.0	80	165	3	35
616422	0.6 x 3.5	100	185	3.5	39
616423	0.8 x 4.0	100	185	4	41


	axb	C	L	D	
616424	1.0 x 5.5	125	225	5	70
616425	1.2 x 6.5	150	250	6	103
616426	1.2 x 8.0	175	285	7	143
616427	1.6 x 10.0	200	320	8	173






Опаковки на дребно




	MA	MB	MC	
616419	200	44	32	40
616420	215	44	32	41
616421	220	44	32	42
616422	240	44	32	46
616423	240	44	32	48
616424	275	44	36,6	77
616425	310	44	36,6	110
616426	350	44	39,7	150
616427	380	44	42,7	180

Ташев-Галвинг ООД
www.tashev-galving.com



Транспортна опаковка

		TA	TB	TC	
616419	4	75	286	40	285
616420	4	85	288	52	289
616421	4	75	286	40	293
616422	4	114	291	39	309

		ТА	ТВ	ТС	
616423	4	114	291	39	317
616424	4	115	318	39	433
616425	4	115	340	39	565
616426	4	114	388	47	725
616427	4	114	388	47	845

Ташев-Галвинг ООД
www.tashev-galving.com