

**Пистолет Steinel Tools DIY за горещ въздух електрически
2200 W, 150-500 л/мин, 80-630 °C, HL 2020 E**



Electronically controlled hot air tool HL 2020 E



For passionate DIYers. In professional quality.

The HL 2020 E hot air tool is extremely robust, promising to last a good 20% longer than its predecessor. Professional extras: the residual heat indicator warns the user that the delivery nozzle is still hot and can cause burns even long after the tool has been unplugged. And the joystick permits intuitive operation and use. And talking of use: the HL 2020 E hot air professional is designed for all STEINEL nozzles and, delivering hot air at a temperature of up to 630 °C, the ideal tool for shaping, desoldering printed circuit boards, welding plastics, drying filler, shrinking on cable sleeves, soldering pipes and other jobs requiring high, accurately adjustable heat as well as a powerful blower. The current working temperature and airflow rate is indicated on the LCD display which is easy to read at any light level. The tool immediately responds to heat build-up by indicating a warning triangle on the display.

Benefits: LCD display, residual heat indicator for optimum protection, ergonomic operation by joystick, impressive 2200 watts of power, adjustable from 80 °C to 630 °C in 10 °C steps. Airflow rate adjustable in three stages (150 / 150-300 / 300-500 l/min.). With plastic case and 9 mm reduction nozzle. Optionally available fine-dust filter and HL Scan for measuring temperature at the workpiece. The mains power cord is very easy to replace by removing the cap on the handle

Technical specifications Electronically controlled hot air tool HL 2020 E

Special features	Includes 9 mm reduction nozzle Cased
Airflow rate	Setting 1: 150 l / min. Setting 2: 150 - 300 l / min. Setting 3: 300 - 500 l / min.
Min. airflow rate	150 l/min
Power cord length (electronically controlled)	2.20 m Yes
Model	Case
Motor	Brush motor
Power connection	220 - 230 V, 50/60 Hz
Indicated on the tool	LCD in 10° C steps
Dimensions (l x w x h)	253 x 85.5 x 200 mm
Temperature control	Continuously variable
Airflow regulation	3-stage
Heating element	Ceramic
Max. airflow rate	500 l/min
Thermal cut-out	Yes
Thermostat	Yes
Temperature setting	in 10 °C steps by joystick
Protection class (without earth terminal)	II Power
consumption	2200 W
Min. frequency	50 Hz
Max. frequency	60 Hz
Min. temperature range	80 °C
Max. temperature range	630 °C
Temperature regulation	Yes
Air volume	500 l/min
Weight	0.88 kg

Продукт: [Пистолет Steinel Tools DIY за горещ въздух електрически 2200 W, 150-500 л/мин, 80-630 °C, HL 2020 E](#)

Категория: [Заваряване на пластмаси](#)

Бранд: [Steinel Tools DIY](#)

Категория бранд: [Пистолет Steinel Tools DIY](#)