

STANLEY®

CATALOGUE 2018



www.STANLEYTOOLS.com

HIGH PRESSURE WASHERS, GARDEN PUMP AND VACUUM CLEANER.

STANLEY high pressure washers are the most robust tool for small professional jobs, including washing cars, cleaning facilities or work tools after a day on the job. Whatever the situation, STANLEY has the ideal solution for professional cleaning, helping you achieve the best result with the least effort. The rich collection of accessories is designed to simplify your work and reduce time and effort.

Whatever your needs, whether moving large amounts of flood water or making use of water from wells or tanks, STANLEY has the right solution for any professional. STANLEY pumps work with dirty or clean water, and offer speed, control and performance.

The STANLEY range of Wet & Dry Vacuum Cleaners promise to deliver high performance and agility. The diverse product range offering the various features such as the blower function, liquid drainage and the ability to connect to compatible power tools - drills, sanders and circular saws -, make the Wet & Dry STANLEY vacuum cleaners ideal for diverse applications: from woodwork to carpentry, plumbing

IDROPULITRICI, POMPE DA GIARDINO E ASPIRAPOLVERI.

Le idropulitrici ad alta pressione STANLEY sono lo strumento più robusto per piccoli lavori professionali, come il lavaggio di automobili, impianti di pulizia o strumenti professionali dopo una giornata di lavoro. Qualunque sia la situazione, STANLEY ha la soluzione ideale per la pulizia professionale, aiutandoti a ottenere il miglior risultato con il minimo sforzo. La ricca collezione di accessori è progettata per semplificare il tuo lavoro e ridurre i tempi e gli sforzi.

Qualunque siano le vostre esigenze, sia che si spostino grandi quantità di acqua dopo un allagamento, sia che si utilizzi acqua da pozzi o cisterne, STANLEY ha la soluzione giusta per ogni professionista. Le pompe STANLEY funzionano con acqua sporca o pulita e offrono velocità, controllo e performance.

La gamma di aspiratori wet&dry di STANLEY promette di offrire elevate prestazioni e agilità. La vasta gamma di prodotti offerti, le varie funzioni come quella soffiante, il drenaggio dei liquidi e la possibilità di collegarsi a utensili elettrici compatibili - trapani, levigatrici e seghe circolari - rendono gli aspiratori Wet&Dry STANLEY ideali per diverse applicazioni: dalla

GENERAL

INDEX

Ташев-Галвинг ООД
www.tashev-galving.com

01

HIGH PRESSURE WASHERS IDROPULTRICI ALTA PRESSIONE

- 09 MODELS / MODELLI
- 19 ACCESSORIES / ACCESSORI
- 22 LOGISTICS / LOGISTICA
- 23 SPECIAL ACCESSORIES / ACCESSORI SPECIALI



02

WATER PUMPS POMPE AD IMMERSIONE

- 27 SUBMERSIBLE PUMPS / POMPE SOMMERSE
- 31 SELF-PRIMING PUMPS / POMPE AUTOADESCANTI
- 35 ACCESSORIES AND LOGISTICS /
ACCESSORI E LOGISTICA



03

WET & DRY VACUUM CLEANERS ASPIRATORI SOLIDO / LIQUIDO

- 41 WET & DRY VACUUM CLEANERS / ASPIRATORI SOLIDO/LIQUIDO
- 49 ASH CLEANERS / ASPIRACENERE
- 51 ACCESSORIES / ACCESSORI
- 53 SPECIAL ACCESSORIES / ACCESSORI SPECIALI
- 54 LOGISTICS / LOGISTICA





Ташев-Галвинг ООД
www.tashev-galving.com

CONTENTS

01

HIGH PRESSURE WASHERS IDROPULTRICI ALTA PRESSIONE

- 09 SXPW14E - SXPW14PE
- 10 SXPW16E - SXPW16PE
- 11 SXPW17E - SXPW17PE
- 12 SXPW18E - SXPW18PE
- 13 SXPW22E - SXPW22PE
- 16 SXPW19E - SXPW19PE
- 17 SXPW21HE - SXPW21HPE



02

ACCESSORIES & LOGISTICS ACCESSORI & LOGISTICA

- 19 ACCESSORIES / ACCESSORI
- 22 LOGISTICS / LOGISTICA
- 23 WATER SUCTION KIT /
KIT DI ASPIRAZIONE ACQUA
PATIO CLEANER DELUXE /
SPAZZOLA LAVAPAVIMENTI DELUXE





MADE TO PERFORM

STANLEY® offers a complete range of high pressure washer, for any different needs. From car cleaning to the washing of facility and big vehicles. The results are guaranteed.

SXPW14E - SXPW14PE

**220/
240
V**
**MAX
390
L/H**
**110
BAR**
**MAX
50°C**
**1400
W**

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro

ON/OFF dial switch
Interruttore rotativo ON/OFF

Hose quick connection
Attacco rapido tubo



Soft grip handle
Manico con inserti antiscivolo

Built-in accessory holder
Porta accessori integrato

Rubber tread wheels ø160mm
Ruota con battistrada ø160mm

STANDARD ACCESSORIES



PE MODEL ACCESSORIES

Model / Modello	SXPW14E	SXPW14PE
AR code / Codice AR	14127	14139
EAN code / Codice EAN	8016287141277	8016287141390
Gross weight / Peso lordo	8,43 Kg	9,13 Kg
Max. pressure / Pressione massima	110 bar	110 bar
Max. flow rate / Portata max.	390 l/h	390 l/h
Power consumption / Assorbimento	1400W - 1,4 kW	1400W - 1,4 kW
Supply voltage / Alimentazione	220/240 V - 50-60 Hz	220/240 V - 50-60 Hz
Motor type / Tipo motore	Universal	Universal
Max. water temp. / Temp. acqua max.	50 °C	50 °C
Pump material / Materiale pompa	Aluminum / Alluminio	Aluminum / Alluminio
Total Stop System	○	○
Self priming / Capacità autoadescente	○	○

SXPW16E - SXPW16PE

**220/
240
V**
**MAX
420
L/H**
**125
BAR**
**MAX
50°C**
**1600
W**

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro

ON/OFF dial switch
Interruttore rotativo ON/OFF

Hose quick connection
Attacco rapido tubo

Soft grip handle
Manico con inserti antiscivolo

Static hose reel w/locking system
Avvolgitubo statico con sistema di bloccaggio

Built-in accessory holder
Porta accessori integrato

Rubber tread wheels ø160mm
Ruota con battistrada ø160mm

STANDARD ACCESSORIES



PE MODEL ACCESSORIES



Model / Modello	SXPW16E	SXPW16PE
AR code / Codice AR	14128	14140
EAN code / Codice EAN		8016287141406
Gross weight / Peso lordo	9,2 Kg	10,21 Kg
Max. pressure / Pressione massima		125 bar
Max. flow rate / Portata max.		420 l/h
Power consumption / Assorbimento		1600 W - 1,6 kW
Supply voltage / Alimentazione	220/240 V - 50-60 Hz	220/240 V / 50-60 Hz
Motor type / Tipo motore		1-Universal
Max. water temp. / Temp. acqua max.		50 °C
Pump material / Materiale pompa		Aluminum / Alluminio
Total Stop System		○
Self priming / Capacità autoadescente		◇

SXPW17E - SXPW17PE

**220/
240
V**
**MAX
420
L/H**
**130
BAR**
**MAX
50°C**
**1700
W**

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro



STANDARD ACCESSORIES



PE MODEL ACCESSORIES



Model / Modello	SXPW17E	SXPW17PE
AR code / Codice AR	14129	14141
EAN code / Codice EAN	8016287141291	8016287141413
Gross weight / Peso lordo	10,9 Kg	11,7 Kg
Max. pressure / Pressione massima		130 bar
Max. flow rate / Portata max.		420 l/h
Power consumption / Assorbimento		1700 W - 1,7 kW
Supply voltage / Alimentazione		220/240 V / 50-60 Hz
Motor type / Tipo motore		1-A Universal
Max. water temp. / Temp. acqua max.		50 °C
Pump material / Materiale pompa		Aluminum / Alluminio
Total Stop System		○
Self priming / Capacità autoadescante		○

SXPW18E - SXPW18PE

**220/
240
V**
**MAX
440
L/H**
**135
BAR**
**MAX
50°C**
**1800
W**

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro

ON/OFF dial switch
Interruttore rotativo ON/OFF

Hose quick connection
Attacco rapido tubo

Soft grip handle
Manico con inserti antiscivolo

Static hose reel w/locking system
Avvolgitubo statico con sistema di bloccaggio

Built-in accessory holder
Porta accessori integrato

Rubber tread wheels ø160mm
Ruota con battistrada ø160mm



STANDARD ACCESSORIES



PE MODEL ACCESSORIES



Model / Modello	SXPW18E	SXPW18PE
AR code / Codice AR	14130	14142
EAN code / Codice EAN	8016287141307	8016287141420
Gross weight / Peso lordo	11,7 Kg	12,95 Kg
Max. pressure / Pressione massima		135 bar
Max. flow rate / Portata max.		440 l/h
Power consumption / Assorbimento		1800 W - 1,8 kW
Supply voltage / Alimentazione		220/240 V / 50-60 Hz
Motor type / Tipo motore		1-Universal
Max. water temp. / Temp. acqua max.		50 °C
Pump material / Materiale pompa		Aluminum / Alluminio
Total Stop System		○
Self priming / Capacità autoadescente		◇

SXPW22E - SXPW22PE

220/
240
VMAX
440
L/H150
BARMAX
50°C2200
W

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro

ON/OFF dial switch
Interruttore rotativo ON/OFF

Hose quick connection
Attacco rapido tubo



Soft grip handle
Manico con inserti antiscivolo

Static hose reel w/locking system
Avvolgitubo statico con sistema di bloccaggio

Built-in accessory holder
Porta accessori integrato

Rubber tread wheels ø160mm
Ruota con battistrada ø160mm

STANDARD ACCESSORIES



41946

41949

41951



41953

41954

Model / Modello	SXPW22E	SXPW22PE
AR code / Codice AR	14132	14144
EAN code / Codice EAN	8016287141321	8016287141444
Gross weight / Peso lordo	12,8 Kg	13,7 Kg
Max. pressure / Pressione massima		150 bar
Max. flow rate / Portata max.		440 l/h
Power consumption / Assorbimento		2200 W - 2,2 kW
Supply voltage / Alimentazione		220/240 V / 50-60 Hz
Motor type / Tipo motore		1-Universal
Max. water temp. / Temp. acqua max.		50 °C
Pump material / Materiale pompa		Aluminum / Alluminio
Total Stop System		○
Self priming / Capacità autoadescante		○



Ташев-Галвинг ООД
www.tashev-galving.com



Ташев-Галвин
www.tashov-galvin.com

SXPW19E - SXPW19PE

220/240 V **MAX 400 L/H** **130 BAR** **MAX 50°C** **1900 W**

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro

ON/OFF dial switch
Interruttore rotativo ON/OFF

Hose quick connection
Attacco rapido tubo

Soft grip handle
Manico con inserti antiscivolo

Static hose reel w/locking system
Avvolgitubo statico con sistema di bloccaggio

Built-in accessory holder
Porta accessori integrato

Rubber tread wheels ø160mm
Ruota con battistrada ø160mm



STANDARD ACCESSORIES



PE MODEL ACCESSORIES



Model / Modello	SXPW19E	SXPW19PE
AR code / Codice AR	14133	14145
EAN code / Codice EAN	8016287141338	8016287141451
Gross weight / Peso lordo	17,21 Kg	18,47 Kg
Max. pressure / Pressione massima		130 bar
Max. flow rate / Portata max.		400 l/h
Power consumption / Assorbimento		1900 W - 1,9 kW
Supply voltage / Alimentazione		220/240 V / 50 Hz
Motor type / Tipo motore		1-Universal
Max. water temp. / Temp. acqua max.		50 °C
Pump material / Materiale pompa		Aluminum / Alluminio
Total Stop System		○
Self priming / Capacità autoadescante		◇

SXPW21HE - SXPW21HPE

**220/
240
V**
**MAX
450
L/H**
**145
BAR**
**MAX
50°C**
**2100
W**

- 3 Axial-piston wobble plate pump with tempered stainless steel plungers, automatic safety valve with low pressure by-pass
- Pressure reduction into the pump when trigger gun is released
- Quick water intake fitting with inspectable filter
- Pompa a 3 pistoni assiali comandati dal piattello oscillante con pistoni in acciaio temperato, valvola di sicurezza automatica con riciclo a bassa pressione
- Riduzione della pressione di esercizio della pompa al rilascio della pistola
- Attacco rapido aspirazione acqua con filtro

ON/OFF dial switch
Interruttore rotativo ON/OFF



Soft grip handle
Manico con inserti antiscivolo

In pressure hose reel wlocking system
Avvolgitubo in pressione con sistema di bloccaggio

Built-in accessory holder
Porta accessori integrato

Rubber tread wheels ø160mm
Ruota con battistrada ø160mm

STANDARD ACCESSORIES


41947
41946

**10m
Reinforced**

41953

41954

PE MODEL ACCESSORIES

Model / Modello	SXPW21E	SXPW21HPE
AR code / Codice AR	14135	14147
EAN code / Codice EAN	8016287141352	8016287141475
Gross weight / Peso lordo	24,2 Kg	25,46 Kg
Max. pressure / Pressione massima		145 bar
Max. flow rate / Portata max.		450 l/h
Power consumption / Assorbimento		2100 W - 2,1 kW
Supply voltage / Alimentazione		220/240 V / 50 Hz
Motor type / Tipo motore		1-∞ Induction
Max. water temp. / Temp. acqua max.		50 °C
Pump material / Materiale pompa		Aluminum / Alluminio
Total Stop System		○
Self priming / Capacità autoadescente		✧



FOR EVERY NEED

STANLEY® accessories enable you to adjust the cleaning pressure depending on the surface and object you are washing, to give just the right strength and precision.

ACCESSORIES - ACCESSORI

Image Immagine	Description Descrizione	AR Code Codice AR	EAN Code Codice EAN	Suitable for Adatto per						
				SXPW14E-PE	SXPW16E-PE	SXPW17E-PE	SXPW18E-PE	SXPW22E-PE	SXPW19E-PE	SXPW21HE-HPE
	Trigger gun w/ safety Pistola con sicura	41938*	8016287419383	S	S	S	S	S	S	-
	Trigger gun Pistola	41939*	8016287419390	-	-	-	-	-	-	S
	Rotary jet nozzle Testina getto rotante	41940*	8016287419406	-	S	S	S	S	S	-
	Adjustable jet nozzle Testina getto regolabile	41941*	8016287419413	S	-	-	-	-	-	-
	Adjustable jet nozzle Testina getto regolabile	41942*	8016287419420	-	S	-	-	-	S	-
	Adjustable jet nozzle Testina getto regolabile	-	8016287419437	-	-	S	S	-	-	-
	Adjustable jet nozzle Testina getto regolabile	41944*	8016287419444	-	-	-	-	-	-	-
	Lance extension Prolunga lancia	41945*	8016287419451	S	S	S	S	S	S	-
	Lance w/ rotary nozzle Lancia con getto rotante	41946*	8016287419468	-	-	-	-	-	-	S
	Lance w/ adjustable spray nozzle Lancia con getto regolabile	41947*	8016287419475	-	-	-	-	-	-	S

* Accessory supplied with full color pack / Accessorio fornito con packaging in quadricromia

S : Standard accessory / Accessorio standard

ACCESSORIES - ACCESSORI

Image Immagine	Description Descrizione	AR Code Codice AR	EAN Code Codice EAN	Suitable for Adatto per						
				SXPW14E-PE	SXPW16E-PE	SXPW17E-PE	SXPW18E-PE	SXPW22E-PE	SXPW19E-PE	SXPW21HE-HPE
	HP hose 6m (M-M) Tubo A.P. 6m (M-M)	41948*	8016287419482	S	S	S	S	-	-	-
	HP hose 8m (M-M) Tubo A.P. 8m (M-M)	41949*	8016287419499	-	-	-	-	S	S	-
	Reinforced HP hose 10m Tubo A.P. armato 10m	41950*	8016287419505	-	-	-	-	-	-	-
	Foam lance bottle kit Kit schiumogeno con serbatoio	41951*	8016287419512	S	S	S	S	S	S	S
	Mini Patio w/quick connection Mini Patio con attacco rapido		8016287419529	O P	O P	O P	-	-	-	-
	Patio Deluxe Chem w/quick connection Patio Deluxe con detergente incorporato con attacco rapido	41953*	8016287419536	-	-	-	O P	O P	O P	O P
	Fixed brush Spazzola fissa	41954*	8016287419543	O P	O P	O P	O P	O P	O P	O P
	Rotary brush Spazzola rotante	41955*	8016287419550							
	Water suction kit Kit aspirazione acqua		8016287419567	O	O	O	O	O	O	O
	Pipe drain hose kit 10m Kit pulizia tubazioni 10m	41957*	8016287419574	O	O	O	O	O	O	O

* Accessory supplied with full color pack / Accessorio fornito con packaging in quadricromia

S : Standard accessory / Accessorio standard

ACCESSORIES - ACCESSORI

Image Immagine	Description Descrizione	AR Code Codice AR	EAN Code Codice EAN	Suitable for Adatto per						
				SXPW14E-PE	SXPW16E-PE	SXPW17E-PE	SXPW18E-PE	SXPW22E-PE	SXPW19E-PE	SXPW21HE-HPE
	Pipe drain hose kit 16m Kit pulizia tubazioni 16m	41958*	8016287419581					O	O	O
	Underbody lance kit DRS Kit lancia sottoscocca DRS	41959*	8016287419598	O	O	O	O	-	-	-
	Underbody lance kit DRS Kit lancia sottoscocca DRS	41960*	8016287419604	-	-	-	-			
	Sandblasting lance kit Kit lancia sabbiante	41961*	8016287419611					O	O	O
	HP hose extension 8 m Prolunga tubo A.P. 8 m			O	O	O	O	O	O	-
	Reinforced HP hose extension 8m Prolunga tubo AP armato 8m	41963*	8016287419635	-	-	-	-	-	-	
	Click fast kit Kit attacco rapido	41964*	8016287419642	O	O	O	O	O	O	O
	Inspectable water filter 3pcs Filtro acqua ispezionabile 3pz	41965*	8016287419659				O	O	O	
	Water filter kit Kit filtro acqua	41966*	8016287419666	O	O	O				O
	Adaptors kit Kit adattatori	41967*	8016287419673	O	O	O	O	O	O	O

P : Accessory included in PE models / accessorio incluso nei modelli PE

O : Optional accessory / Accessorio opzionale

ACCESSORIES - ACCESSORI

Image Immagine	Description Descrizione	AR Code Codice AR	EAN Code Codice EAN	Suitable for Adatto per						
				SXPW14E-PE	SXPW16E-PE	SXPW17E-PE	SXPW18E-PE	SXPW22E-PE	SXPW19E-PE	SXPW21HE-HPE
	Adaptors kit Kit adattatori	41968*	8016287419680							
	Bicycles and motorbikes detergent Detergente bici e moto	41969	8016287419697	○	○	○	○	○	○	○
	Boats and cars detergent Detergente barche e auto	41970	8016287419703							
	Heavy duty detergent Detergente universale	41971	8016287419710	○	○	○	○	○	○	○

LOGISTICS - LOGISTICA

Model / Modello	SXPW14E	SXPW14PE	SXPW16E	SXPW16PE	SXPW17E
Packaging dimension / Dimensioni packaging	315*283*500 mm	315*283*590 mm	315*283*730 mm	370*283*730 mm	385*350*490 mm
Gross weight / Peso lordo	8,43 Kg	9,13 Kg	9,2 Kg	10,21 Kg	10,9 Kg
Net weight / Peso netto	7,13 Kg	7,83 Kg	7,81 Kg	8,51 Kg	9,25 Kg
HP Washer weight / Peso idropulitrice		5,43 Kg		6,06 Kg	7,51 Kg
Quantity / Quantità in Euro pallet	32 pcs	24 pcs		16 pcs	18 pcs
Quantity / Quantità in 20' container	646 pcs	552 pcs	420 pcs		438 pcs
Quantity / Quantità in 40' container	1298 pcs	1112 pcs	840 pcs	732 pcs	874 pcs
Quantity / Quantità in 40' HQ container	1476 pcs	1288 pcs		871 pcs	940 pcs
Model / Modello	SXPW17PE	SXPW18E	SXPW18PE	SXPW22E	SXPW22PE
Packaging dimension / Dimensioni packaging	385*350*585 mm	360*324*770 mm	360*340*770 mm	360*324*815 mm	360*340*815 mm
Gross weight / Peso lordo	11,67 Kg	11,7 Kg	12,95 Kg	12,8 Kg	13,7 Kg
Net weight / Peso netto		9,73 Kg	11,15 Kg	10,88 Kg	12,3 Kg
HP Washer weight / Peso idropulitrice	7,51 Kg		7,98 Kg		9,0 Kg
Quantity / Quantità in Euro pallet	18 pcs		12 pcs		12 pcs
Quantity / Quantità in 20' container	376 pcs	336 pcs	306 pcs	312 pcs	288 pcs
Quantity / Quantità in 40' container	768 pcs	672 pcs	612 pcs	624 pcs	576 pcs
Quantity / Quantità in 40' HQ container		766 pcs	702 pcs	672 pcs	612 pcs
Model / Modello	SXPW19E	SXPW19PE	SXPW21HE	SXPW21HPE	
Packaging dimension / Dimensioni packaging	360*324*835 mm	360*340*835 mm		460*400*958 mm	
Gross weight / Peso lordo	17,21 Kg	18,47 Kg	24,2 Kg	25,46 Kg	
Net weight / Peso netto		15,99 Kg	21,1 Kg	22,52 Kg	
HP Washer weight / Peso idropulitrice		12,49 Kg	18,2 Kg	18,2 Kg	
Quantity / Quantità in Euro pallet		12 pcs	8 pcs	8 pcs	
Quantity / Quantità in 20' container	284 pcs	244 pcs		167 pcs	
Quantity / Quantità in 40' container	584 pcs	490 pcs		350 pcs	
Quantity / Quantità in 40' HQ container	630 pcs	612 pcs		355 pcs	

* Accessory supplied with full color pack / Accessorio fornito con packaging in quadricromia

○ : Optional accessory / Accessorio opzionale

Ташев-Галвинг ООД
www.tashev-galving.com