

Submersible Pump (4SP)



Product Description

APPLICATIONS:

For water supply from wells or reservoirs
For domestic use, for civil and industrial applications
For garden use and irrigation

OPERATING CONDITIONS:

Maximum fluid temperature up to +50° C
Maximum sand content: 0.25%.
Maximum immersion: 100m
Minimum well diameter: 4"

MOTOR AND PUMP:

Rewindable motor or full obturated screen motor
THREE PHASE: 380V-415V / 50Hz
SINGLE PHASE: 220V-240V / 50Hz
Equip with start control box or digital auto-control box
Pumps are designed by casing stressed
Curve tolerance according to ISO 2548

WARRANTY: 1 year

(According to our general sales and conditions)

4S-----well Φ 4"

SP-----pump name

(M)-----single phase

5-----capacity (m³ /h)

8-----impeller's number

MODEL	P2	DELIVERY		n=2850 l/min										
		Q	H(m)	0	1.2	2.4	3.6	4.8	6	7.2	8.4	9.6	10.8	
1~	3~			m ³ /h	0	1.2	2.4	3.6	4.8	6	7.2	8.4	9.6	10.8
220V/240V	380V/415V	KW	HP	l/min	0	20	40	60	80	100	120	140	160	180
4SPM5-4A	4SP5-4A	0.37	0.5		24	23	21	19	16	11				
4SPM5-6A	4SP5-6A	0.55	0.75		36	34	31	28	23	16				
4SPM5-8A	4SP5-8A	0.75	1		48	45	42	37	31	21				
4SPM5-12A	4SP5-12A	1.1	1.5		72	68	63	56	47	32				
4SPM5-17A	4SP5-17A	1.5	2		103	96	89	79	66	45				
4SPM5-24A	4SP5-24A	2.2	3		145	136	125	112	93	63				
4SPM5-4A	4SP5-32A	3	4		193	181	167	149	124	84				
4SPM5-4A	4SP5-40A	4	5.5		241	227	209	187	155	105				
	4SP5-44A	4	5.5		265	249	230	205	171	116				
	4SP5-52A	5.5	7.5		314	295	271	243	202	137				
	4SP5-60A	5.5	7.5		362	340	313	280	233	158				
4SPM8-5A	4SP8-5A	0.75	1.1		30	28	27	26	25	23	21	19	16	12
4SPM8-7A	4SP8-7A	1.1	1.5		41	40	38	37	35	33	30	26	22	17
4SPM8-10A	4SP8-10A	1.5	2		59	57	55	52	50	47	43	38	31	24
4SPM8-14A	4SP8-14A	2.2	3		83	80	76	73	69	65	60	53	44	33
	4SP8-18A	3	4		106	102	98	94	89	84	77	68	56	43
	4SP8-24A	4	5.5		142	136	131	125	119	112	102	91	75	57
	4SP8-30A	5.5	7.5		177	170	164	157	149	140	128	113	94	71
	4SP8-34A	5.5	7.5		201	193	185	178	168	158	145	128	107	80
	4SP8-40A	7.5	10		236	227	218	209	198	186	170	151	125	95
	4SP8-44A	7.5	10		260	250	240	230	218	205	187	166	138	104