

**Диск Husqvarna Construction диамантен за мокро рязане на армиран бетон и скални материали 1200x60x4.5 мм, 13 мм, Elite-Cut W1510**



# DIAMOND BLADES AND CHAIN FOR WALL SAWING

With their advanced design, Husqvarna's wall saw blades ensure top performance in terms of product life and cutting properties. The W1500 series has Diagrip™, a revolutionary technology for manufacturing segments which delivers superior cutting capacity, longer life and a smooth, rapid cut. Also available in low-noise version with a three-layer sandwich core which produces 50% less noise than a standard solid core. The W1100 series consists of blades with a high cutting speed and a good balance between cost and performance. Husqvarna PRO 20 and PRO 45 for WSC 40 are diamond chains optimized for use with WSC 40, enabling efficient cutting and long service life with minimal chain stretch.

## Revolutionary diamond tool technology for superior cutting capacity and durability.

One of the greatest benefits with the Diagrip™ technology is how fast and smooth the diamond tools go through all types of construction materials. Diagrip™ tools means trouble-free sawing, especially in heavily reinforced concrete.



The diamonds are specially treated to remain in place in the segments longer and be distributed optimally, delivering maximum efficiency to every diamond. With Diagrip™ the diamonds are exposed and expanded at an even rate, which makes the edge very even and powerful, even when cutting hard materials like reinforced concrete.



**GOLD**  
**SILVER**

See pages 14-15 for more information.

MACHINE POWER	5-10 kW	10-25 kW	<10 kW	10-25 kW	>25 kW
PRODUCT	W1510	W1525	W1105	W1110	W1210
SEGMENT SHAPE	[Pulsar]	[Pulsar]	[Pulsar]	[Pulsar]	[Pulsar]
<b>MATERIAL</b>					
Reinforced concrete, hard	•••	•••	•••	•••	•
Reinforced concrete, medium	•••	•••	•••	•••	•••
Reinforced concrete, soft	•••	•••	•••	•••	•••
Brick	••	••	••	••	••
<b>RECOMMENDED EQUIPMENT</b>					
WS 220	•••	•••	•••	•••	•••
WS 440 HF	•••	•••	•••	•••	•••
WS 220	•••	•••	•••	•••	•••
WS 440 HF	•••	•••	•••	•••	•••
WS 402 HF	•••	•••	•••	•••	•••

••• - Optimal ••• - Good •• - Acceptable - - Not recommended

## Husqvarna W1510 Diagrip™

Gold level blades for hard concrete, 5-10 kW saws

PRODUCT NUMBER DRAWING P.3002 FOR WS 440 HF, WS 403, WS 402 HF	PRODUCT NUMBER - MULTI FLUSH CUTTING	DIAMETER, MM	SEGMENT LENGTH, MM	SEGMENT WIDTH, MM	SEGMENT HEIGHT, MM	BORE, MM
<b>STANDARD WALL SAW BLADES</b>						
5927491-01	5927493-02	600	40	4.7	100-3.0	60
5927492-01	5927493-02	650	40	4.7	100-3.0	60
5927494-01	5927494-02	700	40	4.7	100-3.0	60
5927495-01	5927495-02	750	40	4.7	100-3.0	60
5913565-01	5913565-02	800	40	4.7	100-3.0	60
5913565-07	5913565-08	800	40	4.7	100-3.0	60
5927496-01	5927496-02	900	40	4.7	100-3.0	60
5927497-01	5927497-02	1000	40	4.5	100-3.0	60
5927498-01	5927498-02	1200	40	4.5	100-3.0	60
5927499-01	5927499-02	1500	40	4.5	100-3.0	60
<b>LOW NOISE WALL SAW BLADES</b>						
5927491-03	5927494-04	600	40	5.0	100-3.0	60
5927494-03	5927494-04	700	40	5.0	100-3.0	60
5913565-03	5913565-04	800	40	5.0	100-3.0	60
5927496-03	5927496-04	900	40	5.0	100-3.0	60
5927497-03	5927497-04	1000	40	4.7	100-3.0	60
5927498-03	5927498-04	1200	40	4.7	100-3.0	60

## PRODUCT NUMBER - MULTI FLUSH CUTTING

DRAWING P.3001 FOR WS 220

PRODUCT NUMBER DRAWING P.3001 FOR WS 220	PRODUCT NUMBER - MULTI FLUSH CUTTING	DIAMETER, MM	SEGMENT LENGTH, MM	SEGMENT WIDTH, MM	SEGMENT HEIGHT, MM	BORE, MM
<b>WALL SAW BLADES FOR WS 220, LOW-POWERED SAWS</b>						
5927491-05	5927491-06	600	40	3.8	100-3.0	60
5927491-07	5927491-08	600	40	4.2	100-3.0	60
5913565-05	5913565-06	800	40	3.8	100-3.0	60
5927496-05	5927496-06	900	40	3.8	100-3.0	60
<b>LOW NOISE WALL SAW BLADES FOR WS 220, LOW-POWERED SAWS</b>						
5927491-09	5927491-10	600	40	4.7	10-0-3.0	60
5927491-03	5927491-12	600	40	5.0	10-0-3.0	60
5927496-07	5927496-08	900	40	4.7	10-0-3.0	60

## Husqvarna W1525 Diagrip™

Gold level blades for hard to medium hard concrete, 10-25 kW saws

PRODUCT NUMBER DRAWING P.3002 FOR WS 440 HF, WS 403, WS 402 HF	PRODUCT NUMBER - MULTI FLUSH CUTTING	DIAMETER, MM	SEGMENT LENGTH, MM	SEGMENT WIDTH, MM	SEGMENT HEIGHT, MM	BORE, MM
<b>STANDARD WALL SAW BLADES</b>						
5907789-01	5907789-04	600	40	4.7	100-3.0	60
5908829-01	5908829-04	650	40	4.7	100-3.0	60
5908829-03	5908829-04	700	40	4.7	100-3.0	60
5907790-01	5907790-03	750	40	4.7	100-3.0	60
5927505-01	5927505-02	800	40	4.7	100-3.0	60
5907791-01	5907791-03	800	40	4.7	100-3.0	60
5907791-03	5907791-04	800	40	4.7	100-3.0	60
5907792-01	5907792-03	900	40	4.7	100-3.0	60
5907792-03	5907792-04	900	40	4.5	100-3.0	60
5907793-01	5907793-04	1000	40	4.5	100-3.0	60
5907794-01	5907794-04	1200	40	4.5	100-3.0	60
5927506-01	5927506-02	1500	40	4.5	100-3.0	60
<b>LOW NOISE WALL SAW BLADES</b>						
5907798-05	5907798-06	600	40	5.0	100-3.0	60
5907799-04	5907799-05	700	40	5.0	100-3.0	60
5907791-04	5907791-05	800	40	5.0	100-3.0	60
5907792-04	5907792-05	900	40	5.0	100-3.0	60
5907793-05	5907793-06	1000	40	4.7	100-3.0	60
5907794-05	5907794-06	1200	40	4.7	100-3.0	60

Продукт: [Диск Husqvarna Construction диамантен за мокро рязане на армиран бетон и скални материали 1200x60x4.5 мм, 13 мм, Elite-Cut W1510](#)

Категория: [Дискове за рязане](#)

Бранд: [Husqvarna Construction](#)

Категория бранд: [Диск Husqvarna Construction](#)

Ташев-Галвинг ООД  
[www.tashev-galving.com](http://www.tashev-galving.com)