

Стяга Bessey дърводелска с метални челюсти F-образна 175x300 мм, TWV28



Ташев-Галвинг ООД
www.tashev-galving.com

Easily and quickly to use

BESSEY clamping elements of the TWV16 and TW16 series can be used with just a few turns on all standard workbenches:

- due to the connection of the **TW16AW workbench adapter** – available in 5 sizes suitable for 19 mm, 20 mm, 22 mm, 25.4 mm and 30 mm hole diameter
- due to replaceable bolts on the adapter for the use of further hole systems



Precise and safe

BESSEY always offers the right clamping element for different requirements:

- due to **2 throat depth variants**: either with infinitely adjustable (TWV) or fixed throat depth (TW)
- due to **3 handle variations**: the 2-component plastic handle and tommy bar – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement – and lever handle with an indexing mechanism for controlled, fast and vibration-free clamping

Robust and highly hard-wearing

The tried-and-tested BESSEY all-steel clamp solutions were the inspiration for the development of the clamping elements and guarantee a form-stable and torsion-free tool:

- due to the unique **BESSEY steel quality**, which is available in the optimized profile shape as well as the easy-going spindle
- due to the particularly **hard-wearing steel cams at the lever handle**



Workbench adapter TW16AW

Order-No.	Suitable for				kg	qty.	V3
	mm	mm	"				
TW16AW19	16	19	3/4	0.33	1		
TW16AW20	16	20	13/16	0.35	1		
TW16AW22**	16	22	7/8	0.35	1		
TW16AW25**	16	25.4	1	0.44	1		
TW16AW30	16	30	1 3/16	0.53	1		

**TW16AW22 / TW16AW25: While stocks last

1 2 3

For further information
www.bessey.de

BESSEY Tool GmbH & Co. KG • Mühlwiesenstr. 40
74321 Bietigheim-Bissingen, Germany
Fon +49 7142 401-0 • Fax +49 7142 401-452
E-Mail: info@bessey.de • www.bessey.de



Your dealer:



Продукт: [Стяга Bessey дърводелска с метални челюсти F-образна 175x300 мм, TWV28](#)

Категория: [Стеги](#)

Бранд: [Bessey](#)

Категория бранд: [Стяга Bessey](#)