

Floor saws

Husqvarna FS 305

Our most lightweight and compact petrol push floor saw for asphalt and concrete cutting. Ideal for job sites that are difficult to access and for small repair jobs, up to 125 mm cutting depth. FS 305 is very easy to handle and can be transported in a small vehicle.

- ✿ Cutting depth, **125 mm**
max
- Output power **3.6 kW**
(As rated by the
engine/motor
manufacture)
- ✿ Blade **350 mm**
diameter, max

Article number : FLOOR SAW FS 305 5.6 hp | 350mm | CE | Honda | wo/tank - 965 15 00-26



Ташев-Галвинг ООД
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.

Easy to transport

Very light weight facilitating transport and handling.

Low vibrations

Engine and blade shaft mounting system increases comfort and gives excellent cutting performance.

- Adjustable handles

Stable operation

Adjustable handle and extendable right rear wheel for increased stability.

Low maintenance

The IntelliSeal blade shaft system allows for a minimum of 250 maintenance-free hours without daily greasing of bearings.

- Clear depth indicator

Ташев-Галвинг ООД
www.tashev-galving.com

SPECIFICATIONS

Engine

Output power (As rated by the engine/motor manufacture)	3.6 kW
Output power at tool shaft	4.2 kW
Engine cooling	Air
Fuel tank volume	3.1 l
Cylinders	1
Number of strokes	4-stroke engine

Cutting equipment

Arbor diameter	25,4 mm
Blade depth control	Handwheel
Blade diameter, max	350 mm
Cutting depth, max	125 mm

Dimensions

Product size length	915 mm
Product size height	990 mm
Weight	54 kg

Ташев-Галвинг ООД
www.tashev-galving.com