

Husqvarna FS 400 LV

Our robust FS 400 LV is a convenient all-round petrol push floor saw. The adjustable handle ensures an ergonomic working position. Perfect weight distribution gives excellent stability while sawing. Ideal for small road repair jobs in concrete or asphalt, up to 162 mm cutting depth.

✂ Cutting **162 mm**
depth, max

● Output power **8.7 kW**
(As rated by the
engine/motor
manufacturer)

✂ Blade **450 mm**
diameter, max

Article number : FLOOR SAW FS 400 LV 117

hp | 450mm | CE | Honda - 965 14 82-01



Ташев-Галвинг ООЧ
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Easy to operate

Productive and robust with excellent weight distribution and stability.

Easy to transport

Compact saw that is easy to lift.



Adjustable handles

Provides a closer and more comfortable position to the cutting side for easier alignment and straighter cuts. Handle can also be folded for transport.

Large integrated water tank

Quick connection for water hose to the blade guard. No tools required for dis-assembly.



- Low vibrations
- Clear depth indicator

- Retractable handwheel

Ташев-Гаринг
www.tashev-garling.com

SPECIFICATIONS



Engine

Output power (As rated by the engine/motor manufacturer)	8.7 kW
Output power at tool shaft	8.6 kW
Engine cooling	Air
Fuel tank volume	6.1 l
Cylinders	1
Number of strokes	4-stroke engine
Exhaust emissions (CO2 EU V)	743 g/kWh



Cutting equipment

Arbor diameter	25,4 mm
Blade depth control	Handwheel
Blade diameter, max	450 mm
Cutting depth, max	162 mm



Dimensions

Product size length	1150 mm
Product size width	615 mm
Product size height	940 mm
Weight	99 kg

Ташев-Галвинг ООД
www.tashev-galving.com