

Husqvarna K 970 Ring

When you need to make deep cuts fast our K 970 Ring is the answer. It has an exceptionally cutting depth of 270 mm, twice the amount of a traditional power cutter. It has a high cutting capacity, can make deep cuts from one side and is the quickest method for small and medium-sized cuts, as no time is lost on installing rails.

- ✿ Cutting depth, max **270 mm**
- ✿ Blade diameter, max **370 mm**
- Output power **4.8 kW**

Article number : POWER CUTTER K 970


Ring 370 mm - 967 27 23-01



Ташев-Галвинг ООД
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Deep cutting

Irregular deep cutting.



Sturdy and reliable

Less sensitive to outer conditions and fuel variations, thanks to the cylinder design and muffler with integrated heat deflector.

Long service intervals

A strong Poly-V belt combined with our maintenance-free starter DuraStarter™ and efficient filter-system Active Air Filtration™ ensures long service intervals.



Light and powerful

A light, compact and powerful machine with superior power-to-weight ratio.



- Easy to start
- Maintenance-free air filter
- Active Air Filtration™
- High power with less fuel
- Less emissions and fuel consumption
- Maintenance-free starter
- SmartCarb™
- Anti-vibration system
- Wet cutting kit

- DuraStarter™
- Poly-V belt
- Adjustment to openings
- Blocks, curbstones and pavers
- Cast concrete
- Deep cutting
- Floors and walls
- Pipes


Ташев-Галевити
www.tashev-galvini.com

SPECIFICATIONS



Engine

Output power	4.8 kW
Cylinder displacement	93.6 cm³
Electrode gap	0.5 mm
Cylinders	1
Number of strokes	2-stroke engine
Exhaust emissions (CO2 EU V)	736 g/kWh



Dimensions

Product size length	784.6 mm
Product size width	224.2 mm
Product size height	430.7 mm
Weight	13.8 kg



Vibrations

Vibrations left/front handle	2.7 m/s²
Vibrations right/rear handle	3.4 m/s²



Cutting equipment

Cutting depth, max	270 mm
Blade diameter, max	370 mm
Blade thickness, max	5.6 mm
Peripheral speed, max	55 m/s



Sound and noise

Sound power level, guaranteed (LWA)	115 dB(A)
Sound pressure level at operators ear	104 dB(A)

ELITE-RING R10

Ташев-Галвинг ООД
www.tashev-galving.com