

EXPERT




- ▶ Adjustment system of the cutting height with an hand wheel and relevant locking lever.

STRUCTURE

- ▶ Made in extruded aluminium to get the maximum of rigidity and lightness at the same time.
- ▶ It has four handles for the carriage and movement.

10 mm



- ▶ Strong framework bridge holding the head motor group.

DOUBLE HANDLE ON THE WORKING TABLE

- ▶ to get the maximum safe to the operator.



▶ EXPERT 700



Art. 9700Z

FEATURES

Stone saw ideal for cutting bricks, poroton blocks, marble blocks.

- Amperometrical protection
- Adjustable cutting head
- Sliding working table
- Kit wheels
- Water recycling pump type S3



Disk Ø 700 not included.



TECHNICAL DATA

	550 mm
	389 x 389 mm
	270 mm
	340 mm
	700 mm / 25,4 mm
	10-16 A
	5,5Hp/4Kw, 8A
	1400
	72x160x108 cm
	2 pz
	72x160x180 cm

Description

Euro Art.



▶ EXPERT 700 THREE-PHASE with SRS and WHEELS

9700Z

8021410059350

1

95,0

▶ EXPERT 700 THREE-PHASE with WHEELS

9700

8021410044134

1

95,0

▶ EXPERT 700 SINGLE-PHASE with WHEELS (4,5Hp/3,5 Kw)

9700/M

8021410052818

1

95,0

▶ EXPERT 600



Art. 9601Z

Art. 9600Z

FEATURES

Stone saw ideal for cutting bricks, poroton blocks, marble blocks.

- Amperometrical protection
- Adjustable cutting head
- Sliding working table
- Kit wheels
- Water recycling pump type S3



Disk Ø 600 not included.



TECHNICAL DATA

	750 mm
	530x530 mm
	220 mm
	285 mm
	600 mm / 25,4 mm
	10-16 A
	5,5Hp/4Kw, 8A
	1400
	80x120x103 cm
	2 pz
	80x120x180 cm

Description

Euro Art.



▶ EXPERT 600S THREE-PHASE with SRS, LASER and WHEELS

9601Z

8021410059343

1

85,0

▶ EXPERT 600S THREE-PHASE with LASER and WHEELS

9601

8021410040686

1

85,0

▶ EXPERT 600 THREE-PHASE with SRS

9600Z

8021410059336

1

80,0

▶ EXPERT 600 THREE-PHASE

9600

8021410040242

1

80,0

▶ EXPERT 600 SINGLE-PHASE (4,5Hp/3,5 Kw)

9600/M

8021410052801

1

80,0

▶ EXPERT 500



Art. 9501Z

Art. 9500Z

FEATURES

Stone saw ideal for cutting bricks, poroton blocks, marble blocks.

- Amperometrical protection
- Adjustable cutting head
- Sliding working table
- Kit wheels
- Water recycling pump type S3



Disk Ø 500 not included.



TECHNICAL DATA

	750 mm
	530x530 mm
	170 mm
	235 mm
	500 mm / 25,4 mm
	10-16 A
	5,5Hp/4Kw, 8A
	1400
	80x120x103 cm
	2 pz
	80x120x180 cm

Description

Description	Euro	Art.			
▶ EXPERT 500S THREE-PHASE with SRS, LASER and WHEELS		9501Z	8021410059329	1	85,0
▶ EXPERT 500S THREE-PHASE with LASER and WHEELS		9501	8021410041560	1	85,0
▶ EXPERT 500 THREE-PHASE with SRS		9500Z	8021410059312	1	80,0
▶ EXPERT 500 THREE-PHASE		9500	8021410041546	1	80,0
▶ EXPERT 500 SINGLE-PHASE (4,5Hp/3,5 Kw)		9500/M	8021410052795	1	80,0

▶ EXPERT 400



Art. 9401

Art. 9400

FEATURES

Masonry saw ideal for the building sector suitable for straight cuts of bricks, kerbs, tuff and all the different kind of materials for the building sector.

- Amperometrical protection
- Overheat protection with manual reset
- Adjustable cutting head
- Sliding working table
- Kit wheels
- Water recycling pump type S2



Disk Ø 400 not included.



TECHNICAL DATA

	800 mm
	550x550 mm
	135 mm
	155 mm
	400 mm / 25,4 mm
	16 A
	3,8Hp/2,8Kw, 12A
	2800
	80x120x97 cm
	3 pz
	80x120x227 cm

Description

Description	Euro	Art.			
▶ EXPERT 400S with LASER and WHEELS		9401	8021410061346	1	73,0
▶ EXPERT 400		9400	8021410061353	1	68,0

▶ Fittings



Description	Euro	Art.			
		90451Z	8021410059459	1	0,4
		96109 94109	8021410040693 8021410061360	1	0,9 0,3
		90102R	8021410044073	1	5,0
		SP90159/T380	8021410054058	1	0,7
		S3 S2	8021410033145 8021410032667	6 12	9,0 14,6
		SP90159	8021410054027	1	0,7
		897	8021410044202	1	10,5
		CNE6004DC0 CNE5004DC0 CNE4004DC0	8714452110294 8714452110287 8714452011140	1	6,0 4,0 2,0
		CNA6004DC0 CNA5004DC0 CNA4004DC0	8714452110492 8714452110485 8714452011126	1	6,0 4,0 2,0
		CNC6004DC0 CNC5004DC0 CNC4004DC0	8714452110393 8714452110386 8714452011133	1	6,0 4,0 2,0
		00010	8021410000185	1	15,0

Ташев-Галвинг ООД
www.tashev-galving.com