

Power packs

Husqvarna PP 220

PP 220 is a versatile, water-cooled electric power pack developed for our high frequency-powered PRIME™ product range. The low weight, compact design and user-friendly display interface makes PP 220 very easy to use and transport. Connects to both 3- and 1-phase power.

- Rated current **15 A**
(1 phase)
- Rated current **10 A**
(3 phase)
- ⚡ Voltage **200-480 V**

Article number : POWER PACK PP 220 180-500 V | 1 & 3-ph | 50 Hz | EU - 966 56 38-01



Ташев-Галвинг ООО
www.tashev-galving.com

FEATURES

Want to take a closer look? Learn more about the product in depth by exploring its features and benefits.



Low weight, ergonomic design

Easy to carry and use.

For jobs requiring easy transportation

Suitable for applications where easy transportation is required both to and around the worksite.

- User-friendly interface
- User-friendly wireless remote control
- Automatic setup



Double connections

Possible to connect the power pack to WS 220 and other PRIME™ products simultaneously.

Easy setup and transport

Only one cable and one hose from power pack to machine.




- Flexible power setup
- Protected electronics

Ташев-Галвинг ООТД
www.tashev-galving.com

SPECIFICATIONS



Rated current (1 phase)	15 A
Rated current (3 phase)	10 A
Voltage	200-480 V



Product size length	419 mm
Product size width	184 mm
Product size height	351 mm
Weight	10.8 kg

Other

Control type	Remote control
Water flow, min	3.5 l/min
Water pressure, max	7 bar
Water temp at min flow, max	25 °C

Ташев-Галвинг ООД
www.tashev-galving.com